

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by rseymour@eagleanalytical.com from https://app.zenqms.com on 04-Sep-2026 at 10:16:36 PM UTC |                              |                                                                                   | Page 1 of 6                     |

**OOS Number: OOS-** 262098

**Phase I**

| Section A – Test Details                                                     |                                                                                                                       |                              |                                                                                                                                                                                                 |                                                                     |                 |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|-----------------|
| <b>Initiator:</b>                                                            | Alex Saravia (Written by: C                                                                                           | <b>Test Date:</b>            | 04-Sep-2026                                                                                                                                                                                     | <b>Date Initiated:</b>                                              | 10-Sep-2026     |
| <b>Date of Incident:</b>                                                     | 10-Sep-2026                                                                                                           | <b>Test Name:</b>            | USP <71> / EP 2.6.1 Sterility (Every Day                                                                                                                                                        | <b>Sample ID:</b>                                                   | ETX-260902-0505 |
| <b>Name of Analyst who Performed the Test:</b>                               | Prepping Analyst: Alex Saravia (ES)                                                                                   | <b>Sample / Active Name</b>  | GLP3R/Cagrilinitide                                                                                                                                                                             | <b>Lot #:</b>                                                       | 2608-216        |
|                                                                              | Processing Analyst: Alex Saravia (ES)                                                                                 |                              |                                                                                                                                                                                                 |                                                                     |                 |
|                                                                              | Reading Analyst: Elysse Nioupin (EN)                                                                                  | <b>Dosage Form</b>           | Liquid                                                                                                                                                                                          |                                                                     |                 |
| <b>Description of Incident:</b>                                              | On 10 Sep 2026, sample ETX-260902-0505 was found positive for viable microorganisms after USP <71> sterility testing. |                              | <input checked="" type="checkbox"/> Client Care notified of OOS<br><input checked="" type="checkbox"/> Sterility and Endotoxin test related OOS; Client must be notified within 24 hours of OOS |                                                                     |                 |
|                                                                              | SOP / Test Method #<br>MICRO-SOP-5                                                                                    | Effective Date:<br>24Jul2026 | SOP / Test Method Rev:<br>19                                                                                                                                                                    | Limits/Specification:<br>Pass/Fail                                  |                 |
| <b>Manager notified</b>                                                      | Manager/designee name:<br>Kathan Parikh                                                                               | Date:<br>10-Sep-2026         | Quality Assurance Department notified:                                                                                                                                                          | Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> |                 |
| Section B – Investigation and Root Cause Analysis                            |                                                                                                                       |                              |                                                                                                                                                                                                 |                                                                     |                 |
| Personnel Discrepancy                                                        |                                                                                                                       |                              | Comments                                                                                                                                                                                        |                                                                     |                 |
| Analyst interviewed?                                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, analysts Alex Saravia and Elysse Nioupin were interviewed comprehensively.                                                                                                                 |                                                                     |                 |
| Correct samples analyzed?                                                    | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, sample ID: ETX-260902-0505                                                                                                                                                                 |                                                                     |                 |
| Correct SOP / Test Method used/followed?                                     | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, as per MICRO-SOP-5                                                                                                                                                                         |                                                                     |                 |
| Correct sample collection/technique?                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, as per MICRO-SOP-5                                                                                                                                                                         |                                                                     |                 |
| Are the Test Result Records Attached & Calculations Verified and Correct?    | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, Information is available in EagleTrax under ETX-260902-0505                                                                                                                                |                                                                     |                 |
| Is the analyst qualified to perform the test?                                | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, the analysts are trained and qualified by quality to perform the test                                                                                                                      |                                                                     |                 |
| Is formula worksheet provided and verified?                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A                      |                              | Not Applicable                                                                                                                                                                                  |                                                                     |                 |
| Does the processing method/method set conform to the required specification? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A                      |                              | Not Applicable                                                                                                                                                                                  |                                                                     |                 |
| Was the sample stored appropriately?                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              | Yes, the sample was stored as per client's instructions. Information is available in EagleTrax Sample Location History under                                                                    |                                                                     |                 |
| Material Discrepancy                                                         |                                                                                                                       |                              | Lot Number                                                                                                                                                                                      | Expiry Date                                                         |                 |
| Is the integrity of the sample(s) questionable?                              | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A                      |                              |                                                                                                                                                                                                 |                                                                     |                 |
| Was the sample transported appropriately?                                    | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                      |                              |                                                                                                                                                                                                 |                                                                     |                 |
| Are the other test results from this run under investigation?                | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A                      |                              |                                                                                                                                                                                                 |                                                                     |                 |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by rseymour@eagleanalytical.com from https://app.zenqms.com on 04-Sep-2026 at 10:16:36 PM UTC |                              |                                                                                   | Page 2 of 6                     |

**OOS Number: OOS- 262098**

|                                                                                            |                                                                                                  |                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Appropriate/correct glassware used?                                                        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                     |
| Are reagents stored in proper condition and not expired?                                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | <small>Process Consumables:<br/>Information is available in EagleTrax Sample Consumables section</small><br><br><small>Environmental Plates:<br/>TSA and Surface Plate: see attached environmental logs</small><br><br><small>Monthly Cleaning:<br/>H2O2 strips and IPA: See attached monthly cleaning logs</small> | <small>Process Consumables:<br/>Information is available in EagleTrax Sample Consumables section</small><br><br><small>Environmental Plates:<br/>TSA and Surface Plate: see attached environmental logs</small><br><br><small>Monthly Cleaning:<br/>H2O2 strips and IPA: See attached monthly cleaning logs</small> |
| Standard Used                                                                              | Not applicable                                                                                   | Not applicable                                                                                                                                                                                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                      |
| Solvent Used                                                                               | Not applicable                                                                                   | Not applicable                                                                                                                                                                                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                      |
| Is the standard the source of the root cause?                                              | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                     |
| Has the analyst been instructed to keep the original test solution for possible retesting? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                     |
| <b>Equipment Discrepancy</b>                                                               |                                                                                                  | <b>Equipment ID</b>                                                                                                                                                                                                                                                                                                 | <b>Calibration Due Date</b>                                                                                                                                                                                                                                                                                         |
| Was the instrument set up correctly?                                                       | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | ISO 5 BSC E001316                                                                                                                                                                                                                                                                                                   | Jun 2027                                                                                                                                                                                                                                                                                                            |
| Is the clean room facility certified?                                                      | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | CR 114 (E001736)                                                                                                                                                                                                                                                                                                    | Dec 2026                                                                                                                                                                                                                                                                                                            |
| System Performance Check (if applicable)?                                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Not applicable                                                                                                                                                                                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                      |
| System Suitability RSD < 2% (PDA)?                                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Not applicable                                                                                                                                                                                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                      |
| System Suitability RSD < 10% (QDA, CAD)?                                                   | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | Not applicable                                                                                                                                                                                                                                                                                                      | Not applicable                                                                                                                                                                                                                                                                                                      |
| Do the environmental monitoring results conform to required standards?                     | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | See Phase I Summary                                                                                                                                                                                                                                                                                                 | See Phase I Summary                                                                                                                                                                                                                                                                                                 |
| Do the controls (i.e., positive, negative, etc.) conform to the required standards?        | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | See Phase I Summary                                                                                                                                                                                                                                                                                                 | See Phase I Summary                                                                                                                                                                                                                                                                                                 |
| Is equipment/instrument functional and calibrated/qualified/certified/PM?                  | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Incubator E001356 (Sensor E001450)<br><br>Incubator E001357 (Sensor E001449)<br><br>Incubator E001034 (Sensor E001501)<br><br>Incubator E001031 (Sensor E001505)                                                                                                                                                    | Jan 2027 / Feb 2027<br><br>Jan 2027 / Feb 2027<br><br>Aug 2027 / Feb 2027<br><br>Aug 2027 / Feb 2027                                                                                                                                                                                                                |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by rseymour@eagleanalytical.com from https://app.zenqms.com on 04-Sep-2026 at 10:16:36 PM UTC |                              |                                                                                   | Page 3 of 6                     |

**OOS Number: OOS- 262098**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                                                                                                                                        |                |                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------|
| Are chromatogram/spectra/raw data correct?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A                                                                                                                                                                                                                                       | Not applicable | Not applicable |
| <b>Section C – Evaluation of Laboratory Testing/Hypothesis Testing (if applicable)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                                                                                        |                |                |
| <input checked="" type="checkbox"/> N/A<br><input type="checkbox"/> Re-injection of sample vial<br><input type="checkbox"/> Re-injection of original standard vial<br><input type="checkbox"/> Re-vialing of original working standard solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | <input type="checkbox"/> Re-vialing of original working sample solution<br><input type="checkbox"/> Re-dilution of a working sample solution from the original stock<br><input type="checkbox"/> Re-dilution of a working standard solution from the original stock standard<br><input type="checkbox"/> Other: <u>N/A QYC 08Oct26</u> |                |                |
| <b>Section D – Phase I Summary</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                                                                                                                                                                                                                                                        |                |                |
| <p><b>Phase I Summary:</b></p> <p>All analysts involved in the prepping, processing, and reading of the sample – Alex Saravia and Elysse Nioupin, were interviewed comprehensively. Their answers are recorded throughout this document.</p> <p>Upon arrival, the sample was stored in accordance with the Client ' s instructions. Analysts - Alex Saravia and Elysse Nioupin - verified the integrity of the sample throughout both the preparation and processing stages. No leaks or turbidity were observed at any point, verifying the integrity of the sample.</p> <p>All reagents and supplies mentioned in the material section above were stored according to the suppliers ' recommendations, and their integrity was visually verified before utilization. Moreover, all reagents and supplies had valid expiration dates. The functionality of all equipment was confirmed by reviewing data generated by our comprehensive in-house continuous monitoring system.</p> <p>The cleanroom suite (CR 114) used for processing procedures comprises three interconnected sections: the innermost ISO 7 cleanroom (114B), which connects to the middle ISO 7 buffer room (114A), and then to the outermost ISO 8 anteroom (114). A positive air pressure system is maintained throughout the suite to ensure controlled, unidirectional airflow from 114B through 114A and into 114.</p> <p>The ISO 5 BSC E001316, located in the innermost ISO 7 room, (114B), was used for sample processing steps. It was thoroughly cleaned and disinfected prior to each procedure in accordance with MICRO SOP-9 (Cleaning and Disinfecting Procedure for Microbiology). Additionally, BSC E001316 was certified and approved by both the Engineering and Quality Assurance teams. Sample processing was conducted in the ISO 5 BSC E001316 in the innermost ISO 7 room, (114B) by Alex Saravia on 04 Sep 2026 as per MICRO-SOP-5 (USP &lt;71&gt; / EP 2.6.1 Sterility Test).</p> <p>On 02 Sep 2026, the sample vials for ETX-260902-0505 were received from the Sample Submissions team and brought into the Sterile Microbiology lab. Upon arrival, each sample vial was sprayed with an acidified bleach disinfectant, placed into pre-disinfected bins, and allowed a 10-minute contact time.</p> <p>The secondary disinfection happened in the ISO 8 anteroom (114), where the vials were again treated with acidified bleach and provided a 10-minute contact time before processing. Subsequently, the vials were moved into innermost ISO 7 cleanroom (114B). Inside this cleanroom, the processing analyst, Alex Saravia, performed a final disinfection step, allowing an additional 10-minute contact time. Once fully disinfected, the vials were transferred into the ISO 5 BSC E001316.</p> <p>Inside the BSC, each container was aseptically opened, ensuring minimal exposure to the environment. The contents of 3 vials were dispensed directly from the container into sterile canisters placed on a vacuum manifold for membrane filtration. The sample was processed and tested as per MICRO-SOP-5 (USP &lt;71&gt; / EP 2.6.1 Sterility Test). Media bottles were transferred into incubators E001356 and E001357 to begin incubation.</p> <p>On 10 Sep 2026 (Day 6 of incubation), microbial growth was observed in one TSB (Tryptic Soy Broth) media bottle by reading analyst, Elysse Nioupin, and confirmed by Microbiology Lab Supervisor, Robin Seymour. The positive TSB bottle for ETX-260902-0505 was submitted for Differential Staining and Microbial Identification under ETX-260910-0290. While preliminary microscopic examination of the turbid broth indicated presumptive Gram-negative rods, definitive molecular identification of the subcultured isolates on TSA and SDA confirmed the organism as <i>Micobacterium</i> sp. BME. Gram (+) rods.</p> |  |                                                                                                                                                                                                                                                                                                                                        |                |                |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
|                                                                                                       |                              |                                                                                   |                                 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by rseymour@eagleanalytical.com from https://app.zenqms.com on 04-Sep-2026 at 10:16:36 PM UTC |                              |                                                                                   | Page 4 of 6                     |

**OOS Number: OOS-** 262098

**Phase I Summary (continued):**

**ISO 5 BSC Environmental Monitoring Results Evaluation:**

After reviewing the Environmental Monitoring (EM) results for the relevant testing period, no microbial growth was detected on personnel monitoring plates, settling plates, or ISO 5 BSC surface sampling plates on the date of testing (04Sep26), the preceding sampling date (03Sep26), or the subsequent sampling date (08Sep26).

**Cleanroom Environmental Monitoring Results Evaluation:**

No microbial growth was recovered from the weekly active surface sampling plate collected on 04 Sep 2026. However, 2 CFUs (ETX-260914-0487) were recovered from the weekly active air sampling of ISO 8 cleanroom 114 by analyst ISS. The organisms were identified as *Corynebacterium ureicelerivorans* and *Mycobacterium grossiae*. It is important to note that the environmental isolates were not identical to the microorganism identified in test sample (*Microbacterium* sp. PM5, Gram (+) rods). All sample processing activities were performed within the validated ISO 5 BSC E001316 located in the innermost ISO 7 cleanroom (114B) separated by ISO 7 buffer room (114A) and ISO 8 anteroom (114). Furthermore, the test samples are transferred in disinfected and lidded containers through the layered cleanroom suite. Therefore, as the recovered organisms were different and originated outside the sample processing environment, the cleanroom environmental isolates were not considered related to the test sample contamination.

The absence of contamination on analyst glove plates and work-surface environmental monitoring plates collected on the date of testing indicates that there was no viable transfer of contaminants to the ISO 5 biological safety cabinet (BSC). Additionally, the lack of contamination in other samples processed during the same testing session further demonstrates that the testing environment was operating in optimal condition.

Therefore, considering that no viable organisms were recovered from the ISO 5 environment, personnel monitoring results were acceptable on the date of testing, and the environmental isolates were not recovered from locations or surfaces directly involved in sample preparation or testing, the environmental isolate is not considered a credible source of the contamination detected in the test sample.

The analysts confirmed full compliance with cleaning procedures as outlined in MICRO SOP-9 (Cleaning and Disinfecting Procedure for Microbiology) and MICRO-SOP-5 (USP <71> / EP 2.6.1 Sterility Test).

Monthly cleaning and disinfection of the outermost ISO 8 Anteroom, the middle ISO 7 Buffer room, the innermost ISO 7 cleanroom, and its containing ISO 5 BSCs for Cleanroom suite CR114 was performed on 30 Aug 2026, as per MICRO-SOP-9 (Cleaning and Disinfecting Procedure for Microbiology). During both cleaning cycles, it was documented that all H2O2 indicators passed. This confirms the efficient monthly cleaning of all three parts of Cleanroom suite CR114.

Analyzing a 6-month sample history for Solyn LLC (E75000), this specific analyte "GLP3R/Cagrilinitide" has had no prior failures using USP <71> / EP 2.6.1 Sterility Test during this period.

To assess the potential for sample-to-sample contamination contributing to the positive results, a comprehensive review was conducted of all samples processed on the same day (04 Sep 2026). Sample ETX-260902-0505 was the 3rd sample processed in the batch. All other samples processed by the analyst and other analysts that day tested negative. These findings suggest that cross-contamination between samples is highly unlikely.

Based on the observations outlined above, it is unlikely that the failing results were due to reagents, supplies, the cleanroom environment, the process, or analyst involvement. Consequently, the possibility of laboratory error contributing to this failure is minimal and the original result is deemed to be valid.

**OOS Number: OOS-** 262098

**Phase I Summary (continued):**  
N/A QYC 08Oct26



Table 1: Information for ETX-260902-0505 under investigation

| Processing Analyst | Reading Analyst | Sample ID                       | Related Microbial ID            | Media with microbial growth | Microbial ID                                     |
|--------------------|-----------------|---------------------------------|---------------------------------|-----------------------------|--------------------------------------------------|
| Alex Saravia       | Elyse Nioupin   | <a href="#">ETX-260902-0505</a> | <a href="#">ETX-260910-0290</a> | 1 x 100mL TSB bottle        | <i>Microbacterium sp. PM5</i><br>(Gram (+) rods) |

Table 2: Environmental Monitoring from Processing Performed on 04Sep26

| Environmental Monitoring (EM) Sampling Site                                    | Frequency | Date (DDMMYY) | Analyst (Initials) | Day /Week(s)         | Observation*      | Environmental Monitoring Plate ETX ID | Microbial ID                                                             | Notes |
|--------------------------------------------------------------------------------|-----------|---------------|--------------------|----------------------|-------------------|---------------------------------------|--------------------------------------------------------------------------|-------|
| <b>Personnel EM Bracketing</b>                                                 |           |               |                    |                      |                   |                                       |                                                                          |       |
| Personnel (Left Touch and Right Touch)                                         | Daily     | 03Sep26       | ES                 | Date Before Testing  | No growth         | N/A                                   | N/A                                                                      | None  |
| Personnel (Left Touch and Right Touch)                                         | Daily     | 04Sep26       | ES                 | Date of Testing      | No growth         | N/A                                   | N/A                                                                      | None  |
| Personnel (Left Touch and Right Touch)                                         | Daily     | 08Sep26       | ES                 | Date After Testing   | No growth         | N/A                                   | N/A                                                                      | None  |
| <b>Biological Safety Cabinet EM Bracketing Biological Safety Cabinet (BSC)</b> |           |               |                    |                      |                   |                                       |                                                                          |       |
| Surface Sampling of ISO 5 (4 locations)                                        | Daily     | 03Sep26       | ES                 | Date Before Testing  | No growth         | N/A                                   | N/A                                                                      | None  |
| Surface Sampling of ISO 5 (4 locations)                                        | Daily     | 04Sep26       | ES                 | Date of Testing      | No growth         | N/A                                   | N/A                                                                      | None  |
| Surface Sampling of ISO 5 (4 locations)                                        | Daily     | 08Sep26       | ES                 | Date After Testing   | No growth         | N/A                                   | N/A                                                                      | None  |
| Settling Sampling of ISO 5 (2 locations)                                       | Daily     | 03Sep26       | ES                 | Date Before Testing  | No growth         | N/A                                   | N/A                                                                      | None  |
| Settling Sampling of ISO 5 (2 locations)                                       | Daily     | 04Sep26       | ES                 | Date of Testing      | No growth         | N/A                                   | N/A                                                                      | None  |
| Settling Sampling of ISO 5 (2 locations)                                       | Daily     | 08Sep26       | ES                 | Date After Testing   | No growth         | N/A                                   | N/A                                                                      | None  |
| <b>Weekly Active Air Sampling Bracketing</b>                                   |           |               |                    |                      |                   |                                       |                                                                          |       |
| Active Air Sampling of Cleanrooms                                              | Weekly    | 04Sep26       | ISS                | Week on Testing Date | 2 CFU (ISO 8 114) | <a href="#">ETX-260914-0487</a>       | <i>Corynebacterium ureicelerivorans</i><br><i>Mycobacterium grossiae</i> | None  |
| <b>Surface Sampling of Anteroom and Cleanroom Bracketing</b>                   |           |               |                    |                      |                   |                                       |                                                                          |       |
| Surface Sampling of Cleanrooms                                                 | Weekly    | 04Sep26       | ISS                | Week on Testing Date | No growth         | N/A                                   | N/A                                                                      | None  |