

|                                                                                                   |                              |                                                                                   |                                 |
|---------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                   | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                            |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by qchen@eagleanalytical.com from https://app.zenqms.com on 18-Sep-2026 at 2:11:40 PM UTC |                              |                                                                                   | Page 1 of 6                     |

**OOS Number: OOS-**

**Phase I**

| Section A – Test Details                                                     |                                                                                       |                             |                                                                                                                                                                           |                                                          |  |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--|
| <b>Initiator:</b>                                                            |                                                                                       | <b>Test Date:</b>           |                                                                                                                                                                           | <b>Date Initiated:</b>                                   |  |
| <b>Date of Incident:</b>                                                     |                                                                                       | <b>Test Name:</b>           |                                                                                                                                                                           | <b>Sample ID:</b>                                        |  |
| <b>Name of Analyst who Performed the Test:</b>                               |                                                                                       | <b>Sample / Active Name</b> |                                                                                                                                                                           | <b>Lot #:</b>                                            |  |
|                                                                              |                                                                                       | <b>Dosage Form</b>          |                                                                                                                                                                           |                                                          |  |
| <b>Description of Incident:</b>                                              |                                                                                       |                             | <input type="checkbox"/> Client Care notified of OOS<br><input type="checkbox"/> Sterility and Endotoxin test related OOS; Client must be notified within 24 hours of OOS |                                                          |  |
|                                                                              | <b>SOP / Test Method #</b>                                                            | <b>Effective Date:</b>      | <b>SOP / Test Method Rev:</b>                                                                                                                                             | <b>Limits/Specification:</b>                             |  |
| <b>Manager notified</b>                                                      | <b>Manager/designee name:</b>                                                         | <b>Date:</b>                | <b>Quality Assurance Department notified:</b>                                                                                                                             | Yes <input type="checkbox"/> No <input type="checkbox"/> |  |
| Section B – Investigation and Root Cause Analysis                            |                                                                                       |                             |                                                                                                                                                                           |                                                          |  |
| Personnel Discrepancy                                                        |                                                                                       |                             | Comments                                                                                                                                                                  |                                                          |  |
| Analyst interviewed?                                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Correct samples analyzed?                                                    | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Correct SOP / Test Method used/followed?                                     | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Correct sample collection/technique?                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Are the Test Result Records Attached & Calculations Verified and Correct?    | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Is the analyst qualified to perform the test?                                | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Is formula worksheet provided and verified?                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Does the processing method/method set conform to the required specification? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Was the sample stored appropriately?                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Material Discrepancy                                                         |                                                                                       |                             | <b>Lot Number</b>                                                                                                                                                         | <b>Expiry Date</b>                                       |  |
| Is the integrity of the sample(s) questionable?                              | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Was the sample transported appropriately?                                    | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |
| Are the other test results from this run under investigation?                | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                             |                                                                                                                                                                           |                                                          |  |

|                                                                                                   |                              |                                                                                   |                                 |
|---------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                   | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                            |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by qchen@eagleanalytical.com from https://app.zenqms.com on 18-Sep-2026 at 2:11:40 PM UTC |                              |                                                                                   | Page 2 of 6                     |

**OOS Number: OOS-**

|                                                                                            |                                                                                       |                     |                             |
|--------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------|-----------------------------|
| Appropriate/correct glassware used?                                                        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Are reagents stored in proper condition and not expired?                                   | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Standard Used                                                                              |                                                                                       |                     |                             |
| Solvent Used                                                                               |                                                                                       |                     |                             |
| Is the standard the source of the root cause?                                              | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Has the analyst been instructed to keep the original test solution for possible retesting? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| <b>Equipment Discrepancy</b>                                                               |                                                                                       | <b>Equipment ID</b> | <b>Calibration Due Date</b> |
| Was the instrument set up correctly?                                                       | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Is the clean room facility certified?                                                      | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| System Performance Check (if applicable)?                                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| System Suitability RSD < 2% (PDA)?                                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| System Suitability RSD < 10% (QDA, CAD)?                                                   | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Do the environmental monitoring results conform to required standards?                     | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Do the controls (i.e., positive, negative, etc.) conform to the required standards?        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |
| Is equipment/instrument functional and calibrated/qualified/certified/PM?                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                     |                             |

|                                                                                                   |                              |                                                                                   |                                 |
|---------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                   | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                            |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by qchen@eagleanalytical.com from https://app.zenqms.com on 18-Sep-2026 at 2:11:40 PM UTC |                              |                                                                                   | Page 3 of 6                     |

**OOS Number: OOS-** 262080

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                      |  |                              |                             |                                         |                |                |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------|--|------------------------------|-----------------------------|-----------------------------------------|----------------|----------------|
| Are chromatogram/spectra/raw data correct?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                      |  | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A | Not Applicable | Not Applicable |
| <b>Section C – Evaluation of Laboratory Testing/Hypothesis Testing (if applicable)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                      |  |                              |                             |                                         |                |                |
| <input checked="" type="checkbox"/> N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | <input type="checkbox"/> Re-vialing of original working sample solution                              |  |                              |                             |                                         |                |                |
| <input type="checkbox"/> Re-injection of sample vial                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  | <input type="checkbox"/> Re-dilution of a working sample solution from the original stock            |  |                              |                             |                                         |                |                |
| <input type="checkbox"/> Re-injection of original standard vial                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | <input type="checkbox"/> Re-dilution of a working standard solution from the original stock standard |  |                              |                             |                                         |                |                |
| <input type="checkbox"/> Re-vialing of original working standard solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | <input type="checkbox"/> Other: <u>N/A QYC 08Sep2026</u>                                             |  |                              |                             |                                         |                |                |
| <b>Section D – Phase I Summary</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                      |  |                              |                             |                                         |                |                |
| <p><b>Phase I Summary:</b></p> <p>All analysts involved in the preparation, processing, aliquoting, and reading of the samples, Andrew Carrillo, Gabrielle Surber, America Alanis, and Cuong Du, were interviewed comprehensively. Their responses are documented throughout this report. This investigation was performed as per MICRO-SOP-53 Sterility Test Out-of-Specification (OOS) Investigation Procedure.</p> <p>Upon arrival, the sample was stored refrigerated in accordance with the client instructions. Both sample prepping analyst Andrew Carrillo and processing analyst Gabrielle Surber inspected the sample during preparation and processing. No leaks or visible turbidity were observed, and no evidence of compromised container integrity was identified.</p> <p>All reagents and supplies mentioned in the material section above were stored according to supplier recommendations, and their integrity was visually verified before utilization. Moreover, all reagents and supplies had valid expiration dates. The functionality of all equipment was confirmed by reviewing data generated by our comprehensive in-house continuous monitoring system.</p> <p>The cleanroom suite used for processing procedures (CR114) comprises three interconnected sections: the innermost ISO 7 cleanroom (114B), which connects to the middle ISO 7 buffer room (114A), and then to the outermost ISO 8 anteroom (114). A positive air pressure system is maintained throughout the suite to ensure controlled, unidirectional airflow from 114B through 114A and into 114.</p> <p>The innermost ISO 7 cleanroom 114B and its ISO 5 BSC E001316 were thoroughly cleaned and prepared before initiating testing by analyst Gabrielle Surber as per MICRO-SOP-2 (Environmental Monitoring of the Clean Room Facility) and MICRO-SOP-9 (Cleaning and Disinfecting Procedure for Microbiology). For Celsis aliquoting, intermediate ISO 7 buffer room 114A and its ISO 5 BSC E001798 were thoroughly cleaned and prepared by analyst Cuong Du before initiating testing as per MICRO-SOP-44 and MICRO-SOP-9. Both BSCs, E001316 in 114B and E001798 in 114A, were certified and approved by the Engineering and Quality Assurance teams prior to use.</p> |  |                                                                                                      |  |                              |                             |                                         |                |                |

OOS Number: OOS-

Phase I Summary (continued):

OOS Number: OOS-

Phase I Summary (continued):

