

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
| <b>EAGLE</b><br>SCIENCE-BASED SOLUTIONS                                                               | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   | Page 1 of 7                     |

**OOS Number: OOS-** 261242

**Phase I**

| Section A – Test Details                                                     |                                                                                 |                                                                                                  |                                                                                                                                                                           |                                                                            |                              |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------|------------------------------|
| <b>Initiator:</b>                                                            | Simin Mohammad                                                                  | <b>Test Date:</b>                                                                                | 14-May-2026                                                                                                                                                               | <b>Date Initiated:</b>                                                     | 26-May-2026                  |
| <b>Date of Incident:</b>                                                     | 26-May-2026                                                                     | <b>Test Name:</b>                                                                                | Environmental Monitoring                                                                                                                                                  | <b>Sample ID:</b>                                                          | ETX-260526-0395              |
| <b>Name of Analyst who Performed the Test:</b>                               | Simin Mohammad<br>(Weekly Active Air Sampling Plate Setup)<br>Sonhia            | <b>Sample / Active Name</b>                                                                      | EM SMO 115B<br>Air 14May2026                                                                                                                                              | <b>Lot #:</b>                                                              | EM SMO 115B<br>Air 14May2026 |
|                                                                              |                                                                                 | <b>Dosage Form</b>                                                                               | plate                                                                                                                                                                     |                                                                            |                              |
| <b>Description of Incident:</b>                                              | The CFU count for the environmental monitoring plate exceeded the action level. |                                                                                                  | <input type="checkbox"/> Client Care notified of OOS<br><input type="checkbox"/> Sterility and Endotoxin test related OOS; Client must be notified within 24 hours of OOS |                                                                            |                              |
|                                                                              | SOP / Test Method #<br><b>MICRO-SOP-2</b>                                       | Effective Date:<br><b>23-Jul-2026</b>                                                            | SOP / Test Method Rev:<br><b>16</b>                                                                                                                                       | Limits/Specification:<br>Action level: >= 10 CFU/Plate                     |                              |
| <b>Manager notified</b>                                                      | Manager/designee name:<br>Kathan Parikh                                         | Date:<br>26-May-2026                                                                             | Quality Assurance Department notified:                                                                                                                                    | Yes <input type="checkbox"/> No <input type="checkbox"/>                   |                              |
| Section B – Investigation and Root Cause Analysis                            |                                                                                 |                                                                                                  |                                                                                                                                                                           |                                                                            |                              |
| Personnel Discrepancy                                                        |                                                                                 |                                                                                                  | Comments                                                                                                                                                                  |                                                                            |                              |
| Analyst interviewed?                                                         |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, analysts Simin Mohammad                                               |                              |
| Correct samples analyzed?                                                    |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           | N/A                                                                        |                              |
| Correct SOP / Test Method used/followed?                                     |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, as per MICRO-SOP-2                                                    |                              |
| Correct sample collection/technique?                                         |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, as per MICRO-SOP-2                                                    |                              |
| Are the Test Result Records Attached & Calculations Verified and Correct?    |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, Information is available in EagleTrax under ETX-260526-0395           |                              |
| Is the analyst qualified to perform the test?                                |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, the analysts are trained and qualified by quality to perform the test |                              |
| Is formula worksheet provided and verified?                                  |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           | N/A                                                                        |                              |
| Does the processing method/method set conform to the required specification? |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           | N/A                                                                        |                              |
| Was the sample stored appropriately?                                         |                                                                                 | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                                                                                           | Yes, as per MICRO-SOP-2                                                    |                              |
| Material Discrepancy                                                         |                                                                                 |                                                                                                  | Lot Number                                                                                                                                                                | Expiry Date                                                                |                              |
| Is the integrity of the sample(s) questionable?                              |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           |                                                                            |                              |
| Was the sample transported appropriately?                                    |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           |                                                                            |                              |
| Are the other test results from this run under investigation?                |                                                                                 | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                                                                                           |                                                                            |                              |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   | Page 2 of 7                     |

**OOS Number: OOS-** 261242

|                                                                                            |                                                                                                  |                                                                                            |                                                  |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|--------------------------------------------------|
| Appropriate/correct glassware used?                                                        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                            |                                                  |
| Are reagents stored in proper condition and not expired?                                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | TSA Plate:<br>1011772520                                                                   | TSA Plate:<br>11-Feb-2027                        |
| Standard Used                                                                              | N/A                                                                                              | N/A                                                                                        | N/A                                              |
| Solvent Used                                                                               | N/A                                                                                              | N/A                                                                                        | N/A                                              |
| Is the standard the source of the root cause?                                              | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                            |                                                  |
| Has the analyst been instructed to keep the original test solution for possible retesting? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                            |                                                  |
| <b>Equipment Discrepancy</b>                                                               |                                                                                                  | <b>Equipment ID</b>                                                                        | <b>Calibration Due Date</b>                      |
| Was the instrument set up correctly?                                                       | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Please see below                                                                           | Please see below                                 |
| Is the clean room facility certified?                                                      | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | CR115                                                                                      | DEC-2026                                         |
| System Performance Check (if applicable)?                                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                        | N/A                                              |
| System Suitability RSD < 2% (PDA)?                                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                        | N/A                                              |
| System Suitability RSD < 10% (QDA, CAD)?                                                   | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                        | N/A                                              |
| Do the environmental monitoring results conform to required standards?                     | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A | N/A                                                                                        | N/A                                              |
| Do the controls (i.e., positive, negative, etc.) conform to the required standards?        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                        | N/A                                              |
| Is equipment/instrument functional and calibrated/qualified/certified/PM?                  | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Incubator<br>E001034<br>(Sensor<br>E001501)<br>Incubator<br>E001031<br>(Sensor<br>E001505) | Aug 2027 / Feb<br>2027<br>Aug 2027 / Feb<br>2027 |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   | Page 3 of 7                     |

**OOS Number: OOS-** 261242

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                                                                                                                                                                                                                                                            |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Are chromatogram/spectra/raw data correct?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A                                                                                                                                                                                                                                                      |  |
| <b>Section C – Evaluation of Laboratory Testing/Hypothesis Testing (if applicable)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |                                                                                                                                                                                                                                                                                                                                            |  |
| <input checked="" type="checkbox"/> N/A<br><input type="checkbox"/> Re-injection of sample vial<br><input type="checkbox"/> Re-injection of original standard vial<br><input type="checkbox"/> Re-vialing of original working standard solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | <input type="checkbox"/> Re-vialing of original working sample solution<br><input type="checkbox"/> Re-dilution of a working sample solution from the original stock<br><input type="checkbox"/> Re-dilution of a working standard solution from the original stock standard<br><input type="checkbox"/> Other: <u>N/A SMO 18-Aug-2026</u> |  |
| <b>Section D – Phase I Summary</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |                                                                                                                                                                                                                                                                                                                                            |  |
| <p><b>Phase I Summary:</b></p> <p>The analyst involved in the Active Air Sampling plate setup, Simin Mohammad, and the analyst involved in reading the plate, Sophia Santamaria, were interviewed comprehensively. Their answers are recorded throughout this document.</p> <p>The EM plates were stored in compliance with the supplier's recommendations, and their integrity was visually inspected prior to use. Furthermore, the plates were confirmed to be within their valid expiration dates. All the supplies were thoroughly disinfected according to MICRO-SOP-9 (Cleaning and Disinfecting Procedure for Microbiology). The functionality of both incubators was verified through a review of data obtained from our comprehensive in-house continuous monitoring system.</p> <p>Active Air Sampling was performed by analyst Simin Mohammad during weekly environmental monitoring processing in Suite 115 (ISO 8), Suite 115A (ISO 7), and Suite 115B (ISO 7) on 14 May 2026 as per MICRO-SOP-2 (Environmental Monitoring of the Cleanroom Facility).</p> <p>The plates were initially incubated at a temperature of 30–35°C in incubator E001031 for a minimum duration of 48 hours, commencing on 14 May 2026. Following completion of a minimum of 48 hours of incubation on 18 May 2026, the plates were further incubated for a minimum of 5 days at 20–25°C in incubator E001034, with the incubation concluding on 26 May 2026. Please see Table 1 for detailed information on the observations during respective incubations.</p> <p>Based on the observations in Table 1, since the CFU count exceeded the action level for one of the Active Air Sampling plates (115B), the plate was submitted for Microbial Identification under ETX-260526-0395. The colonies were identified as Candida orthopsilosis (Budding yeast).</p> |  |                                                                                                                                                                                                                                                                                                                                            |  |

|                                                                                                                      |                              |                                                                                   |                                 |
|----------------------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                                      | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                               |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| <small>Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC</small> |                              |                                                                                   | <small>Page 4 of 7</small>      |

**OOS Number: OOS-** 261242

**Phase I Summary (continued):**

**Environmental Monitoring Bracketing & Trend Assessment:**

Weekly environmental monitoring results for the cleanroom were reviewed using a bracketing approach that included the week before testing (08-May-2026), the week of testing (14-May-2026), and the week after testing (22-May-2026), as detailed in Table 2 (attached).

The bracketing data demonstrate that ISO 7 Room 115B had 11 CFU during the week before testing (08-May-2026, OOS-261185) and again 11 CFU during the week of testing (14-May-2026, OOS-261242). Both results exceeded the established action level of  $\geq 10$  CFU/plate.

The microbial populations recovered during the two sampling events were also evaluated. The 08-May-2026 isolates included filamentous molds, including *Penicillium decumbens* and *Cladosporium* spp., whereas the 14-May-2026 active-air plate yielded *Candida orthopsilosis*, a yeast. Although consecutive weekly action-level excursions occurred in Room 115B, the organisms recovered during the two events represented different microbial groups. Therefore, the available identification data do not support persistence or recurrence of the same organism across the two sampling events.

**Analyst Interview & Cleanroom Disinfection:**

During the comprehensive interview with the setup analyst (Simin Mohammad) and reader (Sophia Santamaria), no procedural deviations, aseptic breaches, or equipment anomalies were identified. All samples and supplies were disinfected prior to introduction, and Suite 115 was thoroughly cleaned and prepared before testing as per MICRO-SOP-2 (Environmental Monitoring of the Cleanroom Facility) and MICRO-SOP-9 (Cleaning and Disinfecting Procedure for Microbiology).

**Cleanroom Monthly Disinfection & State of Control:**

Prior to the event, monthly cleaning and disinfection of the outermost ISO 8 Anteroom (Suite 115), the middle ISO 7 Buffer room (Suite 115A), the innermost ISO 7 clean room (Suite 115B), and its containing ISO 5 Biosafety Cabinets were performed on 26-Apr-2026 by analysts Rey Estrada and Tamiru Kotisso as per MICRO-SOP-9. All H<sub>2</sub>O<sub>2</sub> chemical indicator strips passed, demonstrating established pre-event cleaning and routine maintenance of environmental control.

|                                                                                                       |                              |                                                                                   |                                |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|--------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form |                                | <b>Effective</b><br>10-JUL-2026 |
|                                                                                                       |                              | <b>Location</b><br>Houston (Corporate)                                            | <b>ETX ID</b><br>3.100.019.F01 |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   |                                |                                 |
| Page 5 of 7                                                                                           |                              |                                                                                   |                                |                                 |

OOS Number: OOS- 261242

**Phase I Summary (continued):**

Evaluation of Concurrent Suite 115 Sterility Samples & Cladosporium halotolerans Correlation:

A collective review of cleanroom operations and concurrent sterility testing in Suite 115 was performed for the week of testing:

1. On 11-May-2026, sample ETX-251218-0360 was processed for USP <71> sterility testing in BSC E001314 by Guanchen Li. On 26-May-2026, the FTM vial yielded Staphylococcus lugdunensis (Gram (+) cocci, 2 colonies under ETX-260526-0342), which is taxonomically unrelated to either the mold or yeast recoveries.
2. On 12-May-2026, sample ETX-260508-0478 was processed for USP <71> sterility testing in BSC E001314 by Devanshi Shah. On 19-May-2026, the TSB vial yielded Cladosporium halotolerans (Hyphae, 2 colonies under ETX-260519-0388).

Significantly, Cladosporium halotolerans was recovered from both the preceding active air monitoring event in Room 115B on 08-May-2026 and from sterility sample ETX-260508-0478 processed inside Suite 115 on 12-May-2026. Evaluating this relationship collectively indicates that Cladosporium halotolerans fungal spores had a localized presence within Suite 115 during the second week of May, demonstrating an adverse environmental trend for that specific mold species during that timeframe (addressed and investigated under its respective sterility failure investigation). However, in evaluating the 14-May-2026 active air excursion under current investigation, the recovered isolate was Candida orthopsilosis, an asexual budding yeast that is biologically distinct from Cladosporium halotolerans.

Cleanroom Clearance & Phase I Root Cause Conclusion:

The consecutive 11 CFU recoveries observed on 08-May-2026 and 14-May-2026 demonstrate elevated microbial recovery in Room 115B during this period. However, the organisms recovered from the two sampling events were different microbial populations, and the available identification data do not indicate persistence or recurrence of the same organism.

Subsequent active-air monitoring performed in Room 115B on 22-May-2026 yielded No Growth (0 CFU). Surface contact plates collected across Suite 115 on 22-May-2026 likewise yielded No Growth (0 CFU), demonstrating that the elevated recoveries observed during the preceding two weeks were not observed during subsequent routine monitoring.

Facility-wide monthly disinfection and H2O2 fogging were subsequently completed on 31-May-2026, with all applicable chemical indicators meeting acceptance criteria, providing an additional facility-wide disinfection measure following the excursion.

Based on the organism identification results, subsequent environmental monitoring data, and completion of routine disinfection activities, the 14-May-2026 yeast recovery was not observed again during subsequent monitoring, and the available evidence does not support persistence of the recovered organism within Room 115B. No additional corrective action is considered warranted at this time beyond continued routine environmental monitoring and adherence to established cleanroom cleaning and disinfection procedures.

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   | Page 6 of 7                     |

OOS Number: OOS- 261242

|                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Has root cause been identified as a possible laboratory error?</b><br><i>Note: Root cause must be conclusive, verifiable, and well-documented.</i><br><input checked="" type="checkbox"/> Yes<br><input type="checkbox"/> If <u>retesting</u> is <b>required</b> , complete Phase II of the OOS (initiate Form 3.100.019.F02).<br><input type="checkbox"/> No, the OOS result is valid. |                                                                                                                                                                                                                                                                                           |
| <b>Reviewer comment(s):</b>                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                           |
|                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                           |
| <b>Prepared by (Print):</b><br>Simin Mohammad                                                                                                                                                                                                                                                                                                                                              | <b>Signature/Date:</b><br>Simin Mohammad<br><small>Digitally signed by Simin Mohammad<br/>Date: 2026.09.24 15:09:31 -05'00'</small>                                                                                                                                                       |
| <b>Lab Manager/Designee (Print):</b><br>Qiyue Chen                                                                                                                                                                                                                                                                                                                                         | <b>Signature/Date:</b><br>Qiyue Chen<br><small>Digitally signed by Qiyue Chen<br/>DN: OU=Eagle Analytical Services, O=Strerie Lab, CN=Qiyue Chen, E=qchen@eagleanalytical.com<br/>Location: Houston, TX<br/>Date: 2026.09.25 11:06:26-05'00'<br/>Foxit PDF Editor Version: 13.2.6</small> |
| <b>Section E – Quality Disposition</b>                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                           |
| <b>Can investigation be closed?</b><br><input type="checkbox"/> Yes<br><input type="checkbox"/> Original result is valid.<br><input type="checkbox"/> No, initiate Form 3.100.019.F02.                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                           |
| <b>Approved by QA Representative (Print):</b>                                                                                                                                                                                                                                                                                                                                              | <b>Signature/Date:</b>                                                                                                                                                                                                                                                                    |
|                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                                                                                                                                                           |

|                                                                                                       |                              |                                                                                   |                                 |
|-------------------------------------------------------------------------------------------------------|------------------------------|-----------------------------------------------------------------------------------|---------------------------------|
|                       | <b>CORP-FORM-21</b><br>v11.1 | <b>Category:</b> Form Corporate<br><b>Name:</b> Laboratory OOS Investigation Form | <b>Effective</b><br>10-JUL-2026 |
| <b>Location</b><br>Houston (Corporate)                                                                |                              | <b>ETX ID</b><br>3.100.019.F01                                                    |                                 |
| Printed by smohammad@eagleanalytical.com from https://app.zenqms.com on 19-Aug-2026 at 8:54:35 PM UTC |                              |                                                                                   | Page 7 of 7                     |

## VERSION HISTORY

### Laboratory OOS Investigation Form (v11.1)

Approved: 10-JUL-2026 | Effective: 10-JUL-2026 | Retired: N/A  
Minor up version to fillable PDF

### Laboratory OOS Investigation Form (v11.0)

Approved: 30-SEP-2025 | Effective: 30-SEP-2025 | Retired: 10-JUL-2026  
Refer to original approved version on ETX

## ELECTRONIC SIGNATURES

### Approvals

|                                                                                                                                                   |                                                                                                                             |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <a href="#">Preeti Purwaha (DPP)</a><br>Director of Quality Assurance<br>ppurwaha@eagleanalytical.com<br><i>Comment: Author review completed.</i> | <b>Document Author</b><br>I am the author of this document.<br>Signed 05:05:09 PM UTC 09-JUL-2026                           |
| <a href="#">Minh-Anh (Alison) Eng (AE)</a><br>Quality Site Manager<br>meng@eagleanalytical.com<br><i>Comment: approved. AE10JUL2026</i>           | <b>Technical Manager Approval</b><br>I have reviewed and approve this Minor Revision.<br>Signed 05:32:28 PM UTC 10-JUL-2026 |
| <a href="#">Jacqueline Esqueda (JE)</a><br>VP of Quality and Regulatory Comp<br>jesqueda@eagleanalytical.com<br><i>Comment: Approved</i>          | <b>Quality Approval</b><br>I have reviewed and approve this Minor Revision.<br>Signed 05:41:18 PM UTC 10-JUL-2026           |

## CURRENT AUTHORS

|                                      |                               |
|--------------------------------------|-------------------------------|
| <a href="#">Preeti Purwaha (DPP)</a> | Director of Quality Assurance |
|--------------------------------------|-------------------------------|

## CUSTOM FIELDS

|          |                     |
|----------|---------------------|
| Location | Houston (Corporate) |
| ETX ID   | 3.100.019.F01       |

## LINKS/ATTACHMENTS

Document CORP-SOP-13: Out-of-Specification (OOS) - Test Failure Investigation (10.0) [effective]

Table 1: Read Dates & Incubation Observation

| ETX Submission ID | Set-up Analyst & Date | Sampling Site & Location  | Plate Reading Analyst ( $\geq$ 48H) | CFUs Observed after 48 Hour Incubation at 30–35°C (E001031) | Plate Reading Analyst (NLT 5 days) | CFUs Observed after NLT 5-day Incubation at 20–25°C (E001034) | Microbial Identification |
|-------------------|-----------------------|---------------------------|-------------------------------------|-------------------------------------------------------------|------------------------------------|---------------------------------------------------------------|--------------------------|
| ETX-260526-0395   | SMO<br>14MAY<br>2026  | Active air sampling plate | SAS                                 | 11 CFUs on active air sample plate                          | SAS                                | 11 CFUs on active air sample plate                            | Candida orthopsilosis    |

Table 2: Environmental Monitoring for Analyst & Cleanroom

| Environmental Monitoring (EM) Sampling Site               | Frequency | Date (DDMMM YYYY) | Analyst (Initials) | Day /Week(s)             | Observation*                                               | Environmental Monitoring Plate ETX ID | Microbial ID                                                                                                                       | Notes |
|-----------------------------------------------------------|-----------|-------------------|--------------------|--------------------------|------------------------------------------------------------|---------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------|
| Weekly Active Air Sampling Bracketing 115                 |           |                   |                    |                          |                                                            |                                       |                                                                                                                                    |       |
| Active Air Sampling of Cleanrooms                         | Weekly    | 08MAY 2026        | SMO                | Week Before Testing Date | 1 CFU in ISO 7 115A and 11 CFUs in ISO 7 115B              | ETX-260518-0249<br>ETX-260518-0250    | Staphylococcus aureus<br>Penicillium decumbens<br>Cladosporium tenuissimum<br>Cladosporium langeronii<br>Cladosporium halotolerans | None  |
| Active Air Sampling of Cleanrooms                         | Weekly    | 14MAY 2026        | SMO                | Week of Testing Date     | 1 CFU in ISO 8 115 and 11 CFUs in ISO 7 115B               | ETX-260526-0391<br>ETX-260526-0395    | Gram (+) cocci<br><br>Candida orthopsilosis                                                                                        | None  |
| Active Air Sampling of Cleanrooms                         | Weekly    | 22MAY 2026        | SMO                | Week After Testing Date  | No growth                                                  | N/A                                   | N/A                                                                                                                                | None  |
| Surface Sampling of Anteroom and Cleanroom Bracketing 115 |           |                   |                    |                          |                                                            |                                       |                                                                                                                                    |       |
| Surface Sampling of Cleanrooms                            | Weekly    | 08MAY 2026        | SMO                | Week Before Testing Date | No growth                                                  | N/A                                   | N/A                                                                                                                                | None  |
| Surface Sampling of Cleanrooms                            | Weekly    | 14MAY 2026        | SMO                | Week of Testing Date     | 1 CFU on table in 115 ISO 8 and 1 CFU on cart in 115 ISO 8 | ETX-260526-0424<br>ETX-260526-0425    | Gram (+) rods<br>Staphylococcus capitis                                                                                            | None  |
| Surface Sampling of Cleanrooms                            | Weekly    | 22MAY 2026        | SMO                | Week After Testing Date  | No growth                                                  | N/A                                   | N/A                                                                                                                                | None  |