



## QUALITY SYSTEM

FORM

**DOCUMENT #: 3.100.019.F01**

**LEVEL: 3**

Effective Date:

APPROVED

JEsqueda , 9/30/2025, 4:15:53 PM

Revision #: 11

**TITLE:**

**LABORATORY OOS INVESTIGATION FORM**

Page 1 of 6

**OOS Number: OOS-**

### Phase I

#### Section A – Test Details

|                                                |                                                                                       |                              |                                                                                                                                                                           |                                                          |                              |
|------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------|
| <b>Initiator:</b>                              | Simin Mohammad (written by Simin Mohammad)                                            | <b>Test Date:</b>            | 08-May-2026                                                                                                                                                               | <b>Date Initiated:</b>                                   | 18-May-2026                  |
| <b>Date of Incident:</b>                       | 18-May-2026                                                                           | <b>Test Name:</b>            | Environmental Monitoring                                                                                                                                                  | <b>Sample ID:</b>                                        | ETX-260518-0250              |
| <b>Name of Analyst who Performed the Test:</b> | Simin Mohammad<br>(weekly Active air Sampling Plate Setup)                            | <b>Sample / Active Name</b>  | EM SMO 115B<br>Air 08MAY2026                                                                                                                                              | <b>Lot #:</b>                                            | EM SMO 115B Air<br>08MAY2026 |
|                                                | Maraya Chukwumerije & Sophia Santamaria<br>(Weekly active air Sampling Plate Readers) | <b>Dosage Form</b>           | Plate                                                                                                                                                                     |                                                          |                              |
| <b>Description of Incident:</b>                | The CFU count for the environmental monitoring plate exceeded the action level.       |                              | <input type="checkbox"/> Client Care notified of OOS<br><input type="checkbox"/> Sterility and Endotoxin test related OOS; Client must be notified within 24 hours of OOS |                                                          |                              |
|                                                | SOP / Test Method #<br>20600.002                                                      | Effective Date:<br>05AUG2025 | SOP / Test Method Rev:<br>15                                                                                                                                              | Limits/Specification:<br>Action level >10                |                              |
| <b>Manager notified</b>                        | Manager/designee name:<br>Kathan Parikh                                               | Date:<br>18-May-2026         | Quality Assurance Department notified:                                                                                                                                    | Yes <input type="checkbox"/> No <input type="checkbox"/> |                              |

#### Section B – Investigation and Root Cause Analysis

| Personnel Discrepancy                                                        |                                                                                                  | Comments                                                                                                 |
|------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|
| Analyst interviewed?                                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, analysts Simin Mohammad, Maraya Chukwumerije, & Sophia Santamaria were comprehensively interviewed. |
| Correct samples analyzed?                                                    | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                                      |
| Correct SOP / Test Method used/followed?                                     | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, as per SOP 2.600.00                                                                                 |
| Correct sample collection/technique?                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, as per SOP 2.600.00                                                                                 |
| Are the Test Result Records Attached & Calculations Verified and Correct?    | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, Information is available in EagleTrax under ETX-260518-0250                                         |
| Is the analyst qualified to perform the test?                                | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, Information is available in EagleTrax under ETX-260323-0434                                         |
| Is formula worksheet provided and verified?                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                                      |
| Does the processing method/method set conform to the required specification? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                                      |
| Was the sample stored appropriately?                                         | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Yes, as per SOP 2.600.00                                                                                 |
| Material Discrepancy                                                         |                                                                                                  | Lot Number                                                                                               |
| Is the integrity of the sample(s) questionable?                              | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                          |
| Was the sample transported appropriately?                                    | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                          |
| Are the other test results from this run under investigation?                | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A |                                                                                                          |



# QUALITY SYSTEM

FORM

DOCUMENT #: 3.100.019.F01

LEVEL: 3

Effective Date:

APPROVED

JEsqueda , 9/30/2025, 4:15:53 PM

Revision #: 11

TITLE:

LABORATORY OOS INVESTIGATION FORM

Page 2 of 6

OOS Number: OOS-

|                                                                                            |                                                                                                  |                                                                                                |                                                          |
|--------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Appropriate/correct glassware used?                                                        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                |                                                          |
| Are reagents stored in proper condition and not expired?                                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | TSA Plate:<br>1011691160                                                                       | TSA Plate:<br>17DEC2026                                  |
| Standard Used                                                                              | N/A                                                                                              | N/A                                                                                            | N/A                                                      |
| Solvent Used                                                                               | N/A                                                                                              | N/A                                                                                            | N/A                                                      |
| Is the standard the source of the root cause?                                              | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                |                                                          |
| Has the analyst been instructed to keep the original test solution for possible retesting? | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A |                                                                                                |                                                          |
| <b>Equipment Discrepancy</b>                                                               |                                                                                                  | <b>Equipment ID</b>                                                                            | <b>Calibration Due Date</b>                              |
| Was the instrument set up correctly?                                                       | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | Please see below                                                                               | Please see below                                         |
| Is the clean room facility certified?                                                      | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A | CR115 (Sensor E001737)                                                                         | December 2026                                            |
| System Performance Check (if applicable)?                                                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                            | N/A                                                      |
| System Suitability RSD < 2% (PDA)?                                                         | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                            | N/A                                                      |
| System Suitability RSD < 10% (QDA, CAD)?                                                   | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                            | N/A                                                      |
| Do the environmental monitoring results conform to required standards?                     | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                            | N/A                                                      |
| Do the controls (i.e., positive, negative, etc.) conform to the required standards?        | <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A | N/A                                                                                            | N/A                                                      |
| Is equipment/instrument functional and calibrated/qualified/certified/PM?                  | <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A            | Incubator<br>E001034<br>(Sensor<br>E001501)<br><br>Incubator<br>E001031<br>(Sensor<br>E001505) | Aug 2026<br><br>Feb 2027<br><br>Aug 2026<br><br>Feb 2027 |

|                                                                                   |                                   |                                             |                |
|-----------------------------------------------------------------------------------|-----------------------------------|---------------------------------------------|----------------|
|  | QUALITY SYSTEM                    |                                             | FORM           |
|                                                                                   | DOCUMENT #: 3.100.019.F01         |                                             | LEVEL: 3       |
|                                                                                   | Effective Date:                   | APPROVED<br>JEsqueda, 9/30/2025, 4:15:53 PM | Revision #: 11 |
| TITLE:                                                                            | LABORATORY OOS INVESTIGATION FORM |                                             | Page 3 of 6    |

OOS Number: OOS-

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                      |  |                              |                             |                                         |     |     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------|--|------------------------------|-----------------------------|-----------------------------------------|-----|-----|
| Are chromatogram/spectra/raw data correct?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                      |  | <input type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> N/A | N/A | N/A |
| Section C – Evaluation of Laboratory Testing/Hypothesis Testing (if applicable)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |                                                                                                      |  |                              |                             |                                         |     |     |
| <input checked="" type="checkbox"/> N/A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  | <input type="checkbox"/> Re-vialing of original working sample solution                              |  |                              |                             |                                         |     |     |
| <input type="checkbox"/> Re-injection of sample vial                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | <input type="checkbox"/> Re-dilution of a working sample solution from the original stock            |  |                              |                             |                                         |     |     |
| <input type="checkbox"/> Re-injection of original standard vial                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  | <input type="checkbox"/> Re-dilution of a working standard solution from the original stock standard |  |                              |                             |                                         |     |     |
| <input type="checkbox"/> Re-vialing of original working standard solution                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  | <input type="checkbox"/> Other: N/A SMO 28JUL2026                                                    |  |                              |                             |                                         |     |     |
| Section D – Phase I Summary                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |                                                                                                      |  |                              |                             |                                         |     |     |
| <p><b>Phase I Summary:</b></p> <p>The analyst involved in the Active air Sampling plate setup, Simin Mohammad, and the analysts involved in reading the plate, Maraya Chukwumerije and Sophia Sanatamaria, were interviewed comprehensively. Their answers are recorded throughout this document.</p> <p>The EM plates were stored in compliance with the supplier's recommendations, and their integrity was visually inspected prior to use. Furthermore, the plates were confirmed to be within their valid expiration dates. All the supplies were thoroughly disinfected according to SOP 2.600.018. The functionality of both incubators were verified through a review of data obtained from our comprehensive in-house continuous monitoring system.</p> <p>Active air Sampling was performed by analyst Simin Mohammad during Weekly environmental monitoring processing, in ISO 8, and ISO 7 BSC 1313, and ISO 7 BSC 1314 located in Suite 115, 115A, and 115B on 08 May 2026 as per SOP 2.600.002 - Environmental Monitoring of the Cleanroom Facility.</p> <p>The plates were initially incubated at a temperature of 30–35°C in incubator E001031 for a minimum duration of 48 hours, commencing on 08 May 2026. Following completion of minimum of 48 hours of incubation on 11 May 2026, the plates were further incubated for minimum of 5 days, with the incubation concluding on 18 May 2026. Please see Table 1 for detailed information on the observations during respective incubations.</p> <p>Based on the observations in Table 1, since the CFU count exceeded the action level for the one of the Active air Sampling plates (115B), the plate was submitted for Microbial Identification under ETX-260518-0250. The colonies were identified as <i>Penicillium decumbens</i>, <i>Cladosporium tenuissimum</i>, <i>Cladosporium langeronii</i>, <i>Cladosporium halotolerans</i>.</p> <p>To observe if the organisms identified, were transient in nature or recurring, Weekly monitoring environmental monitoring plates for the clean room, were bracketed to include the week before testing, the week of testing and week after testing as detailed in Table 2 (please see attached).</p> |  |                                                                                                      |  |                              |                             |                                         |     |     |

**QUALITY SYSTEM**FORM**DOCUMENT #: 3.100.019.F01****LEVEL: 3**

Effective Date:

APPROVED

JEsqueda , 9/30/2025, 4:15:53 PM

Revision #: 11

**TITLE:****LABORATORY OOS INVESTIGATION FORM**

Page 4 of 6

**OOS Number: OOS-****Phase I Summary (continued):**

Environmental Monitoring Summary: Weekly environmental sampling for the previous week showed 1 CFU for 115 ISO 8 identified as *Micrococcus luteus*. Week of testing showed 1 CFU in 115A ISO 7 and 11 CFU in 115B ISO 7 identified as *Staphylococcus aureus*, *Penicillium decumbens*, *Cladosporium tenuissimum*, *Cladosporium langeronii*, and *Cladosporium halotolerans*. Lastly, the following week of testing showed 1 CFU in 115 ISO 8, 11 CFU in 115B ISO 7, 1 CFU on table in ISO 8 115 and 1 CFU on the cart in 115 ISO 8 identified as Gram (+) cocci, *Candida orthopsilosis*, Budding yeast, Gram (+) rods, and *Staphylococcus capitis*.

During the interview with the analyst, they indicated that no obvious abnormalities or deviations in the testing procedure were observed. All the samples were thoroughly disinfected prior to testing. Moreover, The CR115 was thoroughly cleaned and prepared before initiating the testing as per SOP 2.600.002 (Environmental Monitoring of the Clean Room Facility), and SOP 2.600.018 (Cleaning and Disinfecting Procedure for Microbiology).

Monthly cleaning and disinfection of the outermost ISO 8 Anteroom (Suite 115), the middle ISO 7 Buffer room (Suite 115A), the innermost ISO 7 clean room (Suite 115B), and its containing ISO 5 Biosafety Cabinets were performed on 22 Feb 2026 as per SOP 2.600.018 (Cleaning and Disinfecting Procedure for Microbiology) by analyst Tamiru Kotisso and Cuong Du on 26APR2026 It was documented that all H<sub>2</sub>O<sub>2</sub> indicators passed. This confirms the efficient monthly cleaning of all three suites 115, 115A, and 115B. Additionally, cleaning and disinfecting was performed both prior to and after the testing process as per SOP 2.600.018.



QUALITY SYSTEM

FORM

DOCUMENT #: 3.100.019.F01

LEVEL: 3

Effective Date:

APPROVED

JEsqveda , 9/30/2025, 4:15:53 PM

Revision #: 11

TITLE:

LABORATORY OOS INVESTIGATION FORM

Page 5 of 6

OOS Number: OOS-

**Phase I Summary (continued):**

Based on the findings outlined in the preceding sections, the Out-Of-Specification (OOS) result observed for the Environmental Monitoring (EM) Settling Sampling plate may be attributed to a potential analyst error. It is to be noted that the growth observed on the weekly active air and weekly surface sampling plates for the day of testing do not follow a trend, indicating that the contamination was transient in nature and that routine daily disinfection procedures were effective in eliminating the contamination. Furthermore, no trend was observed in the clean rooms previous weekly EM data, therefore, no preventive and corrective actions are deemed necessary at this time.



## QUALITY SYSTEM

FORM

DOCUMENT #: 3.100.019.F01

LEVEL: 3

Effective Date:

APPROVED

JEsqueda , 9/30/2025, 4:15:53 PM

Revision #: 11

TITLE:

LABORATORY OOS INVESTIGATION FORM

Page 6 of 6

OOS Number: OOS-

## Has root cause been identified as a possible laboratory error?

Note: Root cause must be conclusive, verifiable, and well-documented.

☒ Yes☐ If retesting is **required**, complete Phase II of the OOS (initiate Form 3.100.019.F02).☐ No, the OOS result is valid.

Reviewer comment(s):

Prepared by (Print):

Simin Mohammad

Signature/Date:

Lab Manager/Designee (Print):

Signature/Date:

## Section E – Quality Disposition

## Can investigation be closed?

☐ Yes☐ Original result is valid.☐ No, initiate Form 3.100.019.F02.

Approved by QA Representative (Print):

Signature/Date: