


Splunk Enterprise

Ubuntu Desktop 24.04.4 LTS ISO was downloaded and installed on the virtual machine with the network adapter set to vmnet3. It was allocated 300 GB of disk space and 15 GB of memory. In the Network Connections > netplan-ens33 > IPv4 Settings section Method was changed from Automatic (DHCP) to Manual, and the Address was specified as 10.0.10.27, Netmask as 255.255.255.0 and Gateway as 10.0.10.1.

The IP address of the guest was verified with the command `ip a`.

A terminal window with a dark purple background. The prompt is 'yulia@yulia-VMware-Virtual-Platform:~\$'. The command 'ip a' has been executed. The output shows details for the loopback interface 'lo' (127.0.0.1) and the ethernet interface 'ens33' (10.0.10.27).

```
yulia@yulia-VMware-Virtual-Platform:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: ens33: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 00:0c:29:e4:bc:53 brd ff:ff:ff:ff:ff:ff
    altname enp2s1
    inet 10.0.10.27/24 brd 10.0.10.255 scope global noprefixroute ens33
        valid_lft forever preferred_lft forever
    inet6 fe80::20c:29ff:fee4:bc53/64 scope link
        valid_lft forever preferred_lft forever
yulia@yulia-VMware-Virtual-Platform:~$
```

Figure 1: IP configuration on the Ubuntu 24.04 machine

Because the machine could ping 8.8.8.8 but not google.com, the file `/etc/systemd/resolved.conf` was edited. Specifically, the line `#DNS=` was uncommented and set to `DNS=8.8.8.8 8.8.4.4`. Then, the command `sudo systemctl restart systemd-resolved` was issued. Consequently, the system was able to resolve domain names to IP addresses successfully.

Splunk Enterprise 10.2.1 was downloaded with the command `wget -O splunk-10.2.1-c892b66d163d-linux-amd64.deb`

`"https://download.splunk.com/products/splunk/releases/10.2.1/linux/splunk-10.2.1-c892b66d163d-linux-amd64.deb"`. Splunk universal forwarders 9.1.0, 10.0.3 and 10.2.1 deployed on other virtual machines are compatible with the Splunk Enterprise indexer and Edge Processor that correspond to version 10.2.1. Therefore, the latest release was deployed.

To install Splunk Enterprise, the command `sudo dpkg -i splunk-10.2.1-c892b66d163d-linux-amd64.deb` was issued. Subsequently, the command `./splunk start` was issued inside the `/opt/splunk/bin` folder. To resolve the permission error that was thrown, the ownership of the `/opt/splunk` directory was changed to the user yulia with

the command `sudo chown -R yulia:yulia /opt/splunk`. Then, the instruction `./splunk start` was executed once again, and the Splunk dashboard was accessed at `http://127.0.0.1:8000`.

To verify the version of Splunk Enterprise, the command `sudo /opt/splunk/bin/splunk --version` was issued.

```
yulia@yulia-VMware-Virtual-Platform:/opt/splunk/bin$ sudo /opt/splunk/bin/splunk
--version
Splunk 10.2.1 (build c892b66d163d)
yulia@yulia-VMware-Virtual-Platform:/opt/splunk/bin$
```

Figure 2: Verification of Splunk Enterprise version 10.2.1 installed on the Ubuntu 24.04 guest

Splunk Enterprise was configured to start automatically on boot with the instruction `sudo /opt/splunk/bin/splunk enable boot-start -user yulia`.

Splunk Developer licence was applied for, received and installed by browsing to Settings > Licensing > Add License and uploading the licence file.

Splunk Developer Personal License DO NOT DISTRIBUTE stack Learn more				
Licenses		Volume	Expiration	Status
Splunk Developer Personal License DO NOT DISTRIBUTE Notes		10,240 MB	Jun 2, 2026, 7:59:59 AM	valid
Effective daily volume		10,240 MB		

Figure 3: Verification of the active Splunk Developer Personal License in the Licensing section of the Splunk dashboard