
## 5A9G0001EX9

[文件副標題]



```
<Window x:Class="WpfApp1.MyDocumentViewer"</pre>
    xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"
xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"
xmlns:d="http://schemas.microsoft.com/expression/blend/2008"
xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"
xmlns:xctk="http://schemas.xceed.com/wpf/xaml/toolkit"
                                                       xmlns:local="clr-namespace:WpfApp1"
    mc:Ignorable="d"
    Title="myDocumentViewer" Height="450" Width="808">
  <Window.CommandBindings>
    <CommandBinding Command="ApplicationCommands.Open" Executed="Open Executed"/>
    <CommandBinding Command="ApplicationCommands.Save"</p>
           Executed="Save Executed"/>
    <CommandBinding Command="ApplicationCommands.New" Executed="New_Executed"/>
  </Window.CommandBindings> <DockPanel>
    <ToolBarTray Height="40" Background="#FFFFA6FC" DockPanel.Dock="Top">
      <ToolBar Height="40" Margin="0,3,0,3" HorizontalAlignment="Center" Width="130">
        <Button x:Name="openButton" Width="35" Height="35"</pre>
                    Command="ApplicationCommands.Open">
           <Image Height="30" Width="30" Source="/folder.png"/>
        </Button>
        <Button x:Name="SaveButton" Width="35" Height="35"</pre>
                    Command="ApplicationCommands.Save">
           <Image Height="30" Width="30" Source="/save.png"/>
        </Button>
        <Button x:Name="NewButton" Width="35" Height="35"
                    Command="ApplicationCommands.New">
           <Image Height="30" Width="30" Source="/new-document.png"/>
        </Button>
                        </ToolBar>
      <ToolBar HorizontalAlignment="Left" Width="607">
        <ToolBar.RenderTransform>
                                             <TransformGroup>
             <ScaleTransform/>
             <SkewTransform AngleY="-0.218"/>
             <RotateTransform/>
             <TranslateTransform Y="0.796"/>
           </TransformGroup>
        </ToolBar.RenderTransform>
        <ToggleButton x:Name="btnBold" Command="EditingCommands.ToggleBold" → Width="35"
                    Height="35">
           <Image Height="30" Width="30" Source="/bold.png"/>
        </ToggleButton>
        <ToggleButton x:Name="btnItalic"
                                                                                                D
                    Command="EditingCommands.ToggleItalic" Width="35" Height="35">
           <Image Height="30" Width="30" Source="/italic-font.png"/>
        </ToggleButton>
        <ToggleButton x:Name="btnUnderline"
                    Command="EditingCommands.ToggleUnderline" Width="35" Height="35">
                    C:\Users\user\Desktop\wpfapp6\myDocumentViewer.xaml 2
```

```
<Image Height="30" Width="30" Source="/underlined-text.png"/>
      </ToggleButton>
      <Label Content="字體顏色"/>
      <xctk:ColorPicker x:Name="fontColorPicker" Width="80"</pre>
                  SelectedColorChanged="FontColorPicker_SelectedColorChanged"/>
      <Label Content="字體背景顏色"/>
      <xctk:ColorPicker x:Name="backgroundColorPicker" Width="80"</pre>
                  SelectedColorChanged="BackgroundColorPicker SelectedColorChanged" />
                                                                                               P
      <ComboBox x:Name="comFontFamily" Width="120" Height="25"</pre>
                  HorizontalAlignment="Left"
                  SelectionChanged="ComFontFamily SelectionChanged"/>
      <ComboBox x:Name="comFontSize" Height="25" Width="50"</pre>
                                                                                               P
                  HorizontalAlignment="Left"
                  SelectionChanged="ComFontSize_SelectionChanged" />
    </ToolBar>
    <ToolBar HorizontalAlignment="Left" Width="66">
      <Button x:Name="Clear" Click="Clear Click">
        <Image Height="30" Width="30" Source="/bin.png"/>
      </Button>
    </ToolBar>
  </ToolBarTray>
  <RichTextBox x:Name="rtbEditor" Background="#FFFDEFBF"</p>
         SelectionChanged="RtbEditor SelectionChanged">
    <FlowDocument/>
  </RichTextBox>
</DockPanel> </Window>
```

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System. Threading. Tasks;
using System.Windows;
using System. Windows. Controls;
using System.Windows.Data;
using System.Windows.Documents;
using System. Windows. Input;
using System.Windows.Media;
using System. Windows. Media. Imaging;
using System.Windows.Navigation;
using System.Windows.Shapes;
namespace WpfApp1
    /// <summary>
    /// Interaction logic for MainWindow.xaml
    /// </summary>
    public partial class MainWindow: Window
        public MainWindow()
        {
            InitializeComponent();
        private void Button_Click(object sender, RoutedEventArgs e)
            MyDocumentViewer myDocumentViewer = new MyDocumentViewer();
            myDocumentViewer.Show();
        }
    }
```

