




ESERCIZIO DHCP





Ho proseguito con la configurazione del server.




Successivamente ho configurato i parametri del DHCP nella voce "services".




Dopo aver configurato i parametri del DHCP, ho impostato le configurazioni rete dei computer da “static” a “DHCP” così che gli indirizzi IP potessero essere assegnati automaticamente.



Dopo di che ho configurato il DNS inserendo i nomi dei computer e gli indirizzi IP corrispondenti, per permettere il ping tra loro tramite il nome stesso.





```
Control-C
^C
C:\>ping 192.168.1.11

Pinging 192.168.1.11 with 32 bytes of data:

Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time=12ms TTL=128
Reply from 192.168.1.11: bytes=32 time=8ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 12ms, Average = 5ms

C:\>ping alice

Pinging 192.168.1.11 with 32 bytes of data:

Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128
Reply from 192.168.1.11: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 0ms, Average = 0ms

C:\>
```