### Universit Leipzig

#### Fakultät für Mathematik und Informatik Institut für Informatik

#### An interesting title about, EOF, Wind, Humidity and Climate

### Masterarbeit

Leipzig, Mai 2024 vorgelegt von

Denis Streitmatter Studiengang Master Informatik

#### Betreuende Hochschullehrer:

Dr. Baldwin Nsonga Universität Leipzig, Abteilung für Bild und Signalverarbeitung Prof. Dr. Gerrik Scheuermann Universität Leipzig, Abteilung für Bild und Signalverarbeitung

#### Abstract

Scientific documents often use LATEX for typesetting. While numerous packages and templates exist, it makes sense to create a new one. Just because.

## Contents

Ι	Prei	LIMINAF	RIES	I
2	Pro	BLEM A	NALYSIS	3
3	Rel.	ATED W	ORK	5
	3.I	Climat	e simulation datasets	5
		3.I.I	RCP Scenarios	5
		3.I.2	Questions arising about using climate simulation datasets	5
		3.1.3	MPI-GE - The Max Planck Institute grand Ensemble	5
		3.I.4	CMIP5 - Coupled Model Intercomparison Project	6
	3.2	Precipi	itation Literature	6
		3.2.I	Saisonality in Precipitation variability	6
	3.3	Means	of moisture transport	6
		3.3.I	vertically integrated water vapor transport	6
		3.3.2	Moisture Budget	6
	3.4	Pattern	ı analysis	7
		3.4.I	Empirical Orthogonal Functions	7
4	Des	IGN		9
5	Evai	LUATION	N	II
6	Con	CLUSIO	ns and Future Work	13
	6. <sub>1</sub>	Conclu	isions	13
	6.2	Future	Work	13
Ac	CRONY	MS		15
Gı	LOSSA	RY		17
Bı	BLIOG	RAPHY		19

# I Preliminaries

I

## 2 PROBLEM ANALYSIS

# 3 RELATED WORK

#### 3.1 CLIMATE SIMULATION DATASETS

General infos from [4]:

•

#### 3.1.1 RCP Scenarios

#### 3.1.2 Questions arising about using climate simulation datasets

- How many ensemble members are needed for a correct assessment?
- How to sort them out? Random?

.

#### 3.1.3 MPI-GE - THE MAX PLANCK INSTITUTE GRAND ENSEMBLE

General information about the future scenarios (all based on the dataset available to me on the DKRZ cluster):

- Time: The time axis is compromised of 1128 values, which count the days since 01.01.2005. The first one is 380, so it actually starts somewhere in 2006, and all of those values are roughly 30 days apart. This axis is part of every dataset, all stored as floats.
- Eastward/Northward Wind: Given as Floats in the unit of  $ms^{-1}$ . Each compromises the wind direction in one orthogonal direction. Eastward wind directory is named ua, northward va
- Specific Humidity: Specific humidity is given as a float without value. Reason is the unit is actually kg moisture per kilogramm air, which cancels out in the end.

In [4] there is much inforamtion available:

#### 3.1.4 CMIP5 - COUPLED MODEL INTERCOMPARISON PROJECT

In [7]

#### 3.2 Precipitation Literature

#### 3.2.1 SAISONALITY IN PRECIPITATION VARIABILITY

The work of Zveryaev

#### 3.3 Means of moisture transport

#### 3.3.1 VERTICALLY INTEGRATED WATER VAPOR TRANSPORT

As proposed by Zhu and Newell in [9], one way of measuring moisture (p) transport is by vertically integrating over the different pressure levels the zonal and meridional fluxes  $\overline{pu}$  and  $\overline{pv}$ .

An example of using this method can be found in [1] with many more references why this method is working well for these kinds of approaches.

Also this paper lists some other methods of moisture transportation which are also used:

- I. integrated water vapor distributions (see [2])
- 2. the lagrangian approach
- 3. stable oxygen isotope investigation

#### Usages of IVT and differences

In [5] they used a vector field of the IVT:  $\int_{p_{low}}^{p_{max}} qVdp$ , where p is the pressure level, q is the humidity and V the horizontal vector.

In [6] they used a scalar field based on the euclidian norm of the vector field used by [5].

In [1] they also used the euclidian norm on a similar field like [5] to measure the impact of ENSO on south-chinese weather.

#### 3.3.2 Moisture Budget

Yang et al. showed in their report [8] the directions of moisture flux on the continent borders based on the big ERA5 reanalysis. They measure the moisture based on a equation called the *Moisture Budget*, which is based on multiple Faktors:

I. Vertically integrated Moisture Convergence (VIMC): It is basically the gradient of the specific moisture in the air times the Wind vector

- 2. P is the precipitation
- 3. E is the evaporation

Furthermore they evaluateded the correlation between the moisture transport and the precipitation variability, which correlate to a significant extent.

#### 3.4 PATTERN ANALYSIS

#### 3.4.1 Empirical Orthogonal Functions

See [3] for a big overview of EOF in atmospheric science.

See [1] for an similar approach as we plan it, except it only focuses on the past. They

# 4 Design

# 5 EVALUATION

# 6 CONCLUSIONS AND FUTURE WORK

6.1 Conclusions

6.2 Future Work

## ACRONYMS

PCA Principal component analysis

SNF Smith normal form

TDA Topological data analysis

## GLOSSARY

LETEX A document preparation system

 $\mathbb{R}$  The set of real numbers

#### **BIBLIOGRAPHY**

- I. O. O. Ayantobo, J. Wei, B. Kang, and G. Wang. "Integrated moisture transport variability over China: patterns, impacts, and relationship with El Nino-Southern Oscillation (ENSO)". Theoretical and Applied Climatology 147, 2021, pp. 985-1002. URL: https://api.semanticscholar.org/CorpusID: 2444492291.
- 2. L. Gimeno, R. Nieto, M. Vázquez, and D. A. Lavers. "Atmospheric rivers: A mini-review". Frontiers in Earth Science 2, 2014, p. 2.
- 3. A. Hannachi, I. T. Jolliffe, and D. B. Stephenson. "Empirical orthogonal functions and related techniques in atmospheric science: A review". *International Journal of Climatology: A Journal of the Royal Meteorological Society* 27:9, 2007, pp. 1119–1152.
- 4. N. Maher, S. Milinski, L. Suarez-Gutierrez, M. Botzet, M. Dobrynin, L. Kornblueh, J. Kröger, Y. Takano, R. Ghosh, C. Hedemann, C. Li, H. Li, E. Manzini, D. Notz, D. Putrasahan, L. Boysen, M. Claussen, T. Ilyina, D. Olonscheck, T. Raddatz, B. Stevens, and J. Marotzke. "The Max Planck Institute Grand Ensemble: Enabling the Exploration of Climate System Variability". Journal of Advances in Modeling Earth Systems 11:7, 2019, pp. 2050–2069. DOI: https://doi.org/10.1029/2019MS001639.eprint: https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/2019MS001639.URL: https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2019MS001639.
- 5. F. M. Ralph, S. Iacobellis, P. Neiman, J. Cordeira, J. Spackman, D. Waliser, G. Wick, A. White, and C. Fairall. "Dropsonde observations of total integrated water vapor transport within North Pacific atmospheric rivers". *Journal of Hydrometeorology* 18:9, 2017, pp. 2577–2596.
- 6. P. M. Sousa, A. M. Ramos, C. C. Raible, M. Messmer, R. Tomé, J. G. Pinto, and R. M. Trigo. "North Atlantic integrated water vapor transport—From 850 to 2100 CE: Impacts on western European rainfall". *Journal of Climate* 33:1, 2020, pp. 263–279.
- 7. K. E. Taylor, R. J. Stouffer, and G. A. Meehl. "An overview of CMIP5 and the experiment design". *Bulletin of the American meteorological Society* 93:4, 2012, pp. 485–498.

- 8. Y. Yang, C. Liu, N. Ou, X. Liao, N. Cao, N. Chen, L. Jin, R. Zheng, K. Yang, and Q. Su. "Moisture Transport and Contribution to the Continental Precipitation". *Atmosphere* 13:10, 2022. ISSN: 2073-4433. DOI: 10.3390/atmos13101694. URL: https://www.mdpi.com/2073-4433/13/10/1694.
- 9. Y. Zhu and R. E. Newell. "A Proposed Algorithm for Moisture Fluxes from Atmospheric Rivers". Monthly Weather Review 126:3, 1998, pp. 725-735. DOI: https://doi.org/10.1175/1520-0493(1998)126<0725: APAFMF>2.0.CO; 2. URL: https://journals.ametsoc.org/view/journals/mwre/126/3/1520-0493\_1998\_126\_0725\_apafmf\_2.0.co\_2.xml.
- I. I. Zveryaev. "Seasonality in precipitation variability over Europe". Journal of Geophysical Research: Atmospheres 109:D5, 2004. DOI: https://doi.org/10.1029/2003JD003668. eprint: https://agupubs.onlinelibrary.wiley.com/doi/pdf/10.1029/2003JD003668. URL: https://agupubs.onlinelibrary.wiley.com/doi/abs/10.1029/2003JD003668.