



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

Repatha

Procedural steps taken and scientific information after the authorisation*

*Due to the Agency's update of its procedure management systems, an additional document, reflecting the historical lifecycle may be available in the 'Assessment history' section. For the complete product lifecycle procedures, you may need to also refer to **EPAR - Procedural steps taken and scientific information after authorisation (archive)**.

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
Variation type II / EMA/VR/0000322435	Outcome: C.I.6 Change(s) to therapeutic indication(s) - C.I.6.a Addition of a new therapeutic	23/07/2026	21/08/2026	SmPC, Labelling and	

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	indication or modification of an approved one - Accepted Extension of indication for Repatha to include adults at high risk for a first cardiovascular event, based on the final results from study 20170625 (VESALIUS); this is a Phase 3, double-blind, randomized, placebo-controlled, multicenter study to evaluate the impact of evolocumab on major cardiovascular events in patients at high cardiovascular risk without prior myocardial infarction or stroke. As a consequence, sections 4.1, 4.2, 4.8 and 5.1 of the SmPC are updated. The Package Leaflet is updated in accordance. Version 9.1 of the RMP has also been submitted. In addition, the Marketing Authorisation Holder (MAH) took the opportunity to update the list of local representatives in the Package Leaflet. Furthermore, some typographical errors were corrected, and the Product Information is brought in line with the latest QRD template version 10.4.			PL	
Variation type IB / EMA/VR/0000337617	Outcome: Q.II.b.2 Change to batch release arrangements and batch control testing of the finished product - Q.II.b.2.a) Addition or replacement of a batch control/testing site applying physicochemical and/or microbiological analytical procedures for the	16/06/2026			

	finished product - Accepted Q.II.b.1 Change in the manufacturing site for part or all of the manufacturing process of the finished product (except for batch release and batch control testing sites) - Q.II.b.1.e) Addition or replacement of a site responsible for any manufacturing operation(s) of a finished product - Accepted				
Variation type IA_IN / EMA/VR/0000316562	Outcome: B.II.e.6 Change in any part of the (primary) packaging material not in contact with the finished product formulation (such as colour of flip-off caps, colour code rings on ampoules, change of needle shield (different plastic used)) - B.II.e.6.a Change that affects the product information - Accepted	12/12/2025		SmPC, Labelling and PL	
Variation type IB / EMA/VR/0000280756	Outcome: This was an application for a group of variations following a worksharing procedure according to Article 20 of Commission Regulation (EC) No 1234/2008. B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of	04/09/2025			

	the approved dossier - B.I.a.1.f Changes to quality control testing arrangements for the active substance-replacement or addition of a site where batch control/testing takes place - Accepted B.II.b.2 Change to importer, batch release arrangements and quality control testing of the finished product - B.II.b.2.a Replacement or addition of a site where batch control/testing takes place - Accepted				
Variation type IA / EMA/VR/0000288203	Outcome: B.II.e.6 Change in any part of the (primary) packaging material not in contact with the finished product formulation (such as colour of flip-off caps, colour code rings on ampoules, change of needle shield (different plastic used)) - B.II.e.6.b Change that does not affect the product information - Refused	29/07/2025			
Variation type II / EMA/VR/0000258222	Outcome: B.I.a.2 Changes in the manufacturing process of the active substance - B.I.a.2.c The change refers to a biological / immunological substance or use of a different chemically derived substance in the manufacture of a biological/immunological substance, which may have a significant impact on the quality, safety and efficacy of the medicinal product and is not related to a protocol - Accepted	24/07/2025			

--	--	--	--	--	--