



EUROPEAN MEDICINES AGENCY
SCIENCE MEDICINES HEALTH

RINVOQ

Procedural steps taken and scientific information after the authorisation*

*Due to the Agency's update of its procedure management systems, an additional document, reflecting the historical lifecycle may be available in the 'Assessment history' section. For the complete product lifecycle procedures, you may need to also refer to **EPAR - Procedural steps taken and scientific information after authorisation (archive)**.

Application number	Scope	Opinion/ Notification ¹ issued on	Commission Decision Issued ² / amended on	Product Information affected ³	Summary
Variation type II / EMA/VR/0000325958	Outcome: C.6 Change(s) to therapeutic indication(s) - C.6.a) Addition of a new therapeutic	25/06/2026	24/07/2026	SmPC, Annex II, Labelling	Please refer to Scientific Discussion EMA/VR/0000325958

¹ Notifications are issued for type I variations and Article 61(3) notifications (unless part of a group including a type II variation or extension application or a worksharing application). Opinions are issued for all other procedures.

² A Commission decision (CD) is issued for procedures that affect the terms of the marketing authorisation (e.g. summary of product characteristics, annex II, labelling, package leaflet). The CD is issued within two months of the opinion for variations falling under the scope of Article 23.1a(a) of Regulation (EU) No. 712/2012, or within one year for other procedures.

³ SmPC (Summary of Product Characteristics), Annex II, Labelling, PL (Package Leaflet).



	indication or modification of an approved one - Accepted Extension of indication to include the treatment of non-segmental vitiligo in adults and adolescents 12 years and older who are candidates for systemic therapy, for RINVOQ, based on results from the two replicate Phase 3 studies M19-044: study 1 (R&D/25/1342) and study 2 (R&D/25/1343), as well as from integrated long-term safety data. Study 1 and study 2 are Phase 3, global, randomized, double-blind, placebo-controlled multi-center studies that evaluate the safety and efficacy of upadacitinib in adult and adolescent patients with non-segmental vitiligo. As a consequence, sections 4.1, 4.2, 4.5, 4.8, 5.1 and 5.2 of the SmPC have been updated. The Package Leaflet has been updated in accordance. Version 20.0 of the RMP is approvable. In addition, the Marketing authorisation holder (MAH) took the opportunity to introduce minor editorial changes to the product information.			and PL	
Variation type II / EMA/VR/0000312506	Outcome: C.I.6 Change(s) to therapeutic indication(s) - C.I.6.a Addition of a new therapeutic indication or modification of an approved one - Accepted	25/06/2026	24/07/2026	SmPC, Annex II and PL	Please refer to Scientific Discussion EMA/VR/0000312506

	Extension of indication to include the treatment of severe alopecia areata (AA) in adult and adolescents 12 years and older, based on interim results from 2 pivotal, Phase 3 studies (M23-716 Study 1 and Study 2); those are randomized, double blind, placebo-controlled, multi-center studies of Upadacitinib evaluating the efficacy and safety of Upadacitinib 15 mg QD and 30 mg QD versus placebo for the treatment of severe AA in subjects who are at least 12 years of age. As a consequence, sections 4.1, 4.2, 4.5, 4.8, 5.1 and 5.2 of the SmPC are updated. The Package Leaflet and Annex II are updated in accordance. Version 20.0 of the RMP is approvable.				
Variation type II / EMA/VR/0000322413	Outcome: C.I HUMAN AND VETERINARY MEDICINAL PRODUCTS - C.I.4 Change(s) in the Summary of Product Characteristics, Labelling or Package Leaflet due to new quality, preclinical, clinical or pharmacovigilance data - Accepted Update of sections 4.2, 4.8, and 5.1 of the SmPC in order to update the posology recommendations for giant cell arthritis and to update efficacy and safety information based on final results from study M16-852 (SELECT-GCA) listed as a category 3 study in the RMP; this is a Phase 3, multicenter,	23/04/2026	11/06/2026	SmPC	Following completion of the SELECT-GCA study, the following updates of the SmPC regarding the giant cell arteritis condition are implemented: The following sentence is removed from SmPC Section 4.2: • Treatment beyond 52 weeks should be guided by disease activity, physician discretion, and patient choice. The long-term rates of the following adverse reactions in SmPC Section 4.8 are updated as follows: • The long-term rate of serious infections was 5.9 events per 100 patient-years for the upadacitinib 15 mg group and 10.5 events per 100 patient-years for the placebo group. • The long-term rate of opportunistic infections (excluding tuberculosis and herpes zoster) was 1.8 events per 100 patient-years for the upadacitinib 15 mg group

	randomised, double-blind, placebo-controlled study to evaluate the safety and efficacy of upadacitinib in subjects with giant cell arteritis.				and 1.5 events per 100 patient-years for the placebo group. • The long term rate of herpes zoster was 5.9 events per 100 patient-years for the upadacitinib 15 mg group and 3.0 events per 100 patient-years for the placebo group. The following information regarding the maintenance of response is added in SmPC Section 5.1: • A total of 223 patients entered the blinded extension period (Period 2), of the SELECT-GCA study. Patients originally randomised to upadacitinib 15 mg in Period 1, and who achieved sustained remission (defined by the absence of giant cell arteritis signs and symptoms and being corticosteroid free) for at least 24 weeks prior to week 52, were re-randomised to continue upadacitinib 15 mg (N = 68) or placebo (N = 35). Among patients who achieved sustained remission at week 52, 71.7% of patients re-randomised to continue treatment with upadacitinib 15 mg maintained corticosteroid-free remission through week 104 compared to 31.4% of patients re-randomised to placebo. Among those patients who were re-randomised to placebo, 59.5% experienced a giant cell arteritis flare, compared to 7.4% of patients re-randomised to continue upadacitinib 15 mg. The median time to flare was 113 days for patients re-randomised to placebo and was greater than 365 days (median not reached) for patients re-randomised to upadacitinib 15 mg. For more information, please refer to the Summary of Product Characteristics.
PSUR / EMA/PSUR/0000311064	EURD: PSUSA/00010823/202508 Active	26/03/2026	04/06/2026	SmPC and PL	Variation

	substance: upadacitinib Outcome: Variation In view of available data on semen discolouration from clinical trial(s) and spontaneous reports including, in 6 cases a positive de-challenge and, in 3 cases a positive re-challenge, the PRAC considers that a causal relationship between upadacitinib and semen discolouration is at least a reasonable possibility. The PRAC concluded that the product information of products containing upadacitinib should be amended accordingly.				
Variation type II / EMA/VR/0000317563	Outcome: C.I HUMAN AND VETERINARY MEDICINAL PRODUCTS - C.I.13 Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority - Accepted Submission of the final report for study M15-572 (SELECT – PsA 1), listed as a category 3 study in the RMP. This is a Phase 3, randomised, double-blind study comparing upadacitinib to placebo and to adalimumab in subjects with active psoriatic arthritis who have a history of inadequate response to at least one non-biologic disease modifying anti-rheumatic drug (DMARD).	26/03/2026			

Variation type IB / EMA/VR/0000328160	Outcome: Q.I.a.2 Change in the manufacturing process of the active substance, intermediate of an active substance or starting materials for biological active substance - Q.I.a.2.z Other variation - Accepted	11/03/2026			
Variation type IA / EMA/VR/0000317936	Outcome: B.I.a.3 Change in batch size (including batch size ranges) of active substance or intermediate used in the manufacturing process of the active substance - B.I.a.3.a Up to 10-fold increase compared to the originally approved batch size - Accepted	08/01/2026			
Variation type IB / EMA/VR/0000308226	Outcome: B.II.f.1.b Extension of the shelf life of the finished product - B.II.f.1.b.1 As packaged for sale (supported by real time data) - Accepted	17/11/2025	04/06/2026	SmPC	To extend the shelf-life of RINVOQ 45 mg prolonged-release tablets in bottle packaging configuration (EU/1/19/1404/011) from 24 months to 36 months when stored at the labeled storage condition.
Variation type IB / EMA/VR/0000303310	Outcome: This was an application for a group of variations. B.I.b.1 Change in the specification parameters and/or limits of an active substance, starting material / intermediate / reagent used in the manufacturing process of the active substance - B.I.b.1.c Addition	29/10/2025			

	of a new specification parameter to the specification with its corresponding test method - Accepted B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation - Accepted B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.z - Change in the manufacturer of AS or of a starting material/reagent/intermediate for AS - Other variation - Accepted				
Variation type IA / EMA/VR/0000297132	Outcome: This was an application for a group of variations. A. ADMINISTRATIVE CHANGES - A.4 Change	23/09/2025	04/06/2026	Annex II and PL	

	in the name and/or address of: a manufacturer (including where relevant quality control testing sites); or an ASMF holder; or a supplier of the active substance, starting material, reagent or intermediate used in the manufacture of the active substance (where specified in the technical dossier) where no Ph. Eur. Certificate of Suitability is part of the approved dossier; or a manufacturer of a novel excipient (where specified in the technical dossier) - Accepted A. ADMINISTRATIVE CHANGES - A.4 Change in the name and/or address of: a manufacturer (including where relevant quality control testing sites); or an ASMF holder; or a supplier of the active substance, starting material, reagent or intermediate used in the manufacture of the active substance (where specified in the technical dossier) where no Ph. Eur. Certificate of Suitability is part of the approved dossier; or a manufacturer of a novel excipient (where specified in the technical dossier) - Accepted B.II.d.2 Change in test procedure for the finished product - B.II.d.2.a Minor changes to an approved test procedure - Accepted A. ADMINISTRATIVE CHANGES - A.7 Deletion of manufacturing sites for an active substance, intermediate or finished product, packaging site, manufacturer responsible for batch release, site where batch control takes place, or supplier of a starting material,				
--	--	--	--	--	--

	reagent or excipient (when mentioned in the dossier)* - Accepted				
Variation type II / EMA/VR/0000265549	Outcome: C.I HUMAN AND VETERINARY MEDICINAL PRODUCTS - C.I.13 Other variations not specifically covered elsewhere in this Annex which involve the submission of studies to the competent authority - Accepted Submission of the final report from study M1-554, listed as a category 3 study in the RMP. This is a Phase 3, Randomized, Double-Blind, Study Comparing Upadacitinib to Placebo in Subjects with Active Psoriatic Arthritis Who Have a History of Inadequate Response to at Least One Biologic Disease Modifying Anti-Rheumatic Drug (bDMARD) – SELECT – PsA 2.	04/09/2025			
Variation type IB / EMA/VR/0000262119	Outcome: This was an application for a group of variations. B.I.a.3 Change in batch size (including batch size ranges) of active substance or intermediate used in the manufacturing process of the active substance - B.I.a.3.a Up to 10-fold increase compared to the originally approved batch size - Accepted B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used	14/04/2025			

	in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.f Changes to quality control testing arrangements for the active substance-replacement or addition of a site where batch control/testing takes place - Accepted B.I.a.1 Change in the manufacturer of a starting material/reagent/intermediate used in the manufacturing process of the active substance or change in the manufacturer (including where relevant quality control testing sites) of the active substance, where no Ph. Eur. Certificate of Suitability is part of the approved dossier - B.I.a.1.z Other variation - Accepted				
--	--	--	--	--	--