## MATH180C: Introduction to Stochastic Processes II

Lecture A00: math-old.ucsd.edu/~ynemish/teaching/180cA Lecture B00: math-old.ucsd.edu/~ynemish/teaching/180cB

## Today: Asymptotic behavior of renewal processes

Next: PK 7.5, Durrett 3.1, 3.3

Week 6:

- homework 5 (due Friday, May 6)
- regrades for Midterm 1 and HW4 active until May 7, 11PM

Joint distribution of age and excess life From the definition of  $\gamma_t$  and  $\delta_t$   $\delta_t$   $\gamma_t$   $\gamma$ = P ( Wn(+) < t-x, Nn(+)+1 > t+y) = P(N(t-x) = N(t+y)) · Partition wrt the values of N(t) Wn(t) t Wn(t)+1 = Z P(Nx & t-x, Wx+, > t+y) condition on the value of Wk (c.d.f. of Wk is F\*k(t) = 1- F(tiy) + Z SP(Wk = t-x, Wk + Xk+1 > t+y | Wk=u) dF (u)  $= 1 - F(t+y) + \sum_{k=1}^{\infty} \int_{-\infty}^{t-x} P(X_{k+1}) t+ y-u dF^{*k}(u)$  $= 1 - F(t+y) + \sum_{k=1}^{\infty} \int_{0}^{t-x} (1 - F(t+y-u)) dF^{kk}(u)$ 

Limiting distribution of age and excess life dF(u) = flu) du Assume that Xi are continuous. Then  $P(\delta_{t} \geq x, \gamma_{t} > y) = 1 - F(t + y) + \sum_{k=1}^{\infty} (1 - F(t + y - u)) dF(u)$  $= 1 - F(t+y) + \int_{0}^{t-x} (1 - F(t+y-u)) d \sum_{k=0}^{\infty} F(u)$   $= 1 - F(t+y) + \int_{0}^{t-x} (1 - F(t+y-u)) m(u) du$  $= 1 - F(t+y) + \int_{0}^{t+y} (1 - F(w)) m(t+y-w) dw$ lim m(t) > 1 Recall that  $\varepsilon(s) := m(s) - \frac{x+y}{y}$  as  $s \to \infty$  ( $y = \varepsilon(x_i)$ ). Then  $\lim_{t\to\infty} P\left(\delta_{t} \geq x, \gamma_{t} > y\right) = \lim_{t\to\infty} \left(1 - F(t_{ty}) + \int_{x_{ty}} (1 - F(w)) \left\{\frac{1}{\mu} + \varepsilon(t_{ty} - w)\right\} dw\right]$   $= \int_{x_{ty}} (1 - F(w)) \frac{1}{\mu} dw + \lim_{t\to\infty} \int_{x_{ty}} (1 - F(w)) \varepsilon(t_{ty} - w) dw$   $= \int_{x_{ty}} (1 - F(w)) \frac{1}{\mu} dw + \lim_{t\to\infty} \int_{x_{ty}} (1 - F(w)) \varepsilon(t_{ty} - w) dw$   $= \int_{x_{ty}} (1 - F(w)) \frac{1}{\mu} dw + \lim_{t\to\infty} \int_{x_{ty}} (1 - F(w)) \varepsilon(t_{ty} - w) dw$   $= \int_{x_{ty}} (1 - F(w)) \frac{1}{\mu} dw + \lim_{t\to\infty} \int_{x_{ty}} (1 - F(w)) \varepsilon(t_{ty} - w) dw$   $= \int_{x_{ty}} (1 - F(w)) \frac{1}{\mu} dw + \lim_{t\to\infty} \int_{x_{ty}} (1 - F(w)) \varepsilon(t_{ty} - w) dw$ 

Joint/limiting distribution of (xe, Se) Thm. Let F(t) be the c.d.f. of the interrenewal times. Then

(a) 
$$P(Y_t > y, \delta_{t \ge x}) = 1 - F(t + y) + \sum_{k=1}^{\infty} \int_{0}^{t-x} (1 - F(t + y - u)) dF^{*k}(u)$$
  
=  $1 - F(t + y) + \int_{0}^{t-x} (1 - F(t + y - u)) dM(u)$ 

(b) if additionally the interrenewal times are continuous,   

$$\lim_{t\to\infty} P(\gamma_t > y, \delta_t \ge x) = \frac{1}{\mu} \int_{x_t y} (1 - F(\omega)) d\omega$$
 (\*)

then you and 60 are continuous r.v.s with densities

If we denote by (yo, So) a pair of r.v.s with distribution (x)

 $f_{Y\infty}(x) = f_{E\infty}(x) = \frac{1}{\mu} \left( 1 - F(x) \right) \left( \frac{1}{E(X)} \int_{0}^{\infty} P(X_{i}, x) dx = \frac{E(X_{i})}{E(X_{i})} \right)$ 

## Example

Renewal process (counting earthquakes in California) has interrenewal times uniformly distributed on [0,1] (years).

(a) What is the long-run probability that an earthquake will hit California within 6 months?

$$\lim_{t\to\infty} P(\gamma_t \leq \frac{1}{2}) = \int_0^{2} 2 \cdot (1-\alpha) d\alpha = 1-\alpha^2 \Big|_0^2 = 0.75$$

(b) What is the long-run probability that it has been at most 6 months since the last earthquake?

$$\lim_{t\to\infty} P(S_t \leq \frac{1}{2}) = \int_0^{1/2} 2 \cdot (1-x) dx = 0.75$$