Adapting Native Geometry Decoders for Dynamic Actor Surfaces: Interim Evidence on Coverage and Observed Free Space

WorldSim V7.3 research draft

Interim r4: 9 September 2026

Abstract

We study metric surface reconstruction of rigid dynamic Actors from sparse LiDAR and multi-camera observations, with known identities, calibration and trajectories. The prototype adapts a pretrained native geometry decoder and uses spatial queries to generate explicit local surfaces in Actor coordinates. A completed matched development comparison shows that improved coverage does not ensure correct physical first intersections. Changing only the joint model's free-space objective reduces early returns and intrusion, but raises missing returns by 32.53 percentage points and lowers correct hits by 5.55 points across five development logs. A native-only matched control does not establish stable improvement from the same objective change. The joint patch model still has fewer correct hits than its same-objective LiDAR reference in every development log. Completed Q-v2 shared-mesh experiments do not establish an incremental benefit from the joint visual pathway over its LiDAR control. An open-chart control and ray-conditioned surface attraction subsequently improve support, but attraction increases early intersections by 14.58 points relative to the same open surface. Fixed-surface analysis localizes this change mainly to early intersections with a later, correctly placed surface. We prioritize first-visible-surface supervision; independent new-log and selected-model scene confirmation remain unfinished. No final method superiority is claimed.

1 Task and research hypothesis

For Actor i, we infer a reusable surface $\mathcal{S}_i$ in metric canonical coordinates from a fixed build window. Known rigid motion places it at query time: $\mathcal{S}_i(t) = T_{w\leftarrow i}(t)\mathcal{S}_i$. Camera calibration and trajectories are read-only. We focus on rigid vehicle categories; learned motion prediction, nonrigid deformation, intensity, complete no-return beam simulation and photorealistic rendering are outside this experiment.

The hypothesis is that adapting a pretrained geometric decoding path and jointly reading local multi-view and LiDAR evidence can improve surface position and coverage without increasing violations of observed free space. This is an empirical hypothesis, not a consequence of adding parameters or attention. Earlier small-adapter results did not directly test it: their final surface displacement was computed from a physical hidden state, while current visual features affected an evidence update. In that interface, displacement had zero direct derivative with respect to current visual features when parameters and other inputs were fixed. V7.3 opens a trainable visual-to-surface path; a negative outcome for one implementation cannot reject all geometric foundation-model adaptation.

2 Implemented model and supervision

2.1 Native decoding and spatial queries

The official VGGT training framework already supports freezing the aggregator while fine-tuning task heads [1]. Our prototype trains the full native DPT depth head (32,654,562 parameters), reading four aggregation levels. Only the completely frozen prefix is cached. No upper-aggregation LoRA is trained in the present joint candidate. Direct native-depth supervision uses build Actor LiDAR projected to the correct camera time, with the original metric scale fixed by robust build-side alignment.

The query decoder has 1,670,517 parameters, hidden width 192 and three update layers. Up to 1,024 build-evidence queries and 512 completion queries carry canonical positions and learned states. Completion is



Figure 1: Implemented reconstruction components. Blue marks the frozen shared prefix; green marks trainable DPT, query and patch modules. Gray denotes fixed operations, supplied geometry or intermediate representations, not a gradient barrier: visual features and native seed positions can influence the generated physical surface. Calibration, metric scale and trajectories remain read-only. The native control replaces the query/patch pathway with canonical fusion and PCA patches, retaining the physical first-intersection readout. Supervision uses fit measurements; additional fit targets are not prediction inputs. The diagram does not imply that all variants or objectives have established a benefit.

seeded by aligned native geometry, with a LiDAR fallback; the explicit image-only entry also permits learned coarse positions when both point sources are absent. The older main runs did not train that last input regime. For a query x_i, view v is read at

$$x_{c,v} = T_{c\leftarrow w}(t_v)T_{w\leftarrow i}(t_v)x_i. \tag{1}$$

Each query samples four local offsets at each of four feature scales, retaining camera, time and direction information. This follows the reference-centered sparse sampling idea of Deformable DETR [6], transferred here to calibrated Actor queries. Query chunks have size 128. Local 16-neighbor interactions use a spatial index with detached neighbor identities; we do not construct a dense query–query distance matrix. This reduces the interaction support to local neighborhoods; nearest-surface supervision still costs $O(PF)$ for P target points and F faces, with chunked temporary arrays. The prototype's image mask represents calibrated frustum and valid-image support, not verified occlusion visibility.

Each query predicts an explicit 3×3 patch with eight triangles, normal and bounded local bending, on a fixed 0.06 m grid spacing. Query centers are not limited to small displacements around original LiDAR candidates. Adjacent vertices within a patch are connected, but different patches are not welded into a closed manifold. Appearance opacity cannot hide a physical surface.

2.2 Q-v2: shared-vertex generation under the same objectives

The completed objective comparison motivates changing surface parameterization rather than continuing a loss-weight grid. Q-v2 retains the trainable DPT and the existing local visual reader. Up to 1,024 LiDAR queries and 512 native-depth queries now provide observation states without emitting independent patches. A separate set of 642 vertices starts from an ellipsoid scaled by the supplied Actor dimensions and defines 1,280 shared-vertex triangles. Three refinement stages combine mesh-edge messages, nearby observation queries and projected visual features, updating vertex positions directly (Figure 2). This transfers the explicit deformation idea of Pixel2Mesh [9] and vertex-aligned mesh refinement in Mesh R-CNN [10]; it is not a reproduction of their complete architectures or complete-mesh supervision.

The query parameter count is 1,668,393, close to the old 1,670,517, but the comparison is not density- or initialization-matched. The old representation emits 4,104–12,288 independent-patch triangles for build-ready Actors; Q-v2 emits 1,280 connected triangles and uses up to 2,178 hidden queries including observation states. Its sphere topology cannot represent arbitrary holes or disconnected parts and can still fold, self-intersect or collapse. No SDF sign, unobserved occupancy labels, opacity, or new regularization loss is introduced. The first run uses the original cohort, full-track fit labels, M1 initialization, seed 7304, 30 epochs and R12's objective weights. It evaluates its own new initialization; it does not reuse the patch initialization or resume R12. A synthetic interface check establishes nonzero gradients from the same



Figure 2: Implemented Q-v2 candidate; joint and LiDAR results are complete. The fixed topology is a shape prior, not occupancy ground truth. Observed depth and visual features can influence the shared vertices; training and hard evaluation use identical explicit triangles.

nearest-surface loss into all four visual scales and native seed positions. This is an implementation check, not real-data performance or a full-chain resource measurement.

2.3 Open charts and ray-conditioned attraction

After the closed-mesh comparison, LiDAR run r3 reallocates support to 64 open charts. Each chart has a fixed 4×4 UV grid, a detached local PCA frame, a trainable normal residual and a shared height decoder. The metric half-span is $0.15(LWH)^{1/3}$ from supplied Actor dimensions. There are 1,024 vertices and 1,152 triangles, with no global closure or learned opacity. The chart decoder has 1,706,413 parameters; unused visual-reader parameters receive no gradients in these LiDAR controls. This borrows local parametric surface elements from AtlasNet [11], not its complete-shape training. Fixed tangential coordinates limit intra-chart collapse but do not prevent inter-chart intersections, incorrect span or wrong support positions.



Figure 3: Actual open-chart and attraction components in LiDAR r4. The visual prefix and DPT are not loaded. Ray-conditioned nearest-surface attraction can move existing geometry on a missed ray, but need not move the first visible surface when a later surface is closer to the target.

Run r4 keeps the r3 representation and original losses, adding a weighted closest-point objective on owned original first returns. With unit direction d, measured endpoint $x^* = o + rd$, and $\delta = x - x^*$, it uses

$$L_{\text{ray}} = \text{mean}_r \min_{x \in \mathcal{S}} \left\| \alpha\big(\delta - d(d^T\delta)\big) + d(d^T\delta) \right\|_2, \qquad \alpha = 20/3. \tag{2}$$

This fixed optimization ratio is not calibrated sensor uncertainty or occupied thickness. Exact triangle/edge closest points are computed in 64-ray by 512-face blocks under the full anisotropic metric. Selected optimal barycentric coordinates are detached before reconstructing the differentiable distance in original coordinates. The envelope argument applies away from selection switches; it is not a first-intersection guarantee.

The extra term has weight one and samples up to 1,024 owned returns with a separate, checkpointed generator. It changes return-observation weighting relative to the existing unique-endpoint coverage term, so any gain cannot be uniquely attributed to anisotropy. No unknown region is labeled free, no new topology is created from an empty mesh, and no target-selected later surface replaces the physical readout. SoftRas [12] motivates distance gradients beyond hard projected support; its opacity aggregation is not used here. Both open-chart experiments are fresh 30-epoch LiDAR controls, not new evidence that the visual pathway has improved.

2.4 One surface, distinct measurement semantics

The implemented objectives act on this explicit geometry:

$$L = L_{\text{coverage}} + \lambda_n L_{\text{native}} + \lambda_f L_{\text{free}} + 0.05 L_{\text{envelope}} + \lambda_e L_{\text{event}} + \lambda_r L_{\text{ray}}. \tag{3}$$

Coverage is the mean distance from sampled measured target points to the nearest triangle. Sparse targets do not define a complete surface: an unmeasured region is not automatically empty, and we do not penalize all generated points merely for lacking a nearby sparse target. Native supervision is axial-depth SmoothL1 with a 0.2 m transition. It remains available at known build correspondences even when current predicted geometry leaves the Actor support region. This addresses a previously observed self-closing native-support path.

For the original beam with first measured range d_r^* and predicted first intersection $\hat{d}_r$, the hard free-space objective is

$$L_{\text{free}} = \frac{1}{|R|} \sum_{r \in R} \mathbf{1}[\hat{d}_r < \infty]\,[d_r^* - 0.2 - \hat{d}_r]_+. \tag{4}$$

All near-box original beams contribute; an occluded rear Actor does not replace the original first-return distance. Missing predictions have zero free penalty and remain penalized through measured coverage and reported missing-return rates. Regions behind the original return remain unknown. A finite beam-tube version uses the same surface with fixed width 0.03 m and 32×32 sampling; it does not learn confidence or transparency.

The event term is a capped, fixed-footprint likelihood of the same first visible surface with Gaussian range width 0.2 m and cap 28. It is evaluated on the owned subset of the same sampled beams. Repeating a surface does not add an independent termination opportunity. Depth-termination supervision has prior art in DS-NeRF [4]; changing an expected-depth loss to a likelihood is not claimed as novel. Crucially, an entirely absent surface receives the cap and zero position gradient from this term. Coverage and free-space geometry must retain their separate roles. A local differentiable visibility boundary is not a guarantee of global support discovery or convergence. The rasterized visibility and antialiasing derivatives use nvdiffrast [7].

3 Data, comparators and estimands

The nuScenes development study contains 489 rigid Actor entries in 31 windows from 25 independent logs: 414 fit entries in 20 logs and 75 development entries in five logs. The main runs admit 371 fit and 67 development entries with build LiDAR; the remaining 43 and eight stay in the population with explicit missing predictions. Each window supplies six cameras at four build times, jointly encoded at 378×672. Two interleaved times supply evaluation returns. Development logs never supply optimizer updates to the shared models.

Additional full-track labels are fit-only: 414 target files contain 1,690,284 measured Actor points, including positive targets for some empty-build entries. Those labels never become prediction inputs. R5 and R6 use the short-window label regime; R7–R12 and R14 use the longer fit-only labels. R10, R11, R12 and R14 have completed 30 epochs and full evaluation. R12 isolates the beam-tube free objective relative to R10; R14 is its same-objective native control. R14 versus R11 isolates that objective change within the native path. An equal-capacity pointwise control has not been trained on this full population; therefore a spatial-attention causal claim is currently unsupported.

We retain LiDAR accumulation with PCA patches, native adapted geometry plus canonical LiDAR fusion, native TSDF fusion, a CAPA-style build-only adaptation and a trained AdaPoinTr reference. CAPA supplies an official sparse-measurement test-time adaptation formulation [3]; our transfer resets its low-rank parameters per window, takes 100 build-only updates and fuses its outputs in canonical coordinates. Its per-image affine alignment and test-time budget differ from shared training. AdaPoinTr [2] uses the official PCN initialization, 30 fit epochs, axis conversion and full-track labels. It has a different optimizer, pretraining corpus and output density. These are meaningful competitors, not all single-factor ablations.

An owned original return is a hit within ± 0.2 m, early below that interval, late above it, or missing if no surface intersects. These outcomes include misses in the denominator. Free-space intrusion uses all original near-box beams. Measured surface recall is the fraction of heldout Actor measurements within 0.2 m of the explicit surface. Frames are weighted by their actual measurements within each Actor, followed by Actor means within logs and equal log weighting. Paired uncertainty resamples independent logs 10,000 times, not individual rays. With only five development logs, intervals remain limited evidence. Twenty-three development Actors have no owned heldout return; they are retained and their unavailable metrics are identified.

4 Completed development evidence

Method	Hit (%)	Early (%)	Miss (%)	Free (m)	Recall (%)
LiDAR PCA	21.24	4.35	73.41	0.0177	65.42
Actor TSDF + carving	3.28	0.26	96.33	0.0008	21.51
Native fusion	22.78	9.16	57.35	0.1503	78.13
LiDAR R6 (window labels)	31.01	14.02	49.31	0.0838	72.42
LiDAR R7 (track labels)	31.75	11.84	49.90	0.0716	74.55
LiDAR R8 (beam free)	31.00	5.59	56.83	0.0343	71.95
LiDAR R9 (+event)	32.47	6.01	54.57	0.0385	72.47
CAPA-style TTA R2	17.80	10.95	58.46	0.1203	76.90
AdaPoinTr R2	14.29	8.54	54.24	0.1221	84.60
Joint R5 (window labels)	22.28	20.98	37.71	0.3517	79.71
Native DPT R11 (track labels)	17.61	7.64	60.09	0.1650	75.15
Joint R10 (track, hard free)	27.15	20.26	32.62	0.2710	82.60
Joint R12 (track, beam free)	21.59	5.64	65.15	0.0606	76.22
Native R14 (track, beam free)	20.56	9.99	57.52	0.1664	77.20
Q-v2 joint r1	28.46	26.94	30.22	0.1793	59.48
Q-v2 LiDAR r2	30.55	19.49	25.54	0.1405	64.82
Open charts r3 (LiDAR)	31.08	16.22	28.37	0.1652	69.58
Ray attraction r4 (LiDAR)	36.07	30.80	20.39	0.2665	73.46

Table 1: Completed candidates, all 75 development entries in five logs. Recall is measured-target-to-surface recall, not complete-surface recall. Empty predictions remain missing. Short/long labels, adaptation budgets and output representations differ as described in the text; no row is a final confirmed method. Late rates are the residual outcome and are omitted for space.

4.1 Completed matched triangle: less intrusion, more missing support

R10 and R12 each complete 11,130 actual updates from fresh M1 initialization, without skips or recovery. R14, like native R11, completes 10,550 updates with 580 no-gradient skips. The only objective change in R12 versus R10 is replacing hard-range free space with fixed-width beam-tube range; both use native weight 1, free weight 0.5 and event weight 0. Completed means appear in Table 1, and paired intervals in

Table 2.

R12 reduces R10's early returns by 14.62 percentage points and free intrusion by 0.2105 m, improving both in all five logs. However, missing returns increase by 32.53 points in every log, hit decreases by 5.55 points, target-to-surface distance increases by 0.0412 m, and recall decreases by 6.38 points. All six paired intervals exclude zero. The generated geometry has not simultaneously retained coverage and achieved correct first intersections. The aggregate result does not uniquely identify patch rotation, contraction, displacement, overlap or correspondence contamination as its cause.

R12 minus	Metric	Difference	95% log bootstrap
R10	Hit (pp)	-5.553	[-13.635, -0.239]
R10	Early (pp)	-14.621	[-19.532, -9.688]
R10	Miss (pp)	+32.528	[+27.867, +38.476]
R10	Free (m)	-0.210	[-0.315, -0.110]
R10	Distance (m)	+0.041	[+0.006, +0.103]
R10	Recall (pp)	-6.385	[-16.382, -0.629]
R14	Hit (pp)	+1.037	[-3.661, +5.735]
R14	Early (pp)	-4.351	[-7.986, -0.992]
R14	Miss (pp)	+7.626	[+5.122, +10.203]
R14	Free (m)	-0.106	[-0.178, -0.037]
R8	Hit (pp)	-9.409	[-12.540, -6.705]
R8	Miss (pp)	+8.312	[+5.322, +11.592]

Table 2: Completed R12 differences on all 75 development Actors in five logs. R10 differs in free objective; R14 differs in native versus Query surface generation, and R8 in the LiDAR versus visual/native path. The latter two are pathway comparisons, not attention-only ablations. Values reuse saved 10,000-resample paired intervals, without rerunning inference or bootstrap.

Against R14, joint R12 has lower early/free but 7.63 points more missing returns in all five logs. Its hit difference of +1.04 points and its distance and recall intervals span zero. The native objective comparison R14 minus R11 has all six intervals spanning zero: the hit mean changes by +2.95 points with interval $[-0.37, +7.51]$, and free by +0.0015 m with $[-0.0221, +0.0267]$ m. This does not establish that the two objectives are equivalent or that beam supervision improves every geometry path.

The same-beam LiDAR reference R8 exceeds R12's hit by 9.41 points and has 8.31 points fewer missing returns, with the adverse joint difference in all five logs. R12's early/free/distance/recall intervals relative to R8 span zero. Its higher mean recall therefore is not a reliable incremental visual benefit. R14 also has higher recall but worse hit and free than R8, showing that the coverage/physics conflict is not exclusive to Query patches.

In contrast, under the hard objective, R10 versus native R11 improves hit by 9.54 points, interval $[4.62, 16.27]$, and reduces missing by 27.48 points, while increasing early by 12.62 points and free by 0.1061 m. The Query path can change support substantially, but this is not sufficient physical quality. Q-v2 tests the shared-vertex parameterization under the preserved R12 data/objectives; its completed results appear below. Upper-aggregation adaptation and near-boundary free supervision remain deferred while we study the known surface and ray-support limitations.

R12's measurement-weighted native Huber drops from 0.7072 to 0.3887 m, sampled coverage from 0.3072 to 0.2246 m, and hard free from 0.2087 to 0.0290 m. Both trainable parameter groups retain nonzero gradients. These moving training samples are not fixed-observation paired evidence. R12's own-initialization development comparison similarly reduces free but increases missing; it does not establish a hit gain. The moving subset still contains only nine Actors in two logs, one log with a single owned return. Its uncertainty cannot support a robust dynamic-Actor claim.

4.2 Completed Q-v2 controls and ray-support failure

The closed-mesh joint r1 and same-mesh LiDAR r2 each complete 11,130 updates without skipped or resumed updates. Joint minus LiDAR early rate is +7.454 points, 95% log interval $[+1.122, +17.719]$; all other five mean differences are unfavorable but their intervals cross zero. This compares the whole joint pathway, including native support and auxiliary depth supervision, and does not uniquely identify visual-feature quality. It does not establish equivalence or reject all foundation-model adaptation.

Fixed deformation analysis detects nonadjacent face intersections in 48/67 nonempty LiDAR meshes and 0/67 joint meshes. Open3D skips pairs sharing any vertex, so zero detections do not certify absence of folding. The joint mesh has mild local deformation despite its worse physical results; local collapse is not a sufficient explanation for the joint failure. Template-relative singular values measure deformation, not distance to ground truth.

Open-chart r3 versus closed LiDAR r2 has six intervals spanning zero. Compared with the old narrow-patch R8, r3 lowers missing by 28.46 points but increases free intrusion by 0.1308 m, both intervals excluding zero. It changes support allocation, span, initialization and topology together, so it cannot identify closure as the unique cause of error.

Metric	Difference	95% log interval	Improved logs
Hit (pp)	+4.993	[-2.397, +12.603]	4/5
Early (pp)	+14.577	[+6.435, +24.781]	0/5
Miss (pp)	-7.987	[-9.355, -6.446]	5/5
Free (m)	+0.101	[+0.013, +0.190]	1/5
Distance (m)	-0.025	[-0.042, -0.005]	4/5
Recall (pp)	+3.884	[+2.234, +5.515]	5/5

Table 3: Completed ray-attraction r4 minus the same open-chart r3, all 75 development entries and five logs. Only the hit interval spans zero. Improved coverage does not offset the increased early returns and intrusion.

Attraction r4 lowers missing by 7.99 points and target-to-surface distance by 0.0253 m, and increases recall by 3.88 points. However, early rate rises by 14.58 points and free intrusion by 0.1014 m; all five intervals exclude zero. The 4.99-point hit gain remains uncertain. Thus r4 is not selected as a joint surface/physics improvement, despite a correct local gradient implementation.

The fixed-surface decomposition uses the same 75 entries and 11,886 owned heldout rays, with Actor normalization followed by equal-log means. Rays with any intersection within the target band rise from 39.04% to 58.32%, while the subset having an early intersection and a later correct one rises from 7.96% to 22.25%. Early intersections with no later correct support change only from 8.26% to 8.55%. These are aggregate category differences, not paired transition probabilities for individual rays or a causal decomposition. They prioritize correction of the first visible surface over stronger target-nearest attraction. Later intersections are diagnostic only and never substituted for first returns. Near-boundary free and upper/backbone adaptation are deferred; the next candidate must retain missed-ray geometry gradients while tying supervision to actual first-surface visibility.

4.3 Earlier short-window and external-method evidence

R5 completes 30 effective epochs (11,130 updates) of genuine native DPT and query adaptation. The final recall is 79.71%, but early returns reach 20.98% and mean free intrusion reaches 0.3517 m. Relative to its own initialization, missing returns decrease while early returns increase. Relative to LiDAR R6, the surface is closer to heldout measurements but physical first intersections are worse (Table 4). These are not contradictory metrics: additional support can cover true measurements and still lie in front of other observations. The main candidate has not established a physical advantage.

Joint R5 minus	Metric	Difference	95% log bootstrap
R5 initialization	Early (pp)	+8.706	[+1.221, +18.493]
R5 initialization	Miss (pp)	-13.433	[-16.301, -8.843]
LiDAR R6	Hit (pp)	-8.728	[-14.097, -4.478]
LiDAR R6	Free (m)	+0.268	[+0.056, +0.503]
Native fusion	Early (pp)	+11.826	[+5.400, +23.016]
Native fusion	Free (m)	+0.201	[+0.037, +0.400]

Table 4: Selected paired development differences, five independent logs. Positive early/free and negative hit are adverse. R5 versus R6 shares the short-window label regime, but differs in visual input and native adaptation; it does not isolate attention. The recovered R5 run also has the random-state limitation described in Section 6.

A separate observed-return point evaluation uses only original owned beam intersections and measured targets, with missing predictions retained. R5's F-score is 0.3541, compared with R6's 0.4319 and R9's 0.4922. R5 minus R6 is -0.0778 with log-bootstrap interval $[-0.1173, -0.0382]$. This is an observable subset, not full canonical-surface precision. Unsquared two-direction Chamfer is conditional on nonempty predicted/measured sets and is never substituted for the missing-rate column. Nearest-neighbor matching can also hide a wrong-beam intersection; literal first-return metrics remain necessary.

The R7–R9 sequence isolates narrower mechanisms on LiDAR queries. Longer fit labels reduce early/free relative to R6. The beam-tube free objective then reduces early/free further while lowering measured recall. Adding event supervision reduces missing returns relative to R8, but the hit/free paired intervals span zero; event support is still absent on roughly 39% of sampled owned training beams. None of these results proves that event likelihood alone recovers missing geometry.

Query-source accounting attributes 91.74% of R5's log-weighted free intrusion and 78.37% of its early-return contribution to completion-initialized patches. Their centers average 1.087 m from the nearest original build point. This measures source provenance, not causal visual attribution or displacement from each query's initial position: both source groups pass through the same trainable spatial/visual updates.

4.4 Completed native control: fit improvement does not transfer

R11 trains the entire native DPT for 30 epochs with full-track fit labels, the original hard-range free objective and fixed PCA surface construction. There are 11,130 Actor presentations and 10,550 actual optimizer updates. The 580 skipped presentations have no effective native gradient: 420 have no camera pose and 160 have no native support and fall back to fixed LiDAR. All lack native build-depth correspondences. The query decoder is frozen. The largest recorded native projection-weight change from M1 initialization is 0.005224; this is genuine native adaptation, not a frozen-output adapter.

The measurement-weighted native Huber loss drops from 0.8592 to 0.3619 m, and fit-log hit increases by 2.28 points, with interval $[0.93, 3.70]$. Those fit measurements are in the training-label span. On the five development logs, hit decreases from 22.78% to 17.61%, declining in every log; early decreases from 9.16% to 7.64%. Mean free intrusion changes from 0.1503 to 0.1650 m, without a clear improvement. The paired evidence is shown in Table 5.

Metric	Difference	95% log bootstrap	Improved logs
Hit (pp)	-5.166	[-10.920, -1.125]	0/5
Early (pp)	-1.512	[-2.872, -0.660]	5/5
Miss (pp)	+2.741	[-2.697, +8.178]	2/5
Free (m)	+0.015	[-0.007, +0.031]	1/5
One-way distance (m)	+0.006	[-0.007, +0.028]	4/5
Recall (pp)	-2.979	[-8.339, +1.135]	3/5

Table 5: Native R11 final minus its own initialization on five development logs, with existing 10,000-resample log-bootstrap intervals (seed 7304). Improvement means higher hit/recall or lower early/miss/free/distance. The one-way distance is conditional on common evaluable support.

The old native-fusion reference generated surfaces for five additional zero-build-LiDAR development entries that R11 retains as missing. Its conditional distance mean therefore has a different denominator. Initial R11 and native fusion coincide on the 67 build-ready entries; comparisons of distance use common evaluable entries rather than subtracting unmatched means. R11 also trails same-full-track LiDAR R7 in hit by 14.14 points, interval $[-18.58, -8.62]$. Comparison with R9 additionally changes beam/event objectives.

This configuration has not improved development physical reconstruction. It does not identify whether the cause is observation contamination, shared parameter drift, discrete support/readout, or objective semantics. LoRA3D's scene adaptation [8] and CAPA's sparse-measurement adaptation [3] motivate possible restricted or build-side adaptation controls; neither establishes this failure's cause. The matched comparisons above preserve this limitation while motivating a changed surface parameterization. Rejecting all visual geometric adaptation, or repeating the already evaluated CAPA setup unchanged, would not follow from this result.

5 Density, static background and composition

Point-cloud conversion changes the physical readout. AdaPoinTr R2 retains all 16,384 generated points, but its main comparison uses a common limited set of patch centers. Reading PCA patches at all native output points increases development hit by 24.72 percentage points and early by 30.85 points, while increasing free intrusion by 0.2190 m. A denser surface is not an unqualified improvement. Native Actor TSDF at 0.1 m voxels and 0.3 m truncation produces a nonempty mesh for only 162 of 489 entries (18 of 75 development entries). Its low free intrusion therefore coexists with 96.33% missing returns. This is an applicability limit of the stated sparse configuration, not a general negative result about TSDF fusion.

At scene level we preserve background/Actor ownership and cast against

$$\mathcal{S}_{\text{scene}}(t) = \mathcal{S}_{\text{static}} \cup \bigcup_i T_{w\leftarrow i}(t)\mathcal{S}_i. \tag{5}$$

The closest actual intersection across all owners is the scene first return. All methods share background inputs, Actor trajectories and the readout. Static construction excludes all known boxes at each build observation time. Original build beams provide one-pass face carving before the measured return; this does not fill unobserved background behind Actors.

Using VDBFusion [5] with fixed 0.1 m voxels, 0.3 m truncation and no hole filling yields a substantially different background support. On the five-log nuScenes development background-only comparison, TSDF plus carving reduces mean free intrusion from 0.2656 to 0.0822 m, but increases missing returns from 53.28% to 62.80%. Every log improves free intrusion and loses hit coverage. With this common TSDF background, R5 still exceeds R9 in Actor cohort early returns by 15.33 points and free intrusion by 0.1084 m; both paired intervals exclude zero. Background correction does not remove the Actor geometry problem.

One already-exposed AV2 development log provides a separate implementation check. Its points are already compensated into reference-ego coordinates; endpoints are transformed to world once, while each return retains its actual time-dependent sensor origin. The single-origin VDBFusion API is called in groups of exactly equal origins, with no time/origin averaging. Relative to carved PCA background, carved TSDF reduces background-only free intrusion from 0.5130 to 0.1075 m but increases missing from 32.13% to 45.54%. Changing only the background leaves R5's moving-Actor outcomes unchanged on its 88 moving cohort beams. This single development log cannot supply between-log uncertainty or independent confirmation.

6 Remaining experiments and claim boundaries

The triangle, native anchor, Q-v2 joint/LiDAR controls, open charts and ray-attraction r4 are complete. They do not yet establish a model that jointly improves surface quality and physical first returns. First-visible-surface supervision is the next mechanism to study; full input-cohort training, selected-model composition and independent new-log confirmation remain unfinished. Implementation gradients and topology priors cannot replace them.

R13 has completed one epoch over all 41 camera-supported fit entries among the 51 original zero-build-LiDAR entries, from fresh M1 initialization. All 41 updates produce positive DPT and query gradient norms. There are no build native-depth correspondences in this cohort: visual decoder gradients flow through generated geometry and sampled features. Six training presentations use the coarse support fallback. Of seven entries without a positive full-track target, two have an active free penalty and five satisfy the sampled free constraints and update only through the box-envelope term. Therefore not all 41 updates are sensor-residual-driven. Unknown regions are not negative targets.

The final surfaces cover 41 of 43 fit entries and five of eight development entries; the five entries without camera poses remain missing. The sole owned development return changes from missing to an early intersection, with range error 3.4622 m. Its target-to-surface distance is only 0.0119 m, illustrating that a nearby surface can coexist with an incorrect earlier surface. We do not infer accuracy or a meaningful uncertainty interval from one return. This one-epoch diagnostic establishes execution, not sufficient fitting or generalization. Full training of the expanded cohort remains a separate experiment from the free-objective comparison.

Twenty additional AV2 logs were selected by available build metadata before model quality evaluation. Their 936 Actor entries, raw beams and 28-view frozen prefixes are prepared. Their TSDF backgrounds are also complete: 6,839,969 original background returns yield 6,962,322 raw triangles; one-pass build carving removes 146,991 (2.11%), leaving 6,815,331. Zero remaining build violations reflect the construction constraint, not heldout correctness. No model-quality confirmation has been run on these logs. The final method and background choice must precede that readout. This is cross-dataset confirmation at a different camera/resolution budget, not an i.i.d. nuScenes test. Project-unseen logs also do not prove absence from foundation-model pretraining.

Current joint and native-only configurations run on the RTX 3090 while preserving the stated time/view inputs. The joint peak allocated memory is approximately 10.24 GiB for R12; native-only R14 uses 2.36 GiB. R12 completes in 7.52 hours and R14 in 8.25 hours, including final evaluation and shared resource contention. These are not exclusive-throughput comparisons. Twenty-eight-view AV2 prefix extraction at 672^2 peaks at 7.64 GiB. These are operation-specific allocated peaks, not a sum or a bound for deeper PEFT. Container RAM is capped at 90 GiB. Concurrent run wall time is not exclusive GPU time. Q-v2 joint r1 uses 11.59 GiB allocated and 6.23 hours; its LiDAR control uses 0.253 GiB and 41.75 minutes. Open-chart r3 and attraction r4 each peak near 0.210 GiB, completing in 29.21 and 38.87 minutes. The latter costs exclude any visual prefix or DPT and are not joint-foundation-model resource claims.

The original R5 process disappeared after epoch 21 without an available traceback; the cause remains unknown. Recovery restored model and optimizer but its legacy checkpoint lacked RNG state. The recovered run is not a bitwise continuation: 107 incomplete-epoch updates were discarded, and the observed combined wall-time lower bound is 9.32 hours. The run provenance remains part of its interpretation.

Annotation boxes with margins approximate point ownership and overlap regions are excluded; they are not dense instance ground truth. nuScenes here lacks per-return timestamps, whereas the AV2 adapter has per-return sensor origins with a documented, development-inferred dual-LiDAR ID convention. Frustum support is not occlusion truth. The original learned patches are not globally manifold; the new connected topology does not guarantee geometrically valid surfaces. Trajectory-edit examples demonstrate composition only: with no counterfactual ground truth, released unknown background is not a correctness measurement. These limitations, the small development-log count and the unfinished controls preclude a final reconstruction or sensor-simulation superiority claim.

Evidence and reproducibility

The source branch is `research/worldsim-v7.3-geometric-adaptation`, derived directly from the final V7.2 state. The current operational authority is `docs/RESEARCH_STATUS.md`; `docs/RESEARCH_FAILURES.md` and `docs/EXPERIMENTS.md` retain failures and experiment history. Tables in this draft are generated from saved JSON summaries, without rerunning inference or selecting observations. Raw run directories under `/root/autodl-tmp/runs/worldsim_v73/` retain configurations, checkpoints, training logs and explicit surfaces. `paper_v73/README.md` identifies the exact compact evidence files and compilation commands. This draft is not an arXiv submission and does not mark V7.3 as complete.

References

[1] VGGT authors. Official training framework and native geometry implementation. `https://github.com/facebookresearch/vggt/tree/main/training`.

[2] X. Yu et al. AdaPoinTr: Diverse Point Cloud Completion with Adaptive Geometry-Aware Transformers. IEEE TPAMI, 2023. `https://arxiv.org/abs/2301.04545`.

[3] CAPA authors. Depth Completion as Parameter-Efficient Test-Time Adaptation. 2026. Official project and implementation: `https://research.nvidia.com/labs/dvl/projects/capa/`.

[4] K. Deng et al. Depth-Supervised NeRF: Fewer Views and Faster Training for Free. CVPR, 2022. `https://www.cs.cmu.edu/~dsnerf/`.

[5] I. Vizzo et al. VDBFusion: Flexible and Efficient TSDF Integration of Range Sensor Data. Sensors, 2022. `https://github.com/PRBonn/vdbfusion`.

[6] X. Zhu et al. Deformable DETR: Deformable Transformers for End-to-End Object Detection. 2020. Official implementation: `https://github.com/fundamentalvision/Deformable-DETR`.

[7] S. Laine et al. Modular Primitives for High-Performance Differentiable Rendering. ACM TOG 39(6), 2020. https://nvlabs.github.io/nvdiffrast/.

[8] Z. Lu et al. LoRA3D: Low-Rank Self-Calibration of 3D Geometric Foundation Models. ICLR, 2025. https://520xyxyzq.github.io/lora3d/.

[9] N. Wang et al. Pixel2Mesh: Generating 3D Mesh Models from Single RGB Images. ECCV, 2018. https://github.com/nywang16/Pixel2Mesh.

[10] G. Gkioxari, J. Malik, and J. Johnson. Mesh R-CNN. ICCV, 2019. https://github.com/facebookresearch/meshrcnn.

[11] T. Groueix et al. AtlasNet: A Papier-Mache Approach to Learning 3D Surface Generation. CVPR, 2018. https://imagine.enpc.fr/~groueixt/atlasnet/.

[12] S. Liu et al. Soft Rasterizer: A Differentiable Renderer for Image-based 3D Reasoning. ICCV, 2019. https://github.com/ShichenLiu/SoftRas.