




Spring Security for h2-console

June 15, 2020

In Spring Boot example apps, H2 is the easiest database to get started with. Its data is in memory or in a local file. When the app is running in development mode, you can access the database at /h2-console. It gives you a lovely little SQL admin app.




That is, after you turn it on in application.properties:

spring.h2.console.enabled=true

When you bring in Spring Security, though, that console stops working.

First it's all "Unauthorized!" and then once I get past that, and log in to the console itself, I get four frames of "NOPE."



Here is the spell to make /h2-console work again. Cast it in your security configuration, in your class that extends WebSecurityConfigurerAdapter.

```
protected void configure(HttpSecurity http) throws Exception {
    http.authorizeRequests().antMatchers("/h2-console/**").permitAll()
        .and().csrf().ignoringAntMatchers("/h2-console/**")
        .and().headers().frameOptions().sameOrigin();
// ... your other configuration
}
```

This takes /h2-console out of Spring Security's authorization, so you don't have to log in to the app before you can log in to the database.

Then it turns off CSRF only for /h2-console. CSRF protection breaks all POSTs until you add the secret formula to each form. The console doesn't have these, so it is not compatible with CSRF protection.

Then it enables loading pages in frames as long as the frames come from our own site. This affects the entire application. (I don't know how to configure the headers for only /h2-console.)

Now the console will work when you're running your app locally, and the rest of your site will be secure as before.

- reference, secure code, spring, sql
- What functional programming and secure code have in common
- > I turned on Spring Security and my POSTs don't work anymore

Sea	rc	h	
Sea	I C	n	

popular

-			
		100	
		200	
		- 14	
100	75		
302	100	and the	

PowerShell equivalent of find



PowerShell for `rm -rf`



Run an OpenTelemetry Collector locally in Docker



Spring Security for h2-console



Minimum path to a Jupyter Notebook in VSCode

instagram

meta

Log in Entries feed Comments feed WordPress.org Blog Twitter Patreon Talks

Newsletter

Tags

abstraction agile architecture automation change clojure complexity concurrency design DevOps Docker Engineering functional function

Archives



Search

Searc	ch		
Sort by	Relevance	~	

© 2023 Jessitron, LLC