ASCII NUL, ASCII 0 ('0') and Numeric literal 0

Comparator function of qsort() in C

std::sort() in C++ STL

Sort in C++ Standard Template Library (STL)

Binary Search in C++ Standard Template Library (STL)

Maximum absolute difference in an array

Maximum element in a sorted and rotated array

- Convert character array to string in C++
- Count substrings that contain all vowels | SET 2
- All permutations of an array using STL in C++
- What does main() return in C and C++?
- Structures in C++
- Machine Learning in C++
- SDL library in C/C++ with examples
- Generics in C++
- Remove duplicate elements in an Array using STL in C++
- Rearrange

- characters in a string such that no two adjacent are same using hashing
- Remove duplicates from a string using STL in C++
- std::hash class in C++ STL
- dot (.) operator in C/C++
- Trie Data Structure using smart pointer and OOP in C++
- How can we use Comma operator in place of curly braces?
- Print path from root to all nodes in a Complete Binary Tree
- Features and Use of Pointers in C/C++
- C++ program

to compare two Strings using Operator Overloading

OpenMP | Hello World program

Optimally accommodate 0s and 1s from a Binary String into K buckets

Count the number of 1's and 0's in a binary array using STL in C++ ?

Count the pairs of vowels in the given string

Difference between while and do-while loop in C, C++, Java

The C++ Standard Template Library (STL)

The Standard Template Library (STL) is a set of C++ template classes to provide common programming data structures and functions such as lists, stacks, arrays, etc. It is a library of container classes, algorithms, and iterators. It is a generalized library and so, its components are parameterized. A working knowledge of template classes is a prerequisite for working with STL.

STL has four components

- Algorithms
- Containers
- Functions
- Iterators

Algorithms

The header algorithm defines a collection of functions especially designed to be used on ranges of elements.They act on containers and provide means for various operations for the contents of the containers.

- Algorithm
  - Sorting
  - Searching
  - Important STL Algorithms
  - Useful Array algorithms
  - Partition Operations
- Numeric
  - valarray class

Containers

Containers or container classes store objects and data. There are in total seven standard “first-class” container classes and three container adaptor classes and only seven header files that provide access to these containers or container adaptors.

- Sequence Containers: implement data structures which can be accessed in a sequential manner.
  - vector
  - list
  - deque
  - arrays
  - forward_list(Introduced in C++11)
- Container Adaptors : provide a different interface for sequential containers.
  - queue
  - priority_queue

    - stack
- Associative Containers : implement sorted data structures that can be quickly searched (O(log n) complexity).
    - set
    - multiset
    - map
    - multimap
- Unordered Associative Containers : implement unordered data structures that can be quickly searched
    - unordered_set (Introduced in C++11)
    - unordered_multiset (Introduced in C++11)
    - unordered_map (Introduced in C++11)
    - unordered_multimap (Introduced in C++11)

Functions

The STL includes classes that overload the function call operator. Instances of such classes are called function objects or functors. Functors allow the working of the associated function to be customized with the help of parameters to be passed.

- Functors

Iterators

As the name suggests, iterators are used for working upon a sequence of values. They are the major feature that allow generality in STL.

- Iterators

Utility Library

Defined under <utility header>

- pair

References:

- http://en.cppreference.com/w/cpp
- http://cs.stmarys.ca/~porter/csc/ref/stl/headers.html

Recent articles on STL!

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above

Recommended Posts:

Set in C++ Standard Template Library (STL)

Map in C++ Standard Template Library (STL)

Deque in C++ Standard Template Library (STL)

Sort in C++ Standard Template Library (STL)

Multimap in C++ Standard Template Library (STL)

Multiset in C++ Standard Template Library (STL)

Pair in C++ Standard Template Library (STL)

List in C++ Standard Template Library (STL)

Queue in Standard Template Library (STL)

Unordered Sets in C++ Standard Template Library

Binary Search in C++ Standard Template Library (STL)

Priority Queue in C++ Standard Template Library (STL)

std is_object Template in C++

is_arithmetic Template in C++

std is_floating_point Template in C++

Improved By : sehgaldivij, prasadkudav

Article Tags : C++ STL

Practice Tags : STL CPP

63

1.8

To-do Done

Based on **52** vote(s)

Feedback/ Suggest Improvement Add Notes Improve Article

Please write to us at contribute@geeksforgeeks.org to report any issue with the above content.

Writing code in comment? Please use ide.geeksforgeeks.org, generate link and share the link here.

Load Comments