SYNTAX
TECHNOLOGIES

Brew
Installation

Step One

Click on the link for brew install https://brew.sh/

Homebrew

The missing package manager for macOS (or Linux)

Search Homebrew

English

Step 2

Copy this command: /usr/bin/ruby -e "$(curl -fsSL
https://raw.githubusercontent.com/Homebrew/install/master/install)"

Step 3

Open up the terminal by holding command key and spacebar at the same time. Then return the word terminal and click on the return key.

terminal

TOP HIT

Terminal

DEFINITION

terminal

ITUNES STORE

Terminal

MOVIES

Terminal

Quarantine 2: Terminal

Terminal Velocity

IMAGES

terminal.png — 32x32

terminal.png — 16x16

terminal.gif — 24x24

terminal.png — 24x24

terminal.gif — 48x48

Terminal
Version: 2.9

Kind	**Application**
Size	**10.1 MB**
Created	**8/17/18**
Modified	**8/17/18**
Last opened	**3/13/19**

Step 4

Type into the terminal this command: cd ~
Click return key

```
Arifs-MBP:~ arif$ cd ~
Arifs-MBP:~ arif$
```

Step 5

In the terminal paste this command: /usr/bin/ruby -e "$(curl -fsSL
https://raw.githubusercontent.com/Homebrew/install/master/install)"

Click Return key

```
[Arifs-MacBook-Pro:~ arif$ /usr/bin/ruby -e "$(curl -fsSL https://raw.githubusercontent.com/Homebrew/install/master/install)"
==> This script will install:
/usr/local/bin/brew
/usr/local/share/doc/homebrew
/usr/local/share/man/man1/brew.1
/usr/local/share/zsh/site-functions/_brew
/usr/local/etc/bash_completion.d/brew
/usr/local/Homebrew

Press RETURN to continue or any other key to abort
```

Step 6

Type into the terminal this command: brew --version

```
[Arifs-MacBook-Pro:~ arif$ brew --version
Homebrew 2.0.4-36-g298ed29
Homebrew/homebrew-core (git revision e3b6; last commit 2019-03-14)
Homebrew/homebrew-cask (git revision 558ee; last commit 2019-03-15)
Arifs-MacBook-Pro:~ arif$
```

Step 7

Type into the terminal this command: brew install git

```
[Arifs-MacBook-Pro:~ arif$ brew install git
```

```
==> Installing git dependency: gettext
==> Downloading https://homebrew.bintray.com/bottles/gettext-0.19.8.1.mojave.bottle.tar.gz
######################################################################## 100.0%
==> Pouring gettext-0.19.8.1.mojave.bottle.tar.gz
==> Caveats
gettext is keg-only, which means it was not symlinked into /usr/local,
because macOS provides the BSD gettext library & some software gets confused if both are in the library path.

If you need to have gettext first in your PATH run:
  echo 'export PATH="/usr/local/opt/gettext/bin:$PATH"' >> ~/.bash_profile

For compilers to find gettext you may need to set:
  export LDFLAGS="-L/usr/local/opt/gettext/lib"
  export CPPFLAGS="-I/usr/local/opt/gettext/include"

==> Summary
🍺  /usr/local/Cellar/gettext/0.19.8.1: 1,935 files, 16.9MB
==> Installing git dependency: pcre2
==> Downloading https://homebrew.bintray.com/bottles/pcre2-10.32.mojave.bottle.tar.gz
######################################################################## 100.0%
==> Pouring pcre2-10.32.mojave.bottle.tar.gz
🍺  /usr/local/Cellar/pcre2/10.32: 224 files, 5.5MB
==> Installing git
==> Downloading https://homebrew.bintray.com/bottles/git-2.21.0.mojave.bottle.tar.gz
######################################################################## 100.0%
==> Pouring git-2.21.0.mojave.bottle.tar.gz
==> Caveats
Bash completion has been installed to:
  /usr/local/etc/bash_completion.d

zsh completions and functions have been installed to:
  /usr/local/share/zsh/site-functions

Emacs Lisp files have been installed to:
  /usr/local/share/emacs/site-lisp/git
==> Summary
🍺  /usr/local/Cellar/git/2.21.0: 1,530 files, 42MB
==> `brew cleanup` has not been run in 30 days, running now...
Removing: /Users/arif/Library/Caches/Homebrew/Cask/java8--1.8.0_181-b13,96a7b8442fe848ef90c96a2fad6ed6d1.dmg... (242.8MB)
==> Caveats
==> gettext
gettext is keg-only, which means it was not symlinked into /usr/local,
because macOS provides the BSD gettext library & some software gets confused if both are in the library path.

If you need to have gettext first in your PATH run:
  echo 'export PATH="/usr/local/opt/gettext/bin:$PATH"' >> ~/.bash_profile

For compilers to find gettext you may need to set:
  export LDFLAGS="-L/usr/local/opt/gettext/lib"
  export CPPFLAGS="-I/usr/local/opt/gettext/include"

==> git
Bash completion has been installed to:
  /usr/local/etc/bash_completion.d

zsh completions and functions have been installed to:
  /usr/local/share/zsh/site-functions

Emacs Lisp files have been installed to:
  /usr/local/share/emacs/site-lisp/git
Arifs-MacBook-Pro:~ arif$ ▊
```

Step 8

Type into the terminal this command: git --version

```
[Arifs-MacBook-Pro:~ arif$ git --version
git version 2.21.0
Arifs-MacBook-Pro:~ arif$ 
```