


Jira Installation

Navigate to Jira


https://www.atlassian.com/so ftware/jira/download



Select Operating System

Select proper operating system if mac select OS X


If your using windows choose window 64 bit if that is the processor your using



Accept License Agreement


Click on "I agree to the Atlassian Software License"

Then Click Get Started




File Downloading

The folder should start Downloading




Atlassian folder in Downloads folder

Go to downloads and find atlassian-jira folder




Open bin Folder

Open up bin folder that is within atlassian folder




Scroll until you see these two files

Scroll till you see shutdown.sh & startup.sh



Open up Terminal(Command Prompt)


Open up
Terminal(Command
prompt(



Get location of atlassian-jira folder

Right click on folder and get info then select from Untitled to Standalone for the location of the folder(Mac)

For windows you must use file explorer and do the same but copy the file path from the search bar




Go Back To Terminal

Go back into terminal(Command Prompt) then type in cd and paste location




Type in bin for your path

Type in cd bin to navigate to the bin folder




Go back to your Finder(File Explorer)

Go back to your file explorer(Finder) and go back to downloads and go to atlassian-jira folder




Open up WEB-INF folder

Scroll until you see WEB-INF folder and then go into the folder




Find Classes Folder in WEB-INF

Once your in WEB-INF you need to scroll until you see classes folder




Open up Jira-application.properties

Scroll until you see Jira-application.properties, right click and open with, and choose your text editor(Sublime)




Go to Desktop

Go back to your desktop and create a folder named JiraHome



Go back to jira-application.properties


Go back to your jira-application.properties since it is open, paste your JiraHome folder location to your jira.home and save it then you may close it.



Go back to terminal and Start the instance of Jira

Make sure you are in bin folder and type the following sh startup.sh

This will start up jira onto your local machine



To Shutdown Jira instance

To shut down the instance of jira you have to type in sh shutdown.sh to stop the current instance of jira

```
bin — -bash — 137×24
                       LOU,
             MMMMMM
             MMMMMM
             +MMMMM
            this will shut down the instance of jira on your local machine, make sure once your
           done with jira you shut down it will keep running in the background if you dont
      Atla
If you encounter issues starting or stopping JIRA, please see the Troubleshooting guide at https://docs.atlassian.com/jira/jadm-docs-080/
Troubleshooting+installation
Server startup logs are located in /Users/weqashaq/ ownloads/atlassian-jira-software-8.0.2-standalone/logs/catalina.out
Using CATALINA_BASE:
                      /Users/weqashaq/Downloads/aidassian-jira-software-8.0.2-standalone
                       /Users/wegashag/Downloads/a lassian-jira-software-8.0.2-standalone
Using CATALINA_HOME:
Using CATALINA TMPDIR: /Users/wegashag/Downloads/a lassian-jira-software-8.0.2-standalone/temp
Using JRE_HOME:
                       /Library/Java/JavaVirtualMahines/jdk1.8.0_191.jdk/Contents/Home
                       /Users/wegashag/Downloads/ lassian-jira-software-8.0.2-standalone/bin/bootstrap.jar:/Users/wegashag/Downloads/atl
Using CLASSPATH:
assian-jira-software-8.0.2-standalone/bin/tomcat-uli.jar
Using CATALINA PID:
                       /Users/wegashag/Downloads
                                                 tlassian-iira-software-8.0.2-standalone/work/catalina.pid
Tomcat started.
Wegass-MacBook-Pro:bin wegashag$ sh shutdown.sh
```