

Cucumber Report

May 26, 2025, 11:01:50 PM

Start : May 26, 10:58:45.315 PM

End : May 26, 11:01:48.375 PM

Duration : 3 m 3.060 s

Features



Scenarios

Steps

PASSED - 5
FAILED - 1
SKIPPED - 0


PASSED - 9
FAILED - 1
SKIPPED - 0

PASSED - 48
FAILED - 1
SKIPPED - 2




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Functionality</u>	31.667 s	1	0	1	0	3	0	1	2
<u>New Item Add to Cart</u>	14.751 s	1	1	0	0	6	6	0	0
<u>Add new item with parameters</u>	29.385 s	1	1	0	0	6	6	0	0
<u>Search Item with Data Table</u>	17.993 s	1	1	0	0	5	5	0	0
<u>Add new address and than delete</u>	22.535 s	1	1	0	0	11	11	0	0
<u>Example Scenario Outline</u>	1 m 6.470 s	5	5	0	0	20	20	0	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@SmokeTest	1	0	1	0	1	0	1	0
@RegressionTest	10	9	1	0	6	5	1	0





#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Login Functionality</u>	1	0	1	0	31.667 s
2	<u>New Item Add to Cart</u>	1	1	0	0	14.751 s
3	<u>Add new item with parameters</u>	1	1	0	0	29.385 s
4	<u>Search Item with Data Table</u>	1	1	0	0	17.993 s
5	<u>Add new address and than delete</u>	1	1	0	0	22.535 s
6	<u>Example Scenario Outline</u>	5	5	0	0	1 m 6.470 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login Functionality</u>	<u>Login with valid username and password</u>	3	0	1	2	31.662 s
2	<u>New Item Add to Cart</u>	<u>Add New Item</u>	6	6	0	0	14.750 s
3	<u>Add new item with parameters</u>	<u>Add new item with parameter</u>	6	6	0	0	29.385 s
4	<u>Search Item with Data Table</u>	<u>Add new item with parameter</u>	5	5	0	0	17.993 s
5	<u>Add new address and than delete</u>	<u>Add and delete scenario</u>	11	11	0	0	22.533 s
6	<u>Example Scenario Outline</u>	<u>Example scenario outline with data table</u>	4	4	0	0	12.174 s
7	<u>Example Scenario Outline</u>	<u>Example scenario outline with data table</u>	4	4	0	0	18.984 s
8	<u>Example Scenario Outline</u>	<u>Example scenario outline with data table</u>	4	4	0	0	11.573 s
9	<u>Example Scenario Outline</u>	<u>Example scenario outline with data table</u>	4	4	0	0	11.499 s
10	<u>Example Scenario Outline</u>	<u>Example scenario outline with data table</u>	4	4	0	0	12.169 s


Login Functionality

FAILED	DURATION - 31.667 s	Scenarios		Steps	
/ 10:58:45.315 PM // 10:59:16.982 PM /		Total - 1		Total - 3	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



Login with valid username and password

<div>FAILED</div> <div>DURATION - 31.662 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 10:58:45.320 PM // 10:59:16.982 PM /</div>				
<div>Login Functionality</div>				
<div>@SmokeTest @RegressionTest</div>				


#	Step / Hook Details	Status	Duration
1	<p>Given Navigate to Opencart</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 1.922 (Session info: chrome=136.0.7103.114) Build info: version: '4.12.1', revision: '8e34639b11' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.5' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [76f587bc9cdf286c0a8111436307b6c3, get {url=https://opencart.abstracta.us/index.php?route=account/login}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 136.0.7103.114, chrome: {chromedriverVersion: 136.0.7103.113 (76fa3c17824..., userDataDir: C:\Users\Lenovo\AppData\Loc...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53861}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53861/devtoo..., se:cdpVersion: 136.0.7103.114, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 76f587bc9cdf286c0a8111436307b6c3 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</pre>	FAILED	25.789 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:304) at StepDefinitons._01_LoginSteps.navigateToOpencart(_01_LoginSteps.java:15) at ?.Navigate to Opencart(file:///C:/Users/Lenovo/Desktop/CucumberStep/ExDefinition/src/test/java/Features/_01_Login.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	When Enter username and password and click login button	SKIPPED	0.000 s
3	Then User should login successfully	SKIPPED	0.000 s
	AFTER - StepDefinitons.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.853 s
	screenshot name		
			

New Item Add to Cart

PASSED	DURATION - 14.751 s	Scenarios		Steps	
/ 10:59:17.070 PM // 10:59:31.821 PM /		Total - 1		Total - 6	
		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	



Add New Item

PASSED	DURATION - 14.750 s		Steps	
/ 10:59:17.071 PM // 10:59:31.821 PM /			Total - 6	
New Item Add to Cart			Pass - 6	6
@RegressionTest			Fail - 0	
			Skip - 0	





#	Step / Hook Details	Status	Duration
1	Given Navigate to Opencart	PASSED	4.241 s
2	When Enter username and password and click login button	PASSED	1.945 s
3	Then User should login successfully	PASSED	0.114 s
4	And Enter item name to searchbox and click search button	PASSED	1.233 s
5	When Add to Cart and Check	PASSED	1.774 s
6	Then Should be added new item in Shop Cart	PASSED	0.116 s

Add new item with parameters



PASSED	DURATION - 29.385 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 10:59:31.856 PM // 11:00:01.241 PM /					

Add new item with parameter



PASSED	DURATION - 29.385 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 10:59:31.856 PM // 11:00:01.241 PM /				
Add new item with parameters				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Opencart	PASSED	19.460 s
2	When Enter username and password and click login button	PASSED	1.659 s
3	Then User should login successfully	PASSED	0.153 s
4	When Enter itemname "ipod"	PASSED	0.998 s
5	And Add to Cart and Check	PASSED	1.689 s
6	Then Should be added new item in Shop Cart	PASSED	0.129 s

Search Item with Data Table



PASSED	DURATION - 17.993 s	Scenarios		Steps	
/ 11:00:01.273 PM // 11:00:19.266 PM /		Total - 1	1	Total - 5	5
		Pass - 1		Pass - 5	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Add new item with parameter



<div>PASSED</div>	<div>DURATION - 17.993 s</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:00:01.273 PM // 11:00:19.266 PM /</div>				
<div>Search Item with Data Table</div>				
<div>@RegressionTest</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Opencart	PASSED	4.711 s
2	When Enter username and password and click login button	PASSED	1.863 s
3	Then User should login successfully	PASSED	0.127 s
4	When Enter item name as DataTable	PASSED	4.262 s
	ipod		
	macbook		
	samsung		
5	Then Should be added new item with DataTable in Shop Cart	PASSED	1.700 s

Add new address and than delete

PASSED	DURATION - 22.535 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 11:00:19.326 PM // 11:00:41.861 PM /					



Add and delete scenario

PASSED	DURATION - 22.533 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	
/ 11:00:19.328 PM // 11:00:41.861 PM /				
Add new address and than delete				
@RegressionTest				



#	Step / Hook Details	Status	Duration										
1	Given Navigate to Opencart	PASSED	7.094 s										
2	When Enter username and password with Data Table	PASSED	0.420 s										
	<table><tr><td>email</td><td>hanofaj644@gianes.com</td></tr><tr><td>password</td><td>12345</td></tr></table>			email	hanofaj644@gianes.com	password	12345						
email	hanofaj644@gianes.com												
password	12345												
3	And Click to DC elements with Data Table												
	<table><tr><td>loginButton</td></tr></table>	loginButton	PASSED	1.370 s									
loginButton													
4	Then User should login successfully												
5	And Click to DC elements with Data Table	PASSED	2.963 s										
	<table><tr><td>addressBookLink</td></tr><tr><td>newAddressButton</td></tr></table>			addressBookLink	newAddressButton								
addressBookLink													
newAddressButton													
6	And Enter text to webelement with DataTabel												
	<table><tr><td>firstName</td><td>fazıl</td></tr><tr><td>lastName</td><td>aslan</td></tr><tr><td>address1</td><td>bahcelievler mah</td></tr><tr><td>city</td><td>Ankara</td></tr><tr><td>postCode</td><td>1234</td></tr></table>	firstName	fazıl	lastName	aslan	address1	bahcelievler mah	city	Ankara	postCode	1234	PASSED	1.638 s
firstName	fazıl												
lastName	aslan												
address1	bahcelievler mah												
city	Ankara												
postCode	1234												

#	Step / Hook Details	Status	Duration
7	And Select country and zone	PASSED	0.341 s
	<div>selectCountry 222</div> <div>selectRegionState 3518</div>		
8	And Click to DC elements with Data Table	PASSED	1.060 s
	continueButton		
9	Then Should be added new address	PASSED	0.132 s
10	And Click to DC elements with Data Table	PASSED	1.022 s
	deleteButton		
11	Then Should be deleted new address	PASSED	0.144 s

Example Scenario Outline

PASSED	DURATION - 1 m 6.470 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0		Steps Total - 20 Pass - 20 Fail - 0 Skip - 0	
/ 11:00:41.905 PM // 11:01:48.375 PM /					



Example scenario outline with data table

PASSED	DURATION - 12.174 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:00:41.907 PM // 11:00:54.081 PM /				
Example Scenario Outline				
@RegressionTest				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Opencart	PASSED	4.999 s
2	And User sending username and password	PASSED	0.736 s
	email carlosSantana@gmail.com		



#	Step / Hook Details	Status	Duration
	<input type="text" value="password"/> <input type="text" value="1234"/>		
3	And Click to DC elements with Data Table <input type="text" value="loginButton"/>	PASSED	1.018 s
4	Then User should login successfully	PASSED	0.083 s

Example scenario outline with data table

PASSED		DURATION - 18.984 s			<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 11:00:54.108 PM // 11:01:13.092 PM /					
Example Scenario Outline					
@RegressionTest					



#	Step / Hook Details	Status	Duration
1	Given Navigate to Opencart	PASSED	12.323 s
2	And User sending username and password <input type="text" value="email"/> <input type="text" value="carlosSantana@gmail.com"/> <input type="text" value="password"/> <input type="text" value="1234"/>	PASSED	0.431 s
3	And Click to DC elements with Data Table <input type="text" value="loginButton"/>	PASSED	0.927 s
4	Then User should login successfully	PASSED	0.086 s

Example scenario outline with data table

PASSED	DURATION - 11.573 s		<div>Steps Total - 4 Pass - 4 Fail - 0 Skip - 0</div> 
/ 11:01:13.098 PM // 11:01:24.671 PM /			
Example Scenario Outline			
@RegressionTest			



#	Step / Hook Details	Status	Duration				
1	Given Navigate to Opencart	PASSED	4.833 s				
2	And User sending username and password	PASSED	0.459 s				
	<table><tr><td>email</td><td>carlosSantana@gmail.com</td></tr><tr><td>password</td><td>1234</td></tr></table>			email	carlosSantana@gmail.com	password	1234
	email			carlosSantana@gmail.com			
password	1234						
3	And Click to DC elements with Data Table	PASSED	0.905 s				
	<table><tr><td>loginButton</td></tr></table>			loginButton			
loginButton							
4	Then User should login successfully	PASSED	0.119 s				

Example scenario outline with data table

PASSED	DURATION - 11.499 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:01:24.685 PM // 11:01:36.184 PM /				
Example Scenario Outline				
@RegressionTest				

#	Step / Hook Details		Status	Duration
1	Given Navigate to Opencart		PASSED	4.737 s
2	And User sending username and password		PASSED	0.568 s
	email	carlosSantana@gmail.com		
	password	1234		
3	And Click to DC elements with Data Table		PASSED	0.870 s
	loginButton			
4	Then User should login successfully		PASSED	0.074 s

Example scenario outline with data table

PASSED	DURATION - 12.169 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	
/ 11:01:36.206 PM // 11:01:48.375 PM /				
Example Scenario Outline				
@RegressionTest				

#	Step / Hook Details		Status	Duration
1	Given Navigate to Opencart		PASSED	5.509 s
2	And User sending username and password		PASSED	0.471 s
	email	carlosSantana@gmail.com		
	password	1234		
3	And Click to DC elements with Data Table		PASSED	0.912 s
	loginButton			
4	Then User should login successfully		PASSED	0.068 s