

```
import { useState, useEffect } from "react";

const questions = [
  {
    id: 1,
    question: "お出かけのとき、カバンは？",
    options: [
      { label: "基本持たない／最小限", value: "shoulder", icon: "01" },
      { label: "バッグやリュックを持つ", value: "hand", icon: "02" },
    ],
  },
  {
    id: 2,
    question: "スマホをよく使うシーン",
    options: [
      { label: "移動中・歩きながら", value: "shoulder", icon: "01" },
      { label: "カフェ・座って使うことが多い", value: "hand", icon: "02" },
    ],
  },
  {
    id: 3,
    question: "「手ぶら」にこだわる？",
    options: [
      { label: "かなりこだわる", value: "shoulder", icon: "01" },
      { label: "そこまで気にしない", value: "hand", icon: "02" },
    ],
  },
  {
    id: 4,
    question: "スマホを落としたことある？",
    options: [
      { label: "ある／ヒヤッとしたことが多い", value: "hand", icon: "01" },
      { label: "あまりない", value: "shoulder", icon: "02" },
    ],
  },
  {
    id: 5,
    question: "ファッションへのこだわりは？",
    options: [
      { label: "アクセとして楽しみたい", value: "shoulder", icon: "01" },
      { label: "シンプルにスマホが使えるOK", value: "hand", icon: "02" },
    ],
  },
]
```

```

    id: 6,
    question: "よく行く場所は?",
    options: [
      { label: "ライブ・フェス・旅行など両手必要な場面", value: "shoulder", icon: "01"
      { label: "日常の買い物・通勤など", value: "hand", icon: "02" }
    ],
  },
];

const results = {
  shoulder: {
    typeJa: "スマホショルダー派",
    roman: "Smartphone Shoulder",
    desc: "あなたは「身軽さ」と「おしゃれ」を両立したいタイプ。スマホショルダーなら両手がフリー(
    points: [
      "両手が完全にフリーになる",
      "財布・イヤホンなども一緒に入れられる",
      "ファッションのアクセントに",
      "ライブ・旅行・育児中にも活躍",
    ],
    caution: "肩への負担・ストラップの長さ調整には注意。",
    accent: "#8B6F47",
    light: "#F9F4EC",
  },
  hand: {
    typeJa: "ハンドストラップ派",
    roman: "Hand Strap",
    desc: "あなたは「落下防止」と「使いやすさ」を重視するタイプ。ハンドストラップなら片手でしっ
    points: [
      "落下・紛失リスクを大幅に減らせる",
      "コンパクトでかさばらない",
      "バッグと併用しやすい",
      "手になじんでストレスフリー",
    ],
    caution: "両手が必要な場面では少し不便に感じることも。",
    accent: "#4A6B7A",
    light: "#EBF1F4",
  },
};

const GOLD = "#C9A96E";
const DARK = "#1C1A17";
const CREAM = "#FAF8F4";
const MID = "#8A8278";

export default function App() {
  const [step, setStep] = useState(0);

```

```

const [answers, setAnswers] = useState([]);
const [selected, setSelected] = useState(null);
const [visible, setVisible] = useState(false);

useEffect(() => {
  setVisible(false);
  const t = setTimeout(() => setVisible(true), 80);
  return () => clearTimeout(t);
}, [step]);

const currentQ = questions[step - 1];
const handleStart = () => setStep(1);
const handleSelect = (v) => setSelected(v);
const handleNext = () => {
  if (!selected) return;
  const next = [...answers, selected];
  setAnswers(next);
  setSelected(null);
  setStep(step === questions.length ? 7 : step + 1);
};
const getResult = () => {
  const c = answers.reduce((a, v) => ({ ...a, [v]: (a[v] || 0) + 1 }), {});
  return (c.shoulder || 0) >= (c.hand || 0) ? "shoulder" : "hand";
};
const handleReset = () => { setStep(0); setAnswers([]); setSelected(null); };

const progress = step >= 1 && step <= 6 ? step / questions.length : 0;
const fade = {
  opacity: visible ? 1 : 0,
  transform: visible ? "translateY(0)" : "translateY(14px)",
  transition: "opacity 0.55s ease, transform 0.55s ease",
};

return (
  <div style={s.root}>
    <style>{`
      @import url('https://fonts.googleapis.com/css2?family=Cormorant+Garamond:
      * { box-sizing: border-box; margin: 0; padding: 0; }
      button:focus { outline: none; }
    `}</style>

    <div style={s.grain} />
    <div style={s.lineL} />
    <div style={s.lineR} />

    <div style={{ ...s.card, ...fade }}>

```

```

{ /* — START — */
{step === 0 && (
  <div style={s.col}>
    <div style={s.overline}>LIFESTYLE DIAGNOSIS</div>
    <div style={s.goldRule} />
    <h1 style={s.heroTitle}>
      <em style={s.heroEm}>あなたに</em>
      <br />合うのは
      <br /><strong style={s.heroBold}>どっち?</strong>
    </h1>
    <p style={s.heroSub}>Smartphone Shoulder &nbsp;/&nbsp; Hand Strap</p>
    <div style={s.thinRule} />
    <p style={s.heroDesc}>
      6つの問いに答えるだけで、<br />
      あなたのライフスタイルに寄り添う<br />
      スタイルが明らかになります。
    </p>
    <button style={s.startBtn} onClick={handleStart}>
      <span style={s.startLabel}>診 断 を は じ め る</span>
      <span style={s.startArrow}>➡</span>
    </button>
    <p style={s.footnote}>6 Questions · approx. 1 min</p>
  </div>
)}

```

```

{ /* — QUESTIONS — */
{step >= 1 && step <= 6 && (
  <div style={s.col}>
    <div style={s.pgRow}>
      <span style={s.pgCurrent}>0{step}</span>
      <span style={s.pgSep}> - </span>
      <span style={s.pgTotal}>06</span>
    </div>
    <div style={s.pgTrack}>
      <div style={{ ...s.pgFill, width: `${progress * 100}%` }} />
    </div>
    <div style={s.qTag}>Question</div>
    <h2 style={s.qText}>{currentQ.question}</h2>
    <div style={s.thinRule} />
    <div style={s.optCol}>
      {currentQ.options.map((opt) => {
        const on = selected === opt.value;
        return (
          <button
            key={opt.value}
            style={{ ...s.optBtn, ...(on ? s.optOn : {}) }}
            onClick={() => handleSelect(opt.value)}

```

```

        >
        <span style={{ ...s.optNum, ...(on ? s.optNumOn : {}) }}>{opt}
        <span style={{ ...s.optLabel, color: on ? CREAM : DARK }}>{op
        {on && <span style={s.check}>✓</span>}
        </button>
    );
    }}}
</div>
<button
    style={{ ...s.nextBtn, ...(selected ? {} : s.nextOff) }}
    onClick={handleNext}
    disabled={!selected}
>
    {step === questions.length ? "結果を見る" : "次の質問へ"}
</button>
</div>
))

{/* — RESULT — */}
{step === 7 && (() => {
    const key = getResult();
    const r = results[key];
    return (
        <div style={s.col}>
            <div style={s.overline}>Your Result</div>
            <div style={{ ...s.accentBar, background: r.accent }} />
            <p style={{ ...s.resultRoman, color: r.accent }}>{r.roman}</p>
            <h2 style={{ ...s.resultType, color: DARK }}>{r.typeJa}</h2>
            <div style={s.thinRule} />
            <p style={s.resultDesc}>{r.desc}</p>
            <div style={{ ...s.pointsBox, background: r.light, borderColor: r.a
                <div style={s.ptHeader}>
                    <span style={{ ...s.ptDot, background: r.accent }} />
                    <span style={s.ptTitle}>おすすめポイント</span>
                </div>
                {r.points.map((p, i) => (
                    <div key={i} style={s.ptRow}>
                        <span style={{ ...s.ptNum, color: r.accent }}>{String(i + 1)}.
                        <span style={s.ptText}>{p}</span>
                    </div>
                ))}
            </div>
            <div style={s.cautionRow}>
                <span style={{ color: GOLD, fontSize: 18, lineHeight: 1.5 }}>—</s
                <span style={s.cautionTxt}>{r.caution}</span>
            </div>
            <div style={s.thinRule} />

```

```

        <button style={s.retryBtn} onClick={handleReset}>
            もう一度診断する
        </button>
    </div>

    );
    })()
</div>
</div>

);
}

const s = {
    root: {
        minHeight: "100vh",
        background: CREAM,
        display: "flex",
        alignItems: "center",
        justifyContent: "center",
        padding: "32px 16px",
        position: "relative",
        fontFamily: "'Montserrat', sans-serif",
        overflow: "hidden",
    },
    grain: {
        position: "fixed", inset: 0,
        backgroundImage: `url("data:image/svg+xml,%3Csvg viewBox='0 0 200 200' xmlns=
        backgroundSize: "180px",
        pointerEvents: "none",
        zIndex: 0,
    },
    lineL: {
        position: "fixed", top: 0, bottom: 0, left: "7vw",
        width: "1px",
        background: `linear-gradient(to bottom, transparent 10%, ${GOLD}55 50%, trans
        pointerEvents: "none",
    },
    lineR: {
        position: "fixed", top: 0, bottom: 0, right: "7vw",
        width: "1px",
        background: `linear-gradient(to bottom, transparent 10%, ${GOLD}55 50%, trans
        pointerEvents: "none",
    },
    card: {
        background: "#fff",
        border: "1px solid #EAE4DA",
        maxWidth: "460px",
        width: "100%",

```

```
padding: "52px 44px",
position: "relative",
zIndex: 1,
boxShadow: "0 4px 80px rgba(28,26,23,0.07)",
},
col: { display: "flex", flexDirection: "column", gap: "22px" },
overline: {
  fontFamily: "'Montserrat', sans-serif",
  fontSize: "9px", letterSpacing: "6px",
  color: GOLD, fontWeight: 600, textTransform: "uppercase",
},
goldRule: {
  height: "1px",
  background: `linear-gradient(to right, ${GOLD}, transparent)`,
  width: "64px", marginTop: "-10px",
},
thinRule: { height: "1px", background: "#EDE8DF" },
heroTitle: {
  fontFamily: "'Cormorant Garamond', serif",
  fontSize: "50px", fontWeight: 300,
  color: DARK, lineHeight: 1.2, letterSpacing: "-0.5px",
},
heroEm: { fontStyle: "italic", color: MID },
heroBold: { fontWeight: 600, color: DARK },
heroSub: {
  fontFamily: "'Montserrat', sans-serif",
  fontSize: "10px", letterSpacing: "2.5px",
  color: MID, fontWeight: 400, marginTop: "-10px",
},
heroDesc: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "13px", color: MID,
  lineHeight: 2.1, fontWeight: 300,
},
startBtn: {
  background: DARK, border: "none",
  padding: "18px 28px", cursor: "pointer",
  display: "flex", alignItems: "center",
  justifyContent: "space-between", gap: "16px",
  width: "100%", transition: "opacity 0.2s",
},
startLabel: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "12px", color: CREAM,
  letterSpacing: "4px", fontWeight: 300,
},
startArrow: { color: GOLD, fontSize: "16px" },
```

```

footnote: {
  fontFamily: "'Montserrat', sans-serif",
  fontSize: "9px", letterSpacing: "3px",
  color: "#BFBAB0", textAlign: "center", marginTop: "-8px",
},

pgRow: { display: "flex", alignItems: "baseline", gap: "4px" },
pgCurrent: {
  fontFamily: "'Cormorant Garamond', serif",
  fontSize: "40px", fontWeight: 300, color: DARK, lineHeight: 1,
},
pgSep: { fontFamily: "'Montserrat', sans-serif", fontSize: "12px", color: "#C0B
pgTotal: { fontFamily: "'Montserrat', sans-serif", fontSize: "12px", color: "#C
pgTrack: { height: "1px", background: "#EDE8DF", overflow: "hidden", marginTop:
pgFill: { height: "100%", background: GOLD, transition: "width 0.5s cubic-bezie

qTag: {
  fontFamily: "'Montserrat', sans-serif",
  fontSize: "9px", letterSpacing: "5px",
  color: GOLD, fontWeight: 600, textTransform: "uppercase", marginTop: "-8px",
},
qText: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "19px", fontWeight: 400,
  color: DARK, lineHeight: 1.85,
},

optCol: { display: "flex", flexDirection: "column", gap: "10px" },
optBtn: {
  background: "#FAFAF8", border: "1px solid #EDE8DF",
  padding: "20px 22px", cursor: "pointer",
  display: "flex", alignItems: "center", gap: "18px",
  textAlign: "left", transition: "all 0.22s ease", position: "relative",
  width: "100%",
},
optOn: { background: DARK, borderColor: DARK },
optNum: {
  fontFamily: "'Cormorant Garamond', serif",
  fontSize: "11px", color: "#C0B8AE",
  letterSpacing: "2px", flexShrink: 0, fontWeight: 400,
},
optNumOn: { color: GOLD },
optLabel: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "14px", lineHeight: 1.6, fontWeight: 300, flex: 1,
},
check: { color: GOLD, fontSize: "14px", flexShrink: 0 },

```

```

nextBtn: {
  background: "transparent",
  border: `1px solid ${DARK}`,
  padding: "16px 28px", cursor: "pointer",
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "12px", color: DARK,
  letterSpacing: "4px", fontWeight: 300,
  transition: "all 0.2s", width: "100%",
},
nextOff: { opacity: 0.2, cursor: "not-allowed" },

accentBar: { height: "3px", width: "40px", marginTop: "-10px" },
resultRoman: {
  fontFamily: "'Cormorant Garamond', serif",
  fontSize: "13px", letterSpacing: "6px",
  fontWeight: 300, marginTop: "-8px",
},
resultType: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "24px", fontWeight: 600, lineHeight: 1.5,
},
resultDesc: {
  fontFamily: "'Noto Serif JP', serif",
  fontSize: "13px", color: MID,
  lineHeight: 2.1, fontWeight: 300,
},
pointsBox: {
  border: "1px solid",
  padding: "28px",
  display: "flex", flexDirection: "column", gap: "14px",
},
ptHeader: { display: "flex", alignItems: "center", gap: "10px", marginBottom: "10px" },
ptDot: { width: "6px", height: "6px", borderRadius: "50%", flexShrink: 0 },
ptTitle: {
  fontFamily: "'Montserrat', sans-serif",
  fontSize: "9px", letterSpacing: "4px",
  color: MID, fontWeight: 600, textTransform: "uppercase",
},
ptRow: { display: "flex", alignItems: "baseline", gap: "14px" },
ptNum: {
  fontFamily: "'Cormorant Garamond', serif",
  fontSize: "13px", fontWeight: 400,
  flexShrink: 0, letterSpacing: "1px",
},
ptText: {
  fontFamily: "'Noto Serif JP', serif",

```

```
        fontSize: "13px", color: DARK,
        lineHeight: 1.7, fontWeight: 300,
    },
    cautionRow: { display: "flex", alignItems: "flex-start", gap: "12px", padding:
    cautionTxt: {
        fontFamily: "'Noto Serif JP', serif",
        fontSize: "12px", color: MID,
        lineHeight: 1.9, fontWeight: 300,
    },
    retryBtn: {
        background: "transparent", border: "none",
        cursor: "pointer",
        fontFamily: "'Noto Serif JP', serif",
        fontSize: "11px", color: MID,
        letterSpacing: "3px",
        textDecoration: "underline",
        textDecorationColor: "#C0B8AE",
        textUnderlineOffset: "4px",
        padding: "8px 0", fontWeight: 300,
        alignSelf: "center",
    },
};
```