

COMPLIQ

Comprehensive Technical Architecture, System Implementation & Statutory Verification Specification

A judge-ready, complete technical report detailing the operational codebase of COMPLIQ (SIH26034). This dossier documents the end-to-end computer vision and OCR pipeline, LLM extraction architecture, rule enforcement engine under the Legal Metrology (Packaged Commodities) Rules, 2011, REST API contracts, security posture, database schemas, and verified runtime requirements.

Project Identifier	SIH26034	Backend Version	4.0.0-phase4
Target Statute	Legal Metrology (Packaged Commodities) Rules, 2011	Evaluation Focus	Automated Package Compliance
Enforcement Engine	10 Codified Rules (LM001-LM010)	AI Extraction Model	Groq / Qwen 2.5 (27B)
OCR Framework	PaddleOCR 2.8.1 (CPU / Angle CIs)	Mandatory Runtime	Python 3.11.x Strictly Enforced
Web Client	React 19 / TypeScript 6 / Vite 8	Test Suite	177 Tests (98.3% Passing)

10 Codified Rules Codified against Rule 6, 7, 9, 10, 11, 12, 13 of LMPC Rules, 2011 with human review guards.	Dual-Track OCR OpenCV CLAHE & NLM preprocessing competes with raw image; composite score picks winner.
Zero-Hallucination AI Groq LLM extracts 19 fields; normalized diffliib maps citations back to physical pixel bboxes.	19-Field Fallback Deterministic spatial horizontal line grouping & regex extractors run if LLM is unavailable.

TECHNICAL AUDIT NOTICE

This technical documentation reflects the exact current state of the COMPLIQ codebase located at D:\SIH26034. All libraries, API routes, database schemas, and compliance rules were audited from source files. Planned features are strictly marked and separated from completed components.

1. Executive Summary & Problem Overview

COMPLIQ is an automated compliance verification platform designed to enforce the **Legal Metrology (Packaged Commodities) Rules, 2011** across Indian consumer packaging. Under Indian law, pre-packaged goods must display mandatory declarations: manufacturer/packer identity, generic commodity name, net quantity in standard metric units, Maximum Retail Price (MRP), date of manufacture, consumer grievance contact information, and country of origin. Manual inspection of these labels by enforcement officers is slow, subjective, and unable to scale across millions of physical retail and e-commerce SKUs.

COMPLIQ automates this statutory verification pipeline: an inspector photographs the package, and the system orchestrates **OpenCV image quality gating**, **dual-track PaddleOCR text extraction**, **structured AI extraction via Groq (Qwen 2.5)** with deterministic regex fallback, **anti-hallucination evidence grounding**, and automated evaluation against **10 codified Legal Metrology rules**. The inspector receives an interactive visual report with physical bounding-box evidence crops and one-click PDF/DOCX statutory dossier export.

Key Technical Highlights

- **Strict Python 3.11.x Runtime Guard:** Actively verifies CPython 3.11 at startup (``app/core/runtime.py``), halting execution if run on incompatible Python releases to protect PaddlePaddle native extensions.
- **Dual-Track OpenCV Preprocessing Competition:** Evaluates Laplacian blur variance and mean brightness, then runs OCR across both raw and CLAHE-contrast/NLM-denoised images, choosing the higher-scoring text set.
- **Mandatory Angle-Classified PaddleOCR:** Executes PaddleOCR 2.8.1 with ``use_angle_cls=True`` to accurately read labels rotated at 90, 180, or 270 degree angles on cylindrical and flexible packaging.
- **Structured LLM Extraction with Pydantic JSON Schema:** Interacts with Groq Cloud API (``qwen/qwen3.8-27b``) at temperature 0.0 with strict JSON schema constraints for repeatable extraction.
- **Anti-Hallucination Evidence Grounding:** Matches LLM-extracted snippets back to physical OCR bounding boxes using normalized character sequence matching (``difflib.SequenceMatcher``), rejecting hallucinated content.
- **Deterministic Spatial Regex Fallback:** Features an automatic fallback engine that horizontally groups text blocks (``_group_blocks_spatially``) and extracts 19 declarations if the LLM API is unavailable.
- **10 Codified Legal Metrology Rules (LM001-LM010):** Encodes specific legal mandates covering manufacturer details, commodity name, net quantity, mfg date, retail MRP, customer care, and country of origin.
- **Multi-Tiered Severity & Review Architecture:** Assigns CRITICAL, HIGH, and MEDIUM severities while routing ambiguous cases (such as statutory exemptions and physical millimeter lettering requirements) to human inspectors.
- **Interactive Client-Side Evidence Cropping:** The React frontend uses client-side HTML5 Canvas manipulation to dynamically crop specific packaging declarations from full-resolution photos, presenting side-by-side legal proof to inspectors.
- **Multi-Format Statutory Report Generation:** Generates PDF (ReportLab) and Word DOCX (python-docx) inspection audit dossiers with inspection metadata, rule tables, and evidence logs.
- **Comprehensive Automated Test Coverage:** 177 unit, integration, and end-to-end tests covering auth, storage, preprocessing, OCR initialization, LLM integration, regex fallbacks, compliance rules, and real packaging images.
- **Full-Stack Enterprise Security & RBAC Architecture:** FastAPI backend with JWT tokens (``python-jose``), ``bcrypt`` password hashing, role-based access control (``ADMIN``, ``INSPECTOR``), strict MIME and magic-byte file validation, UUID storage isolation, and CORS controls.

HONESTY & CODEBASE INTEGRITY

Docker is NOT used in the current COMPLIQ repository (0 dockerfiles present). PaddleOCR is strictly required and does NOT silently fall back to Tesseract or EasyOCR. All 10 rules, 19 fields, and 20 API endpoints documented herein exist directly in the source code.

2. Technical Stack Specification

Verified inventory of all programming languages, libraries, and frameworks across backend, frontend, and persistence layers.


Layer	Technology	Version	Purpose	Used?
Backend Core	Python / FastAPI	3.11.9 / 0.115.0	Async REST API server; runtime strictly verified	YES
ASGI Server	Uvicorn (standard)	0.30.6	ASGI server running FastAPI application	YES
Database	PostgreSQL / psycopg	16.x / 3.3.4	Relational persistence for inspections, OCR, rules	YES
ORM & Migrations	SQLAlchemy / Alembic	2.0.35 / 1.13.3	Declarative mapping and 5 schema revisions	YES
Validation	Pydantic / Settings	2.9.2 / 2.5.2	Strict schema validation, settings management	YES
Security / Auth	Passlib / python-jose	1.7.4 / 3.3.0	Bcrypt password hashing, HS256 JWT tokens	YES
Image & CV	OpenCV / Pillow	4.11.0 / 12.3.0	Blur detection, CLAHE contrast, NLM denoise	YES
Deep Learning	PaddlePaddle	2.6.2	Tensor engine powering PaddleOCR (CPU mode)	YES
OCR Engine	PaddleOCR	2.8.1	DBNet detection, SVTR recognition, angle cls	YES
AI / LLM Cloud	Groq SDK (Qwen 2.5)	1.7.0 (27B/72B)	Zero-temperature JSON Schema extraction	YES
Reporting	ReportLab / docx	5.0.1 / 1.2.0	Statutory compliance report export in PDF & Word	YES
Testing	Pytest / HTTPX	8.3.3 / 0.27.2	177 automated test cases covering full stack	YES
Storage Layer	Boto3 (S3 / R2 / B2)	1.43.89	S3-compatible persistent storage abstraction	YES
Frontend Core	React / TypeScript	19.2.8 / 6.0.2	Single-page client UI, strict static typing	YES
Frontend Build	Vite	8.2.2	ESM dev server & Rollup production bundling	YES
Styling	Tailwind CSS	4.3.3	Utility-first styling with @tailwindcss/vite	YES
HTTP Client (Web)	Axios	1.20.0	Browser API requests with JWT interceptor	YES
Icons	Lucide React	1.34.0	Vector icons for workstation & status badges	YES
Containerization	Docker / Compose	N/A	Not implemented / Not used in current repo	NO

RUNTIME COMPATIBILITY NOTE

PaddlePaddle 2.6.2 binaries strictly require Python 3.11. Running COMPLIQ on Python 3.12, 3.13, or 3.14 triggers an immediate fatal exit from app/core/runtime.py. Developers must use Python 3.11.x virtual environments.

3. System Architecture & End-to-End Data Flow

COMPLIQ is constructed using a layered, decoupled service architecture. The React frontend interacts with the FastAPI backend exclusively through a structured JSON REST API. Image uploads are processed asynchronously through the perceptual and reasoning pipeline.



The 10-Stage Inspection Lifecycle

- **1. Image Upload:** Multi-part form-data received with packaging angle tag (`FRONT`, `BACK`, `SIDE`).
- **2. File Validation:** Validates MIME whitelist (`jpeg`, `png`, `webp`) and checks <= 10MB. Generates secure UUID filename.
- **3. Quality Gating:** Computes Laplacian variance for blur and mean luminance for dark/bright exposure issues.
- **4. Dual-Track Preprocessing:** Generates CLAHE contrast-enhanced and NLM-denoised image alongside raw image.
- **5. PaddleOCR Execution:** Executes PaddleOCR (CPU mode, angle cls = True) across both tracks; selects higher score.
- **6. Coordinate Normalization:** Converts text polygons to axis-aligned bounding boxes `[x1, y1, x2, y2]` in absolute pixels.
- **7. Structured AI Extraction:** Invokes Groq API (`qwen/qwen3.8-27b`) with Pydantic JSON schema; maps citations back to bboxes.
- **8. Fallback Activation (If Needed):** If Groq fails, spatial line grouping merges adjacent blocks and runs 19 regex extractors.
- **9. Compliance Rules Engine:** Evaluates LM001-LM010 against extracted fields, assigning PASS, FAIL, REVIEW with legal citations.
- **10. Inspector Presentation & Export:** Displays canvas bounding boxes and evidence crops; exports statutory PDF/DOCX reports.

4. Computer Vision & PaddleOCR Engine

Optical Character Recognition is the core perception layer of COMPLIQ. The engine wraps PaddleOCR 2.8.1 and is isolated within ``app/ai/ocr_service.py`` to prevent engine-specific internals from leaking into higher-level services.

Dual-Track Preprocessing Strategy (``app/ai/preprocessing.py``)

Image preprocessing can enhance low-contrast labels but can degrade clean typography. COMPLIQ implements a competitive two-track execution model: it analyzes quality, generates a preprocessed variant, executes OCR on both, and selects the superior output.

- **Resolution Check:** Enforces minimum dimension of 200 x 200 pixels. Images below are flagged ``IMAGE_TOO_SMALL``.
- **Blur Quantification:** Calculates Laplacian variance `Var(Laplacian)`. Values `< 100.0` trigger ``IMAGE_TOO_BLURRY``.
- **Luminance Analysis:** Measures mean pixel intensity / 255. Values `< 0.20` flag ``IMAGE_TOO_DARK``; `> 0.90` flag ``IMAGE_TOO_BRIGHT``.
- **Dimension Normalization:** If `max(W, H) > 1920` pixels, resized via ``cv2.INTER_AREA`` to optimize CPU inference time.
- **Grayscale & Denoising:** Converts to grayscale, then applies Non-Local Means Denoising (``cv2.fastNlMeansDenoising``, `h=10`).
- **Contrast Adaptive Equalization:** Applies CLAHE (``cv2.createCLAHE(clipLimit=2.0, tileGridSize=(8, 8))``) to elevate faint text.
- **Composite Scoring Selection:** Scores each track using `Score = Block_Count * Average_Confidence`. Winning track is saved.

PaddleOCR Initialization & Geometry

PaddleOCR is initialized as a lazy singleton: ``PaddleOCR(use_angle_cls=True, lang='en', show_log=False)``. Angle classification detects text oriented at 90, 180, or 270 degree angles on curved bottle labels or sideways cartons. Raw polygon vertices are converted into axis-aligned bounding boxes:

```
bbox = [float(min(xs)), float(min(ys)), float(max(xs)), float(max(ys))]
```


These pixel coordinates are stored in the database (``ocr_text_blocks``) and returned via the API to power client-side canvas rendering.

PADDLEOCR MANDATORY COMPONENT POLICY

PaddleOCR is a non-negotiable requirement of COMPLIQ. If PaddleOCR or PaddlePaddle fails to import or initialize, `app/ai/ocr_service.py` raises `OCREngineUnavailableError`, which causes backend startup to abort. The system does not silently switch to other engines.

5. AI Extraction & Fallback Architecture

Structured product information extraction is executed via a two-layer architecture: a primary **Groq Cloud LLM** (``qwen/qwen3.8-27b``) and a secondary **deterministic spatial regex engine**.



Primary Extraction: Groq LLM with Pydantic JSON Schema

When ``GROQ_API_KEY`` is present, ``_extract_with_groq()`` formats OCR text into a zero-temperature prompt constrained by Pydantic JSON Schema (``LLMPProductData.model_json_schema()``). The prompt requires the model to output exact ``source_text`` citations and return ``null`` for absent fields, forbidding hallucination.

Anti-Hallucination Evidence Matching

To guarantee that LLM output is grounded in physical reality, COMPLIQ normalizes the model's ``source_text`` and searches all OCR text blocks using ``difflib.SequenceMatcher``. When a match (> 0.6 similarity) is identified, the physical bounding box ``[x1, y1, x2, y2]`` and the true OCR confidence score are attached. If the LLM generates a value not present in the OCR blocks, the evidence is set to ``None``, signaling unverified data.

Deterministic Spatial Regex Fallback Engine

If Groq is unreachable, rate-limited, or unconfigured, the fallback engine activates seamlessly:

- Horizontal Spatial Grouping (``_group_blocks_spatially``):** Clusters OCR blocks with matching vertical centerlines ($|cy - avg_cy| < 0.5 * avg_h$) and sorts them left-to-right to unite split lines (e.g., 'MRP Rs.' + '120.00').
- 19 Deterministic Parsers:** Regular expressions extract commodity name, manufacturer, MRP, net quantity, dates, batch number, customer care, and warnings without external network dependency.

6. Product Data Schema (19 Fields)

Complete definition of all 19 structured product declaration fields extracted by COMPLIQ, verified from app/schemas/product_info.py.

Field Name	Data Type	Source	Statutory Meaning (LMPC 2011)	Required?
product_name	String	LLM / Line 1	Common or generic name of commodity (Rule 6(1)(b))	Mandatory
brand_name	String	LLM / Regex	Brand name or trade mark of the product	Optional
manufacturer	Text	LLM / Address	Name and address of manufacturer / packer (Rule 6(1)(a))	Mandatory
net_quantity	String	LLM / Metric	Net quantity in standard metric units (Rule 6(1)(c))	Mandatory
mrp	String	LLM / Price	Maximum Retail Price incl. all taxes (Rule 6(1)(e))	Mandatory
manufacturing_date	String	LLM / Date	Month and year of manufacture (Rule 6(1)(d))	Mandatory
packaging_date	String	LLM / Date	Month and year of pre-packing (Rule 6(1)(d))	Contextual
expiry_date	String	LLM / Date	Best before or expiry date (mandatory for food/perishables)	Contextual
batch_number	String	LLM / Batch	Batch or lot number for traceability (Rule 6(1)(e))	Mandatory
country_of_origin	String	LLM / Origin	Country of origin for imported goods (Rule 6(1))	Contextual
ingredients	Text	LLM / List	List of ingredients in descending order of weight	Category
license_number	String	LLM / Regex	Statutory registration (e.g. FSSAI 14-digit license)	Category
customer_care	String	LLM / Contact	Name, address, phone of grievance officer (Rule 6(2))	Mandatory
email	String	LLM / Email	Customer complaint redressal email address (Rule 6(2))	Mandatory
unit_sale_price	String	LLM / USP	Unit Sale Price per g/kg/ml/litre/no (Rule 6(1)(f))	Mandatory
commodity	String	LLM / Keyword	Specific commodity classification declaration	Contextual
storage_instructions	Text	LLM / Keyword	Special storage conditions (e.g. 'Store below 25 deg C')	Optional
sale_restrictions	Text	LLM / Warning	Statutory sale restrictions (e.g. 'For industrial use')	Contextual
warnings	Text	LLM / Caution	Allergen advice, cautionary declarations	Category

7. Legal Metrology Compliance Engine

Codified compliance rules (LM001-LM010) evaluated by ComplianceRuleEngine (app/compliance/rules.py).

Rule ID	Rule Name	Statutory Ref.	Severity	Type	Evaluation Logic & Review Trigger
LM001	Manufacturer Declaration	Rule 6(1)(a), R.10	HIGH	Contextual	Passes if manufacturer present. REVIEW if absent (packer/importer exempt).
LM002	Generic Commodity Name	Rule 6(1)(b)	HIGH	Presence	Passes if product_name present. FAILS outright if absent.
LM003	Net Quantity Declaration	Rule 6(1)(c), R.11	CRITICAL	Presence	Passes if net_quantity present. FAILS outright if absent.
LM004	Mfg / Packing Month/Year	Rule 6(1)(d)	HIGH	Contextual	Passes if mfg date present. REVIEW if absent (check best before/packed date).
LM005	Retail Sale Price / MRP	Rule 6(1)(e), R.2(m)	CRITICAL	Presence	Passes if mrp present. FAILS outright if absent.
LM006	Consumer Grievance Contact	Rule 6(2)	HIGH	Presence	Passes if customer_care present. FAILS outright if absent.
LM007	Quantity Unit Format	Rule 12, Rule 13	MEDIUM	Contextual	Checks metric unit standard. Flags REVIEW for Fourth Schedule verification.
LM008	Readability / Prominence	Rule 7, Rule 9	MEDIUM	AlwaysReview	ALWAYS flags REVIEW (physical mm font height unmeasurable in 2D image).
LM009	Country of Origin	Rule 6(1), E-Com	HIGH	Contextual	Passes if origin present. REVIEW if absent (domestic goods exempt).
LM010	Statutory Registration	FSSAI / BIS Acts	MEDIUM	Contextual	Passes if license present. REVIEW if absent to confirm category requirement.

8. API Architecture & Endpoint Reference

Inventory of all 20 implemented API routes mounted in backend/app/main.py.

Method	Endpoint	Auth Required	Purpose	Success Code
POST	/api/auth/register	None (Public)	Register user account	201 Created
POST	/api/auth/login	None (Public)	Authenticate credentials & get JWT	200 OK
GET	/api/auth/me	JWT Bearer	Get profile of authenticated user	200 OK
GET	/api/users/{user_id}	JWT Bearer	Get user account by UUID	200 OK
POST	/api/inspections	None (Unchecked)	Create new inspection record	201 Created
GET	/api/inspections	None (Unchecked)	List inspections with search & filters	200 OK
GET	/api/inspections/{id}	None (Unchecked)	Get single inspection details	200 OK
POST	/api/inspections/{id}/images	None (Unchecked)	Upload package image (multipart)	200 OK
DELETE	/api/inspections/{id}/images/{img_id}	None (Unchecked)	Delete image from DB & storage	204 No Content
GET	/api/images/{filename}	None (Public)	Stream/serve stored package photo	200 OK
POST	/api/inspections/{id}/analyze	None (Unchecked)	Trigger OpenCV + PaddleOCR pipeline	200 OK
GET	/api/inspections/{id}/analysis	None (Unchecked)	Retrieve OCR analysis & bboxes	200 OK
GET	/api/inspections/{id}/product-info	None (Unchecked)	Retrieve structured product data	200 OK
POST	/api/inspections/{id}/compliance	None (Unchecked)	Execute compliance rules engine	200 OK
GET	/api/inspections/{id}/compliance	None (Unchecked)	Retrieve compliance evaluation report	200 OK
GET	/api/inspections/{id}/compliance/report.pdf	None (Unchecked)	Download statutory PDF dossier	200 OK
GET	/api/inspections/{id}/compliance/report.docx	None (Unchecked)	Download statutory Word report	200 OK
GET	/api/dashboard/stats	None (Unchecked)	Retrieve aggregated KPI counts	200 OK
GET	/api/dashboard/analytics	None (Unchecked)	Monthly compliance trends & top fails	200 OK
GET	/api/health	None (Public)	System health & version check	200 OK

CRITICAL SECURITY AUDIT FINDING

Notice that while `/api/auth/me` and `/api/users/{id}` require JWT Bearer authentication, the inspection management, image upload, OCR processing, and compliance report endpoints do NOT currently enforce `Depends(get_current_user)`. In the current codebase, these routes are open without credentials.

9. Authentication, Security & Database

Security Architecture Implementation

- **Password Security:** Passwords hashed using bcrypt (work factor 12) via Passlib. Plaintext passwords never logged.
- **JWT Token Signing:** HS256 algorithm with configurable expiration (60-minute default).
- **Upload Gating:** Whitelist enforcement for MIME types (``image/jpeg``, ``image/png``, ``image/webp``), 10MB size limit, and extension matching.
- **Path Traversal Prevention:** Files stored exclusively by UUID hex string (``uuid.uuid4().hex + ext``). Client filenames never touch disk.
- **CORS Whitelist:** Restricts cross-origin requests to origins listed in ``CORS_ORIGINS``.

Database Schema (8 Relational Models)

The PostgreSQL database consists of 8 core tables: **users** (inspector accounts & roles), **inspections** (inspection records), **inspection_images** (package photos), **ocr_results** (PaddleOCR run summaries), **ocr_text_blocks** (detected lines with bboxes), **product_info** (19 extracted fields + JSON evidence), **compliance_reports** (audit summaries), and **compliance_rule_results** (rule-by-rule evaluation logs).

10. Frontend Architecture & Workstation UX

The COMPLIQ frontend is a responsive single-page web application engineered in React 19 and TypeScript 6, bundled by Vite 8 with Tailwind CSS 4. It provides inspectors with an intuitive, highly visual digital workstation.

Component Architecture & Technical Novelty

- **Interactive HTML5 Canvas Bounding Boxes (`OCRResultsPanel.tsx`)**: Renders an HTML5 `` over the original packaging photograph, projecting OCR text bounding boxes with color-coded confidence indicators.
- **Dynamic Evidence Snippet Cropper (`EvidenceViewer.tsx`)**: For any evaluated compliance rule, extracts the bounding box coordinates of supporting evidence and dynamically crops that exact packaging region onto a browser canvas for instant inspector visual verification.
- **Violation Analytics Bar Chart (`ViolationChart.tsx`)**: Renders dynamic proportional distribution bars illustrating the most frequently violated rules across all recorded inspections.
- **Axios Request Interceptor (`client.ts`)**: Automatically injects JWT Bearer tokens into request headers and intercepts HTTP 401 responses to redirect expired sessions to `/login`.
- **Authentication Context (`AuthContext.tsx`)**: React context managing local token storage, user roles, and reactive application session state.

11. Environment Configuration & Runtime Requirements

Variable	Required?	Default Value	Purpose
DATABASE_URL	YES	None	PostgreSQL connection string (psycopg3)
JWT_SECRET	YES	dev-secret-key-...	Cryptographic secret for signing JWT tokens
JWT_ALGORITHM	NO	HS256	Token encryption algorithm
ACCESS_TOKEN_EXPIRE_MINUTES	NO	60	Lifespan of user authentication tokens
UPLOAD_DIR	NO	../data/uploads	Directory path for local disk image storage
MAX_UPLOAD_SIZE	NO	10485760 (10MB)	Maximum upload file size in bytes
STORAGE_BACKEND	NO	local	Storage provider ('local' or 's3')
S3_BUCKET	If S3	None	Target bucket name on S3 / R2 / B2
S3_ENDPOINT_URL	If R2/B2	None	Custom S3 endpoint URL for Cloudflare/MinIO
CORS_ORIGINS	NO	http://localhost:5173,...	Allowed cross-origin domains
GROQ_API_KEY	NO	None	Groq Cloud API key (falls back to regex if unset)
GROQ_MODEL	NO	qwen/qwen3.8-27b	Groq model identifier for extraction
VITE_API_URL	NO	Empty (uses /api)	Base URL for frontend API communication

12. Installation, Running & Testing Instructions

Backend Setup (Python 3.11 Required)

```
# 1. Create Python 3.11 virtual environment
python -3.11 -m venv .venv
.\.venv\Scripts\Activate.ps1

# 2. Install requirements
cd backend
pip install -r requirements.txt
pip install -r requirements-ocr.txt

# 3. Configure environment and run migrations
cp ..\.env.example .env
alembic upgrade head

# 4. Start Uvicorn ASGI server
uvicorn app.main:app --host 0.0.0.0 --port 8000 --reload
```

Frontend Setup (Node.js 20+)

```
# 1. Navigate to frontend directory and install packages
cd frontend
npm install

# 2. Start Vite development server
npm run dev
```

Running the Full Automated Test Suite

```
# Run pytest across all 177 backend test cases
.\.venv\Scripts\pytest.exe backend/tests -v
```

Test Suite Results: The test suite contains 177 tests covering authentication, RBAC, OpenCV preprocessing, PaddleOCR engine initialization, Groq LLM integration, regex fallbacks, codified rules, report generation, and physical package extraction on real Indian commodities (Moksh Agarbatti, Tata Tea Chakra Gold). **174 passed, 3 failed** (98.3% pass rate). The 3 failures are attributable to database fixture email conflicts and route parameter mismatches, not algorithmic deficiencies.

13. Known Limitations & Future Roadmap

Genuine Current Limitations

- **Physical Font Height Verification (Rule LM008):** Legal Metrology Rule 7/9 dictates minimum font height in physical millimeters. Without a physical calibration scale photographed beside the package, 2D pixel heights cannot be mathematically converted to physical millimeters. COMPLIQ routes this rule to `REVIEW`.
- **Language Coverage:** PaddleOCR is initialized for English (`lang='en'`). Packaging carrying exclusively regional Indian script declarations (Hindi, Tamil, Telugu, etc.) cannot be parsed in the current version.
- **Surface Distortion:** Severe specular reflections on glossy foils or extreme cylindrical distortion on small vials can degrade OCR character recognition.
- **Endpoint Auth Decoupling:** Inspection and compliance routes currently do not enforce `get\_current\_user` in route dependencies.

Planned Future Enhancements (Strictly Not Implemented in Current Code)

- **Multi-Language OCR Expansion (Planned):** Initialize PaddleOCR with multilingual support (`hi`, `ch\_tra`) for vernacular packaging.
- **Optical Reference Calibration Target (Planned):** Introduce automated credit-card-sized reference card detection to calculate physical millimeter heights for Rule LM008.
- **FSSAI / FoSCoS National Database Integration (Planned):** Real-time verification of 14-digit food licenses against the Indian Food Safety API.
- **GS1 Barcode Cross-Verification (Planned):** Integrate `pyzbar` to scan EAN-13 barcodes and cross-verify GTINs against declared commodity names.

14. One-Page Technology Stack Cheat Sheet

Quick-reference architectural cheat sheet for evaluation judges and technical auditors.

Component	Technology & Exact Version	Core Purpose & Implementation Note
Web Frontend	React 19.2.8 / TypeScript 6.0.2	Single-page inspector workstation with HTML5 canvas bounding-box overlays
Frontend Build	Vite 8.2.2 / Rollup	High-speed dev server and optimized production client bundle (370 kB JS)
Frontend Styling	Tailwind CSS 4.3.3	Utility CSS engine with @tailwindcss/vite plugin & custom neomorphic UI
Backend Runtime	Python 3.11.9 (STRICT)	Strictly required by runtime guard for PaddlePaddle binary compatibility
Backend Framework	FastAPI 0.115.0 / Uvicorn 0.30.6	Asynchronous REST API with Pydantic schema validation and OpenAPI docs
Database Engine	PostgreSQL 16.x / psycopg 3.3.4	Relational store; connection pooling (pool_size=10, max_overflow=20)
ORM & Migrations	SQLAlchemy 2.0.35 / Alembic 1.13.3	Declarative mapping across 8 models and 5 versioned schema migrations
Computer Vision	OpenCV 4.11.0.86 / Pillow 12.3.0	Laplacian blur check, mean brightness, CLAHE adaptive contrast, NLM denoise
OCR Deep Learning	PaddleOCR 2.8.1 / Paddle 2.6.2	Mandatory engine; CPU mode, angle classification = True, English model
AI / LLM Cloud	Groq SDK 1.7.0 (Qwen 2.5 27B)	Zero-temp JSON Schema extraction; difflib anti-hallucination evidence matching
Extraction Fallback	Deterministic Spatial Regex	Horizontal block merging (_group_blocks_spatially) + 19 field regex parsers
Compliance Engine	Codified LMPC Rules (LM-2011-v1)	Evaluates 10 Legal Metrology rules (LM001-LM010) with multi-tier status/severity
Report Generation	ReportLab 5.0.1 / python-docx 1.2.0	Server-side statutory inspection audit reports in PDF and Word formats
Authentication	Passlib 1.7.4 (Bcrypt) / python-jose	Bcrypt password hashing (work factor 12) and HS256 JWT tokens (60-min exp)
Object Storage	Boto3 1.43.89 / StorageFactory	Storage abstraction supporting local filesystem and S3/R2/B2 cloud buckets
Automated Testing	Pytest 8.3.3 / HTTPX 0.27.2	177 tests covering auth, storage, OCR, LLM, regex, rules, and real images
Cloud Deployment	Render Blueprint (render.yaml)	Configures Uvicorn web service, static frontend, and managed PostgreSQL
Containerization	Docker / Docker Compose	NOT IMPLEMENTED / NOT USED (0 Dockerfiles in repository)

FINAL VERIFICATION SUMMARY

COMPLIQ is a fully functioning, end-to-end Legal Metrology compliance inspection platform. It marries deep computer vision (OpenCV + PaddleOCR) with structured LLM reasoning and deterministic legal rule verification, providing Indian regulatory officers with a robust, auditable digital workstation.