

```

import { useState, useEffect } from "react";

const SECTIONS = ["dream", "monthly", "weekly", "note"];

const DAYS = ["MON", "TUE", "WED", "THU", "FRI", "SAT", "SUN"];

function getWeekDates() {
  const today = new Date();
  const day = today.getDay();
  const diff = day === 0 ? -6 : 1 - day;
  const monday = new Date(today);
  monday.setDate(today.getDate() + diff);
  return Array.from({ length: 7 }, (_, i) => {
    const d = new Date(monday);
    d.setDate(monday.getDate() + i);
    return d;
  });
}

function getMonthYear() {
  const now = new Date();
  return now.toLocaleString("en-US", { month: "long", year: "numeric" }).toUpperCase()
}

const STORAGE_KEY = "dream_architecture_data";

const defaultData = {
  myDream: "",
  why: "",
  monthlyAxis: ["", "", ""],
  decisiveMove: "",
  weeklySchedule: Object.fromEntries(DAYS.map(d => [d, []])),
  note: "",
};

function loadData() {
  try {
    const saved = localStorage.getItem(STORAGE_KEY);
    return saved ? { ...defaultData, ...JSON.parse(saved) } : defaultData;
  } catch {
    return defaultData;
  }
}

```

```

export default function DreamArchitecture() {
  const [active, setActive] = useState("dream");
  const [data, setData] = useState(loadData);
  const [addingEvent, setAddingEvent] = useState(null); // { day, text, time }
  const [showAdd, setShowAdd] = useState(null);
  const weekDates = getWeekDates();

  useEffect(() => {
    try {
      localStorage.setItem(STORAGE_KEY, JSON.stringify(data));
    } catch {}
  }, [data]);

  function update(field, value) {
    setData(prev => ({ ...prev, [field]: value }));
  }

  function updateMonthly(i, val) {
    const arr = [...data.monthlyAxis];
    arr[i] = val;
    update("monthlyAxis", arr);
  }

  function addEvent(day, text, time) {
    if (!text.trim()) return;
    const prev = data.weeklySchedule[day] || [];
    update("weeklySchedule", {
      ...data.weeklySchedule,
      [day]: [...prev, { text: text.trim(), time }].sort((a, b) => a.time.localeC
    });
  }

  function removeEvent(day, idx) {
    const arr = [...(data.weeklySchedule[day] || [])];
    arr.splice(idx, 1);
    update("weeklySchedule", { ...data.weeklySchedule, [day]: arr });
  }

  const today = new Date().getDay();
  const todayIdx = today === 0 ? 6 : today - 1;

  return (
    <div style={styles.root}>
      </* Header */>
      <header style={styles.header}>
        <div style={styles.headerInner}>
          <span style={styles.logo}>DREAM ARCHITECTURE</span>

```

```

        <span style={styles.monthLabel}>{getMonthYear()}</span>
    </div>
    { /* Nav */ }
    <nav style={styles.nav}>
        {[
            { key: "dream", label: "DREAM" },
            { key: "monthly", label: "MONTHLY" },
            { key: "weekly", label: "WEEKLY" },
            { key: "note", label: "NOTE" },
        ]}.map(({ key, label }) => (
            <button
                key={key}
                style={{ ...styles.navBtn, ...(active === key ? styles.navBtnActive
                    onClick={() => setActive(key)}
                >
                    {label}
                </button>
            )))
    </nav>
</header>

<main style={styles.main}>
    { /* DREAM SECTION */ }
    {active === "dream" && (
        <div style={styles.section}>
            <SectionTitle number="01" title="MY DREAM" />
            <textarea
                style={{ ...styles.textarea, minHeight: 120 }}
                placeholder="Write your dream here..."
                value={data.myDream}
                onChange={e => update("myDream", e.target.value)}
            />
            <div style={styles.divider} />
            <SectionTitle number="02" title="WHY" subtitle="Your deeper purpose"
            <textarea
                style={{ ...styles.textarea, minHeight: 100 }}
                placeholder="Why does this dream matter to you?"
                value={data.why}
                onChange={e => update("why", e.target.value)}
            />
            <div style={styles.quoteBlock}>
                <span style={styles.quoteText}>
                    "The future belongs to those who believe in the beauty of their d
                </span>
            </div>
        </div>
    )}

```

```

{ /* MONTHLY SECTION */ }
{ active === "monthly" && (
  <div style={styles.section}>
    <SectionTitle number="03" title="MONTHLY AXIS" subtitle={getMonthYear}
    <p style={styles.hint}>3 pillars that define this month</p>
    {[0, 1, 2].map(i => (
      <div key={i} style={styles.axisRow}>
        <span style={styles.axisNumber}>{String(i + 1).padStart(2, "0")}<
        <input
          style={styles.axisInput}
          placeholder={["Focus", "Growth", "Release"][i]}
          value={data.monthlyAxis[i]}
          onChange={e => updateMonthly(i, e.target.value)}
        />
      </div>
    ))}
    <div style={styles.divider} />
    <SectionTitle number="04" title="THIS WEEK'S DECISIVE MOVE" />
    <textarea
      style={{ ...styles.textarea, minHeight: 90 }}
      placeholder="The one action that changes everything this week..."
      value={data.decisiveMove}
      onChange={e => update("decisiveMove", e.target.value)}
    />
  </div>
)}

{ /* WEEKLY SECTION */ }
{ active === "weekly" && (
  <div style={styles.section}>
    <SectionTitle number="05" title="WEEKLY" subtitle="Tap + to add event
    <div style={styles.weekGrid}>
      {DAYS.map((day, idx) => {
        const date = weekDates[idx];
        const isToday = idx === todayIdx;
        const events = data.weeklySchedule[day] || [];
        return (
          <div key={day} style={{ ...styles.dayCard, ...(isToday ? styles
            <div style={styles.dayHeader}>
              <div>
                <div style={{ ...styles.dayName, ...(isToday ? styles.day
                  <div style={styles.dayDate}>{date.getDate()}</div>
                </div>
              </div>
            <button
              style={styles.addBtn}
              onClick={() => setShowAdd({ day, text: "", time: "09:00"

```

```

        >
        +
      </button>
    </div>
    <div style={styles.eventList}>
      {events.map((ev, i) => (
        <div key={i} style={styles.eventItem}>
          <span style={styles.eventTime}>{ev.time}</span>
          <span style={styles.eventText}>{ev.text}</span>
          <button style={styles.removeBtn} onClick={() => removeE
        </div>
      )}}
    </div>
  </div>
);
}}
</div>
</div>
))

{/* NOTE SECTION */}
{active === "note" && (
  <div style={styles.section}>
    <SectionTitle number="06" title="NOTE" subtitle="Free space for thoug
    <textarea
      style={{ ...styles.textarea, minHeight: 320, fontFamily: "'Georgia'
      placeholder="Thoughts, ideas, reflections..."
      value={data.note}
      onChange={e => update("note", e.target.value)}
    />
  </div>
)}
</main>

{/* Add Event Modal */}
{showAdd && (
  <div style={styles.modalOverlay} onClick={() => setShowAdd(null)}>
    <div style={styles.modal} onClick={e => e.stopPropagation()}>
      <div style={styles.modalTitle}>ADD EVENT - {showAdd.day}</div>
      <input
        style={styles.modalInput}
        placeholder="Event name"
        value={showAdd.text}
        onChange={e => setShowAdd(s => ({ ...s, text: e.target.value })))}
        autoFocus
      />
      <input

```

```

        type="time"
        style={styles.modalInput}
        value={showAdd.time}
        onChange={e => setShowAdd(s => ({ ...s, time: e.target.value })))}
      />
    <div style={styles.modalBtns}>
      <button style={styles.modalCancel} onClick={() => setShowAdd(null)}
      <button
        style={styles.modalConfirm}
        onClick={() => {
          addEvent(showAdd.day, showAdd.text, showAdd.time);
          setShowAdd(null);
        }}
      >
        ADD
      </button>
    </div>
  </div>
</div>
  )}
</div>
);
}

```

```

function SectionTitle({ number, title, subtitle }) {
  return (
    <div style={styles.sectionTitle}>
      <span style={styles.sectionNumber}>{number}</span>
      <div>
        <div style={styles.sectionName}>{title}</div>
        {subtitle && <div style={styles.sectionSub}>{subtitle}</div>}
      </div>
    </div>
  );
}

```

```

const CREAM = "#F8F4EF";
const WARM_WHITE = "#FDFAF7";
const TAUPE = "#C4B49A";
const DARK = "#1C1A18";
const GOLD = "#9A7F5A";
const SOFT = "#E8E0D5";
const TODAY_BG = "#F0EAE0";

```

```

const styles = {
  root: {
    minHeight: "100vh",
  },

```

```
    background: CREAM,
    fontFamily: "'Cormorant Garamond', 'Didot', 'Bodoni MT', Georgia, serif",
    color: DARK,
    maxWidth: 480,
    margin: "0 auto",
    paddingBottom: 40,
  },
  header: {
    background: DARK,
    padding: "20px 20px 0",
    position: "sticky",
    top: 0,
    zIndex: 10,
  },
  headerInner: {
    display: "flex",
    justifyContent: "space-between",
    alignItems: "baseline",
    marginBottom: 16,
  },
  logo: {
    color: CREAM,
    fontSize: 15,
    fontFamily: "'Cormorant Garamond', serif",
    fontWeight: 600,
    letterSpacing: "0.22em",
  },
  monthLabel: {
    color: TAUPE,
    fontSize: 10,
    letterSpacing: "0.18em",
    fontFamily: "'Cormorant Garamond', serif",
  },
  nav: {
    display: "flex",
    borderTop: `1px solid rgba(196,180,154,0.25)`,
  },
  navBtn: {
    flex: 1,
    background: "none",
    border: "none",
    color: TAUPE,
    fontSize: 9,
    letterSpacing: "0.15em",
    padding: "12px 4px",
    cursor: "pointer",
    fontFamily: "'Cormorant Garamond', serif",
  },
}
```

```
    fontWeight: 500,
    borderBottom: "2px solid transparent",
    transition: "all 0.2s",
  },
  navBtnActive: {
    color: CREAM,
    borderBottom: `2px solid ${GOLD}`,
  },
  main: {
    padding: "28px 20px",
  },
  section: {
    animation: "fadeUp 0.3s ease",
  },
  sectionTitle: {
    display: "flex",
    alignItems: "center",
    gap: 14,
    marginBottom: 18,
  },
  sectionNumber: {
    fontSize: 11,
    color: TAUPE,
    letterSpacing: "0.1em",
    fontFamily: "'Cormorant Garamond', serif",
    lineHeight: 1,
  },
  sectionName: {
    fontSize: 19,
    fontWeight: 600,
    letterSpacing: "0.12em",
    fontFamily: "'Cormorant Garamond', serif",
    lineHeight: 1.1,
  },
  sectionSub: {
    fontSize: 10,
    color: TAUPE,
    letterSpacing: "0.15em",
    marginTop: 2,
  },
  textarea: {
    width: "100%",
    background: WARM_WHITE,
    border: `1px solid ${SOFT}`,
    borderRadius: 4,
    padding: "14px 16px",
    fontSize: 15,
```



```
    fontFamily: "'Cormorant Garamond', serif",
    color: DARK,
    resize: "none",
    outline: "none",
    lineHeight: 1.7,
    letterSpacing: "0.02em",
    boxSizing: "border-box",
    transition: "border-color 0.2s",
  },
  divider: {
    height: 1,
    background: SOFT,
    margin: "24px 0",
  },
  hint: {
    fontSize: 11,
    color: TAUPE,
    letterSpacing: "0.1em",
    marginBottom: 16,
    marginTop: -10,
  },
  axisRow: {
    display: "flex",
    alignItems: "center",
    gap: 14,
    marginBottom: 12,
  },
  axisNumber: {
    fontSize: 22,
    color: TAUPE,
    fontFamily: "'Cormorant Garamond', serif",
    fontWeight: 300,
    minWidth: 28,
  },
  axisInput: {
    flex: 1,
    background: "none",
    border: "none",
    borderBottom: `1px solid ${SOFT}`,
    padding: "8px 4px",
    fontSize: 16,
    fontFamily: "'Cormorant Garamond', serif",
    color: DARK,
    outline: "none",
    letterSpacing: "0.04em",
  },
  quoteBlock: {
```

```
    borderLeft: `2px solid ${GOLD}`,
    paddingLeft: 16,
    marginTop: 28,
  },
  quoteText: {
    fontSize: 13,
    color: TAUPE,
    fontStyle: "italic",
    letterSpacing: "0.04em",
    lineHeight: 1.7,
    fontFamily: "'Cormorant Garamond', serif",
  },
  weekGrid: {
    display: "flex",
    flexDirection: "column",
    gap: 10,
  },
  dayCard: {
    background: WARM_WHITE,
    border: `1px solid ${SOFT}`,
    borderRadius: 4,
    padding: "12px 14px",
  },
  dayCardToday: {
    background: TODAY_BG,
    borderColor: GOLD,
  },
  dayHeader: {
    display: "flex",
    justifyContent: "space-between",
    alignItems: "center",
    marginBottom: 8,
  },
  dayName: {
    fontSize: 9,
    letterSpacing: "0.18em",
    color: TAUPE,
    fontFamily: "'Cormorant Garamond', serif",
  },
  dayNameToday: {
    color: GOLD,
  },
  dayDate: {
    fontSize: 22,
    fontWeight: 600,
    fontFamily: "'Cormorant Garamond', serif",
    lineHeight: 1,
```

```
    marginTop: 2,
  },
  addBtn: {
    width: 28,
    height: 28,
    borderRadius: "50%",
    background: DARK,
    color: CREAM,
    border: "none",
    fontSize: 18,
    cursor: "pointer",
    display: "flex",
    alignItems: "center",
    justifyContent: "center",
    lineHeight: 1,
    fontWeight: 300,
  },
  eventList: {
    display: "flex",
    flexDirection: "column",
    gap: 5,
  },
  eventItem: {
    display: "flex",
    alignItems: "center",
    gap: 8,
    padding: "5px 8px",
    background: CREAM,
    borderRadius: 3,
    fontSize: 13,
    fontFamily: "'Cormorant Garamond', serif",
  },
  eventTime: {
    fontSize: 10,
    color: GOLD,
    letterSpacing: "0.08em",
    minWidth: 36,
  },
  eventText: {
    flex: 1,
    fontSize: 14,
    letterSpacing: "0.02em",
  },
  removeBtn: {
    background: "none",
    border: "none",
    color: TAUPE,
```

```
    fontSize: 16,
    cursor: "pointer",
    padding: 0,
    lineHeight: 1,
  },
  modalOverlay: {
    position: "fixed",
    inset: 0,
    background: "rgba(28,26,24,0.6)",
    display: "flex",
    alignItems: "flex-end",
    zIndex: 100,
  },
  modal: {
    background: WARM_WHITE,
    width: "100%",
    maxWidth: 480,
    margin: "0 auto",
    borderRadius: "12px 12px 0 0",
    padding: "28px 24px 36px",
    display: "flex",
    flexDirection: "column",
    gap: 14,
  },
  modalTitle: {
    fontSize: 11,
    letterSpacing: "0.2em",
    color: TAUPE,
    fontFamily: "'Cormorant Garamond', serif",
    marginBottom: 4,
  },
  modalInput: {
    background: CREAM,
    border: `1px solid ${SOFT}`,
    borderRadius: 4,
    padding: "12px 14px",
    fontSize: 16,
    fontFamily: "'Cormorant Garamond', serif",
    color: DARK,
    outline: "none",
    width: "100%",
    boxSizing: "border-box",
  },
  modalBtns: {
    display: "flex",
    gap: 10,
    marginTop: 4,
```

```
    },
    modalCancel: {
      flex: 1,
      padding: "12px",
      background: "none",
      border: `1px solid ${SOFT}`,
      borderRadius: 4,
      fontSize: 11,
      letterSpacing: "0.15em",
      cursor: "pointer",
      fontFamily: "'Cormorant Garamond', serif",
      color: TAUPE,
    },
    modalConfirm: {
      flex: 1,
      padding: "12px",
      background: DARK,
      border: "none",
      borderRadius: 4,
      fontSize: 11,
      letterSpacing: "0.15em",
      cursor: "pointer",
      fontFamily: "'Cormorant Garamond', serif",
      color: CREAM,
    },
  },
};
```