## **Excursion Search**

http://test.bestoftravel.cz:8080/booking/public/ws/searchExcursion.wsdl

Method: excursionSearchStep1

Example 1: Excursion search for dates from 8/07/2017 to 10/07/2017

```
Request
```

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:out="http://realobs.com/service/outgoing2">
 <soapenv:Header/>
 <soapenv:Body>
   <out:excursionSearchStep1Request outOperatorIncID="926161623" dateFrom="2017-07-08" dateTo="2017-07-10" availableOnly="false">
    <out:persons adults="2">
      <out:childAges>
       <out:int>5</out:int>
      </out:childAges>
    </out:persons>
    <!--Optional:-->
    <out:locationIds>
      <out:long>121285</out:long>
    </out:locationIds>
    <!--Optional:-->
    <out:excursionIds>
      <out:long>981522847</out:long>
    </out:excursionIds>
    <!--Optional:-->
  </out:excursionSearchStep1Request>
 </soapenv:Body>
</soapenv:Envelope>
```

Name	Required	Description	Example
outOperatorIncID	yes	ID of a company that makes a tour booking	926161623
dateFrom	yes	earliest excursion date	2017-07-08
dateTo	yes	latest start date	2017-07-10
availableOnly	no if absent value "false"	excursion availability	false
adults	yes	amount of adults	2
childAges	no	child ages	5
locationIds	no	excursion location Ids	121285
excursionIds	no	excursion lds	981522847
carlds	no	car Ids	924770931
type	no	excursion type: group or individual	group

## Request

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/">
 <SOAP-ENV:Header/>
 <SOAP-ENV:Body>
   <excursionSearchStep1Response xmlns="http://realobs.com/service/outgoing2">
    <excursionOffer>
      <excursion category="go" endLocation="121285" id="981522847" name="Рынок «Сад Лилий» в Капталантоти" operatorId="233767739"
startLocation="121285">
       <description>Pасположенный между горами Тоти, Гулач и Чобанц, в живописном месте...</description>
      </excursion>
      <startDate availability="available" endDate="2017-07-09T13:00:00+02:00" startDate="2017-07-09T09:00:00+02:00" type="individual">
       <offer>
         <car id="924770930" name="Minibus 4-6"/>
         <price availability="on_request"/>
       </offer>
       <offer>
         <car id="924770931" name="Minibus 7-12"/>
         <price availability="on_request"/>
       </offer>
```

```
</startDate>
    </excursionOffer>
    <excursionOffer>
      <excursion category="go" endLocation="121285" id="981522847" name="Рынок «Сад Лилий» в Капталантоти" operatorId="233767739"
startLocation="121285">
       <description>Расположенный ...</description>
      </excursion>
      <startDate availability="available" endDate="2017-07-09T13:00:00+02:00" startDate="2017-07-09T09:00:00+02:00" type="group">
       <offer>
         <price availability="on_request"/>
       </offer>
      </startDate>
    </excursionOffer>
   </excursionSearchStep1Response>
 </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```