Non-interactive AWS Azure Login

Eric Bailey

20th December, 2019

Password management

For password management, I use pass¹.

```
\langle \textit{Get the password from the store 1} \rangle \equiv pass show "Azure AD" | head -n1
```

On top of that, I use the pass-otp² extension to manange OTP tokens.

```
\langle Generate \ an \ OTP \ token \ 2 \rangle \equiv pass otp show "Azure AD" (6)
```

With these two tools, I can automate refreshing my AWS credentials using Azure AD.

Automated interaction

Spawn a non-interactive aws-azure-login³ process, forcing a credential refresh, even if they are still valid.

```
\langle Spawn~aws-azure-login~process~3\rangle \equiv \\ {\rm spawn~-noecho~aws-azure-login~-force-refresh~-no-prompt}
```

Alternatively, I could send the username...

```
set username [ exec pass show "Azure AD" | awk "/Username:/ { print \$2 }" ] expect "*Username*" { send "$username\n" }
```

... and duration to their respective prompts.

```
expect "*Duration*" { send "8\n" }
```

The main point of this script is to obviate the need for me manually provide my password and OTP token. I prefer to let expect interact on my behalf.

Get the password from the store.

```
\langle Send\ the\ password\ when\ expected\ 4 \rangle \equiv set password [ exec \langle Get\ the\ password\ from\ the\ store\ 1 \rangle ]
```

Send it when expected.

```
\langle Send \ the \ password \ when \ expected \ 4 \rangle + \equiv (8) \triangleleft 4 expect "*Password:*" { send "$password\n" }
```

Generate an OTP token.

```
\langle Send\ the\ OTP\ token\ when\ expected\ 6 \rangle \equiv \\ \text{set}\ \text{verification\_code}\ \left[\ \text{exec}\ \langle Generate\ an\ OTP\ token\ 2} \right]
```

Send it when expected.

1 https://www.passwordstore.org/

This assumes $\ensuremath{\mathsf{AZUPE}}$ AD is in the password store.

2 https://github.com/tadfisher/ pass-otp

This assumes Azure AD is configured.

3 https://github.com/sportradar/ aws-azure-login

This requires the environment variable, AWS_PROFILE, to be set, and ~/.aws/config to be properly configured.

 $\langle *8 \rangle \equiv$ #! /usr/bin/env expect $\langle Spawn \ aws-azure-login \ process \ 3 \rangle$

(Spaint due dans toget process 3)

 $\langle Send \ the \ password \ when \ expected \ 4 \rangle$

 $\langle Send\ the\ OTP\ token\ when\ expected\ 6 \rangle$

interact

Last updated 21.12.2019 01:32 GMT.