


One source, three surfaces, one way back



Every component, its variants, and its API

VARIANTS, EACH WITH ITS CODE

PROPS, DEFAULTS AND CSS CLASSES

DS DS Components

Overview

All components

INPUTS

Button

Checkbox

Input

RadioGroup

Select

Switch

Textarea

CHAT

Attachment

An informational message.

The operation succeeded.

Watch out for this.

Something went wrong.

Severities

Each severity carries its own accent color and icon: info, success, warning and danger.

Hide code

React

Vue

Angular

```
<Alert>
  An informational message.
</Alert>
<Alert severity="success">
  The operation succeeded.
</Alert>
<Alert severity="warning">
  Watch out for this.
</Alert>
```

DS DS Components

Overview

All components

INPUTS

Button

Checkbox

Input

RadioGroup

Select

Switch

Textarea

CHAT

Attachment

```
import { Button } from '@ds/components';
```

Props

Prop	Type	Default	Description
variant	enum: text primary secondary	primary	Button style variant: primary filled emphasis, secondary outlined, text plain
size	enum: sm md lg	md	Button size
loading	boolean	false	Whether in loading state: shows a spinner and disables clicks
disabled	boolean	false	Whether the button is disabled
children	ReactNode	-	Button content

CSS classes

Stable class names for custom styling. They follow BEM with the ds- prefix and never change between releases, so you can safely target them in your own CSS.

CHAT COMPONENTS

EVERY COMPONENT ON ONE PAGE

DS DS Components

Overview

All components

INPUTS

Button

Checkbox

Input

RadioGroup

Select

Switch

Textarea

CHAT

Attachment

AI Assistant 10:24

What would you like to build today?

ME AI 10:26

A conversation

Messages stack into a conversation: assistant and user turns alternate sides, each with its own avatar.

Show code

A plain message with no metadata.

DS DS Components

Overview

All components

INPUTS

Button

Checkbox

Input

RadioGroup

Select

Switch

Textarea

CHAT

Attachment

Button

primary secondary text

Small sm Medium md Large lg

Disabled Loading Submitting

Avatar

DS DS DS

DS DS

Badge


default primary success warning danger

The entrance, the other theme, and the playground


WHERE A DEVELOPER STARTS




CODE BLOCKS, HIGHLIGHTING AND A COPY BUTTON



LIGHT AND DARK, FROM THE SAME TOKENS




LIVE PROPS, PREVIEW AND CODE



A canvas that renders what the project renders

Built in React on the same components the library ships. Drag from the palette, tune props in the inspector, reorder in the layers tree, then export the page as React, Vue or Angular. The cost is on us: a design tool is a product to maintain.




05 — FIGMA PLUGIN • BRING THE LIBRARY IN


One click, and the library is on the canvas

The plugin builds all 28 components as ordinary Figma components – variants, colours, radii and sizes read from the rendered code, not guessed. Nothing is redrawn by hand, so nothing drifts: place one, restyle it, type in it.

BEFORE — THE PLUGIN ON AN EMPTY PAGE




ONE CLICK — 28 COMPONENTS, EDITABLE



What the canvas shows, the project renders


DRAWN ON THE CANVAS, EXPORTED AS REACT



AS VUE

The frame is a real screen – 249×260 on the canvas, 249×260 in the browser, the same components the package ships. The canvas is data, so it comes out in whatever the project already uses.

PASTED INTO THE SCAFFOLD, UNCHANGED



AS ANGULAR

AS JSON

