



Web Programming Assignment #2



Name: Akhmedov ***Yusufjon*** Muhammad ugli

Major: **Computer Engineering**


Student Number: **202438404**

Due date: 2025.03.31

Submission date: 2025.03.28



Question 1.



Write an HTML code and display your biography in the below format. Please apply relevant CSS to name (Times New Roman font, alignment: right), nationality (align left), and other formation (solid blue border, etc.)



```

<!doctype html> <html lang=en> <head> <title>Short
Biography</title> <link rel=stylesheet href=style.css> </head>
<body> <span id=title> Short Biography </span> <img
align=right id=portrait src=portrait.png alt="My portrait
image"> <div id=text> <div
id=name><b>Name:</b><u>Yusufjon</u></div> <div
id=nationality> <span
style=color:#39c176>Nationality</span> <span
style=color:red>: </span> <img src=flag.png height=35
alt="Nationality flag"> </div> </div> <div id=info> Semester:
2<sup>nd</sup> <br> Address: Seongnam <br> University
name: Gachon University </div> </body> </html>


```

```


@import
url(https://fonts.googleapis.com/css2?family=Rubik:ital,wght
@0,300..900;1,300..900&display=swap);#info,body{padding:
1rem}#header{height:45vh}#title{font-
size:12vh;color:#0070c0;font-family:sans-
serif}#info,#nationality,#text{font-
size:5vh}#portrait{width:30vh;border:1px solid
#000}#text{margin-top:27vh}#name{font-family:"Times
New Roman",Times,serif;text-
align:right}#nationality{display:flex;align-items:center;font-
family:'Franklin Gothic Medium',Arial Narrow,Arial,sans-
serif}#nationality img{margin-left:10px}#info{border:2px
solid #0070c0;width:fit-content;margin:10vh auto;font-
family:Rubik,sans-serif;font-weight:400}

```

Short Biography



Name: Yusufjon

Nationality: 

Semester: 2nd
Address: Seongnam
University name: Gachon University

Output

Q2: Convert the below Internal CSS to External CSS & Display the output.
(Please use the same code, just change the style from internal to external)

```
<!DOCTYPE html>
<html>
<head>
<style>
body {background-color: powderblue;}
h1   {color: blue;}
p    {color: red;}
</style>
</head>
<body>

<h1>This is a heading</h1>
<p>This is a paragraph.</p>

</body>
</html>
```



index.html ×




style.css ×

Question2 > index.html > ...

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <link rel="stylesheet" href="style.css" />
5    </head>
6    <body>
7      <h1>This is a heading</h1>
8      <p>This is a paragraph.</p>
9    </body>
10 </html>
11
```

Question2 > style.css > p

```
1  body{
2    background-color: powderblue;
3  }
4  h1{
5    color: blue;
6  }
7  p{
8    color: red;
9  }
```



Output

Q3: Write a CSS file for the below HTML & display the output by changing h1 colour to red, changing h2 font to Arial, and changing h3 background to green. Please use external CSS for this task

```
<html>
<body>
<h1>This is heading 1</h1>
<h2>This is heading 2</h2>
<h3>This is heading 3</h3>
</body>
</html>
```


index.html ×


Question3 > index.html > ...

```
1  <!DOCTYPE html>
2  <html lang="en">
3    <head>
4      <link rel="stylesheet" href="style.css" />
5    </head>
6    <body>
7      <h1>This is heading 1</h1>
8      <h2>This is heading 2</h2>
9      <h3>This is heading 3</h3>
10   </body>
11 </html>
12
```

style.css ×

Question3 > style.css > h3

```
1  h1{
2    color: red;
3  }
4  h2{
5    font-family: Arial, sans-serif;
6  }
7  h3{
8    background: green;
9  }
```



Output

Question 4

Why external CSS is better than inline and internal. Please write answer with 2~3 sentences only.

External CSS files can be cached by browser reducing load time. They also can be applied for multiple pages globally providing faster development time and will be easy to update.

