# Web Programming Assignment #6

*Name: Akhmedov **Yusufjon** Muhammad ugli*

*Major: **Computer Engineering***

*Student Number: **202438404***

Due date: 2025.05.30
Submission date: 2025.05.29

# Question 1

Q1: Create a database and table in your XAMP. You can display attributes like, name, age, gender, nationality, etc.

This time, your data must come from the database, no hard coded values.

**Hint!!!.**

| Sr. # | Attribute | value |
|---|---|---|
| 1 | First name | |
| 2 | Last name | |
| 3 | Age | |
| 4 | Gender | |
| 5 | Address | |
| 6 | University name | |
| 7 | Semester # | |
| 8 | GPA | |
| 9 | Nationality | |
| 10 | Hobby | |

# Q1. PHP Code


```
<!DOCTYPE html><html lang="en"><head><meta charset="UTF-8"><title>Students Database</title><link rel="stylesheet" href="style.css"></head><body><h1>Students personal information</h1><?php
$servername="localhost";$username="root";$password="root";$databasename="school";
$conn=new mysqli($servername,$username,$password,$databasename);
if($conn->connect_error){die("Connection failed: ".$conn->connect_error);}
$query="SELECT * FROM `student`;";
$columns=['first_name'=>'First name','last_name'=>'Last name','age'=>'Age','gender'=>'Gender','address'=>'Address','university_name'=>'University name','semester'=>'Semester #','gpa'=>'GPA','nationality'=>'Nationality','hobby'=>'Hobby'];
$result=$conn->query($query);
if($result->num_rows>0){?><div class="table-container"><?php while($row=$result->fetch_assoc()){?><table border="1"><thead><tr><th>Sr.#</th><th>Attribute</th><th>Value</th></tr></thead><tbody><?php $sr=0;foreach($columns as $key=>$value){?><tr><td><?=++$sr;?></td><td><?=$value?></td><td><?=$row[$key]?></td></tr><?php }?></tbody></table><?php }?></div><?php }else{echo"0 results";}
$conn->close();?></body></html>
```

# Q1. CSS Code

```css
.table-container {
display: flex;
gap: 1rem;
flex-wrap: wrap;
}

table {
border-collapse: collapse;
text-align: center;
width: fit-content;
}

td {
padding: 0 10px;
}
```




# Students personal information

| Sr.# | Attribute | Value |
|---|---|---|
| 1 | First name | Ali |
| 2 | Last name | Karimov |
| 3 | Age | 21 |
| 4 | Gender | Male |
| 5 | Address | 123 Elm Street, Tashkent |
| 6 | University name | Gachon University |
| 7 | Semester # | 5 |
| 8 | GPA | 3.95 |
| 9 | Nationality | Uzbek |
| 10 | Hobby | Reading books |

| Sr.# | Attribute | Value |
|---|---|---|
| 1 | First name | Sara |
| 2 | Last name | Lee |
| 3 | Age | 22 |
| 4 | Gender | Female |
| 5 | Address | 456 Maple Ave, Seoul |
| 6 | University name | Gachon University |
| 7 | Semester # | 6 |
| 8 | GPA | 4.00 |
| 9 | Nationality | Korean |
| 10 | Hobby | Painting |

| Sr.# | Attribute | Value |
|---|---|---|
| 1 | First name | John |
| 2 | Last name | Smith |
| 3 | Age | 20 |
| 4 | Gender | Male |
| 5 | Address | 789 Oak Blvd, New York |
| 6 | University name | NYU |
| 7 | Semester # | 4 |
| 8 | GPA | 3.70 |
| 9 | Nationality | American |
| 10 | Hobby | Hiking |

# Output #1


# Question 2


Q2: Create a database with name **Famous-sports** and add a table with Ten famous sports of the world. At the end, display only five sports in the browser which have rating >50.

| Sports name | Rating |
|---|---|
| Soccer | 10 |
| basketball | 23 |
| Tennis ball | 67 |
| Golf | 78 |
| Volleyball | 8 |
| Badminton | 2 |
| boxing | 98 |
| Swimming | 99 |
| Hiking | 10 |
| Jumping | 53 |

# Q2. PHP Code

```
<!DOCTYPE html><html lang="en"><head><meta charset="UTF-8"><title>Famous Sports</title><link rel="stylesheet" href="../../Assignment3/bootstrap.min.css"></head><body class="p-3"><h1>Sports with rating over 50</h1><?php
$servername="localhost";$username="root";$password="root";$databasename="famous-sports";
$conn=new mysqli($servername,$username,$password,$databasename);
if($conn->connect_error){die("Connection failed: ".$conn->connect_error);}
$query="SELECT * FROM `sports` WHERE rating > 50;";
$result=$conn->query($query);
if($result->num_rows>0){?><table class="table table-sm table-bordered table-striped w-25"><thead><tr><th>Sports Name</th><th>Rating</th></tr></thead><tbody><?php while($row=$result->fetch_assoc()){?><tr><td><?=$row['sports_name']?></td><td><?=$row['rating']?></td></tr><?php }?></tbody></table><?php }else{echo"0 results";}
$conn->close();?></body></html>
```


localhost/web-programming
Maps
Перевести
YouTube
Sports with rating ove
Sports Name
Rating
Tennis ball
67
Golf
78
boxing
98
Swimming
99
Jumping
53


Server: localhost:8889 » Database: famous-sports »
Show all | Number of rows: 25 Filter rows:
Extra options
id
sports_name
rating
Edit Copy Delete 1 Soccer 10
Edit Copy Delete 2 basketball 23
Edit Copy Delete 3 Tennis ball 67
Edit Copy Delete 4 Golf 78
Edit Copy Delete 5 Volleyball 8
Edit Copy Delete 6 Badminton 2
Edit Copy Delete 7 boxing 98
Edit Copy Delete 8 Swimming 99
Edit Copy Delete 9 Hiking 10
Edit Copy Delete 10 Jumping 53

# Output #2

# Question 3

Q3: Use the JS code given by me and add SIX different types of graphs on a web page.
Display the output (as shown below).



# Q1. HTML Code


```
<!DOCTYPE html>
<html>
<head>
<title>ChartJS - 6 types</title>
<link href="css/default.css" rel="stylesheet" />
</head>
<body>
<div class="wrapper">
<div class="chart-container">
<canvas id="bar-chartcanvas"></canvas>
</div>
<div class="chart-container">
<canvas id="line-chartcanvas"></canvas>
</div>
<div class="chart-container-sm">
<canvas id="doughnut-chartcanvas-1"></canvas>
</div>
<div class="chart-container-sm">
<canvas id="doughnut-chartcanvas-2"></canvas>
</div>
<div class="chart-container-sm">
<canvas id="pie-chartcanvas-1"></canvas>
</div>
<div class="chart-container-sm">
<canvas id="pie-chartcanvas-2"></canvas>
</div>
</div>
<!-- javascript -->
<script src="js/jquery.min.js"></script>
<script src="js/Chart.min.js"></script>
<script src="js/doughnut.js"></script>
<script src="js/bar.js"></script>
<script src="js/line.js"></script>
<script src="js/pie.js"></script>
</body>
</html>
```

# Q1. CSS Code

```
.wrapper{
display: flex;
flex-wrap: wrap;
}

.chart-container {
width: 50%;
height: 33%;
margin: 0 auto;
}

.chart-container-sm {
width: 25%;
height: 33%;
margin: 0 auto;
}
```


Cyber Camp
localhost / lc
Cyber Camp
Students Da
Famous Spo
ChartJS - 6
localhost/web-programming/Assignment6/Task3/
Maps
Перевести
YouTube
YOUTUBE_DOWN...
My learning | Udemy
GITHUB
ChatGPT
Bard
All Bookmarks
Bar Graph
80
60
40
20
0
match1
match2
match3
match4
match5
TeamA score
TeamB score
Line Graph
80
60
40
20
0
match1
match2
match3
match4
match5
TeamA score
TeamB score
Doughnut Chart
match1
match2
match3
match4
match5
Doughnut Chart
match1
match2
match3
match4
match5
Pie Chart
match1
match2
match3
match4
match5
Pie Chart
match1
match2
match3
match4
match5

# Output #3

# Question 5

Q4: Why JS functions are used in web developments. Please write answer with 2~3 sentences only.

Answer:  JS functions are used in web development to make code understandable and reusable. They also perform actions when user trigger some event such as click of a button or scroll of a page

# Question 6

Q5:Why are database-powered websites more useful than static ones? Please answer in THREE to FIVE lines only.

Answer: Efficiency of database-powered websites is huge because if we want to change the data on page, we don’t have to change that file manually. I cannot imagine good website without dynamic features, such as login, comment, personalized or recommended data for user, which cannot almost be made without database.