# Flight Operations REST API Document

| Title | Airport |
|---|---|
| **URL** | /airport/create<br>/airport/findAll<br>/airport/findById/**ID**<br>/airport/findbyName/**NAME** |
| **Method** | **GET \| POST \|** |
| **URL Params** | **ID**: Id of the record (integer)<br>**NAME**: Name of the record (String) |
| **Data Params** | **Example:**<br>{<br>    "name": "Atatürk"<br>} |
| **Success Response** | {    "status": "OK",<br>    "message": null,<br>    "errorCode": null<br>} |
| **Error Response** | {<br>    "status": "FAIL",<br>    "message":  customized _message_text<br>    "errorCode": customized_error_code<br>} |

| Title | Airway |
|---|---|
| URL | /airway/create<br>/airway/findAll<br>/airway/findById/**ID**<br>/airway/findbyName/**NAME** |
| Method | **GET \| POST \|** |
| URL Params | **ID**: Id of the record (integer)<br>**NAME**: Name of the record (String) |
| Data Params | **Example:**<br>{<br>    "name": "Turkish Airlines"<br>} |
| Success Response | {<br>    "status": "OK",<br>    "message": null,<br>    "errorCode": null<br>} |
| Error Response | {<br>    "status": "FAIL",<br>    "message":  customized _message_text<br>    "errorCode": customized_error_code<br>} |

| Title | Route |
|---|---|
| **URL** | /route/create<br>/route/findAll<br>/route/findById/**ID**<br>/route/findbyName/**NAME** |
| **Method** | **GET \| POST \|** |
| **URL Params** | **ID**: Id of the record (integer)<br>**NAME**: Name of the record (String) |
| **Data Params** | **Example:**<br>{<br>    "fromAirport": {<br>        "id": 1<br>    },<br>    "toAirport": {<br>        "id": 4<br>     }<br>} |
| **Success Response** | {<br>    "status": "OK",<br>    "message": null,<br>    "errorCode": null<br>} |
| **Error Response** | {<br>    "status": "FAIL",<br>    "message":  customized _message_text<br>    "errorCode": customized_error_code<br>} |