Executive Overview

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025

Location All

Product family All

OTIF %
88,7%
● Target 95.0% · -6.3 pp
▼ YoY -1.2 pp

Inventory (period end)
€10,56M
▼ YoY -€0.71M


Supplier OTIF %
56,3%
● Target 90.0% · -33.7 pp
▼ YoY -0.2 pp

Inventory Turnover
7,17
● Target 8.00 · -0.83
▼ YoY -0.08


Fill Rate %
98,7%
● Target 98.0% · +0.7 pp
▶ YoY 0.0 pp

Stockout Rate %
7,02%
● Target 3.00% · +4.02 pp
▲ YoY +1.30 pp

Service performance over time
OTIF % and Fill Rate % by Month



OTIF by location
OTIF % by Location



Inventory value by product family (finished goods)
Inventory Value EUR by Product family



Lowest 5 suppliers by OTIF

Supplier	Supplier OTIF %	Mean Lead Time (Days)	Open PO Lines
Dorneck A.S.	25,9%	42,6	44
Gravent GmbH	33,8%	12,3	93
Delvano GmbH	33,9%	22,8	62
Ekbert GmbH	34,3%	23,4	30
Cordant GmbH	35,2%	21,6	34

Key insight: OTIF is 88.7% against a 95% target, and 81% of failed lines arrived complete but late. 46.8% of failures are stockouts where no production run could land in time, 41.9% transit time. Suppliers are on time and in full only 56.3% of the time, yet directly cause just 3.4%.

Customer & Delivery Performance

Executive Overview | **Customer & Delivery** | Inventory & Capital | Supplier Performance | Order Quality | Working Capital | Root Cause

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025


Country All

Channel All

OTIF %	On-Time Delivery %	In-Full %	Fill Rate %	Late Order Lines	Open + short-closed lines
88,7%	89,0%	97,8%	98,7%	7.568	1.872
● Target 95.0% · -6.3 pp	● Target 95.0% · -6.0 pp	● Target 98.0% · -0.2 pp	● Target 98.0% · +0.7 pp		


Service performance over time

OTIF %, On-Time Delivery % and In-Full % by Month




Lowest OTIF customers

OTIF % by Customer



Open backorders

Open backorder qty and Avg backorder age (days) by Product family



Lowest 5 customers by fill rate

Customer	Ordered Qty	Delivered Qty	Fill Rate %	Late Order Lines
Saxon2 Energy S.r.l.	3.735	3.368	91,2%	22
Quercus2 Controls S.r.l.	7.406	6.796	92,2%	48
Karst3 Elettrica S.L.	2.044	1.885	94,8%	11
Pyren1 Elektro SAS	663	630	95,0%	10
Tatra2 Installations S.r.l.	3.482	3.324	95,4%	26

Key insight: In-Full is 97.8% but On-Time only 89.0%. Poznan DC, the only site serving Poland, runs 84.1% OTIF and loses half of its failed lines in transit; Polish customers are 17% of due lines but 23% of late ones, and all 9 of the worst accounts.

Inventory & Working Capital

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025


Site type: All

ABC class: All

Inventory value (period end)	Ending Inventory (Units)	Average Inventory (Units)	Inventory Turnover	Days of Inventory	Stockout Rate %
€10,56M	292.966	241.715	7,17	50,9	7,02%
			● Target 8.00 · -0.83	● Target 45.0 days · +5.9 days	● Target 3.00% · +4.02 pp


Inventory value over time

Inventory Value EUR (month end) by Month




Inventory value by site

Inventory Value EUR by Location



Top products by inventory value

Inventory Value EUR by Product



Low stock action list (top 5)

Product	Location	Closing	Reorder	Cover days
Access Controllers NX-196	Lyon Plant	0	43	0,0
Access Controllers PR-192	Bologna Warehouse	0	8	0,0
Access Controllers PR-192	Zaragoza Warehouse	0	7	0,0
Actuators SL-174	Poznan Distribution Center	0	77	0,0
Alarm Panels EC-198	Lyon Plant	0	81	0,0
Busbar Systems EC-108	Lyon Plant	0	79	0,0
Busbar Systems PR-112	Brno Warehouse	0	193	0,0

Key insight: Rhein-Neckar holds €4.60M (44%) of the €10.56M stock; materials are 10% of it. C-class items turn 2.9x a year against 8.5x for A-class, yet stock out more often (7.6% of product-days vs 5.6%): the buffer sits in the wrong items.

Supplier Performance

Executive Overview | Customer & Delivery | Inventory & Capital | **Supplier Performance** | Order Quality | Working Capital | Root Cause

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025


Sourcing: All

Reliability tier: All

Supplier OTIF %	Supplier OTD %	Mean Lead Time (Days)	Lead Time Std Dev (Days)	Rejection Rate %	Open PO Lines
56,3%	67,5%	21,1	14,2	1,43%	778
● Target 90.0% · -33.7 pp	● Target 95.0% · -27.5 pp	● Target 15.0 days · +6.1 days		● Target 2.00% · -0.57 pp	


Lowest performing suppliers

Supplier OTIF % by Supplier




OTIF by reliability tier

Supplier OTIF % by Reliability tier



Suppliers per material (single-sourced in red)

Materials by Suppliers per material



Material blast radius (top 5)

Material	Sourcing	Products	Revenue risk
Cartons EC248	Multi-sourced	50	€69.795.550
Labels SL249	Multi-sourced	43	€141.424.143
Steel Sheet PR217	Multi-sourced	24	€57.024.686
Terminal Blocks EC233	Multi-sourced	22	€31.820.084
Moulded Housings EC228	Multi-sourced	20	€30.565.813
Relay Units PR232	Single-sourced	15	€41.538.958
PCB Assemblies PR207	Single-sourced	13	€38.268.122

Lowest 5 suppliers watchlist

Supplier	Country	Supplier OTIF %	Mean Lead Time (Days)	Rejection Rate %	Open PO Lines
Dorneck A.S.	Turkey	25,9%	42,6	5,75%	44
Gravent GmbH	Germany	33,8%	12,3	4,18%	93
Delvano GmbH	Germany	33,9%	22,8	2,94%	62
Ekbert GmbH	Germany	34,3%	23,4	2,84%	30
Cordant GmbH	Germany	35,2%	21,6	1,23%	34

Key insight: Tier predicts delivery: A-tier suppliers reach 76.1% OTIF, B 54.2%, C 34.4%. 11 single-sourced materials carry 19.6% of spend and feed 41 products worth 36.7% of revenue, and they arrive late 38% of the time against 32% overall.

Order Quality

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025


Country: All

Product family: All

Perfect Order Rate %	OTIF %	Damage Rate %	Document Accuracy %	Late Order Lines	Open + short-closed lines
84,4%	88,7%	1,81%	96,9%	7.568	1.872
● Target 90.0% · -5.6 pp	● Target 95.0% · -6.3 pp	● Target 2.00% · -0.19 pp	● Target 98.0% · -1.1 pp		


Perfect order rate vs OTIF over time

Perfect order rate % and OTIF % by Month




Damage rate by product family — worst first

Damage rate % by Product family



Document accuracy by channel

Document accuracy % by Channel



Lowest 5 families by perfect order

Family	Perfect order %	OTIF %	Damage %	Doc. accuracy %
Building Automation Devices	83,1%	87,7%	2,18%	96,9%
Protection & Switching Devices	83,9%	88,1%	1,52%	96,8%
Energy Distribution Components	84,0%	89,1%	2,82%	97,1%
Energy Management Solutions	84,1%	88,9%	2,01%	96,8%
Cable Management Solutions	84,2%	87,7%	0,99%	97,1%

Key insight: Perfect orders run at 84.4% vs 88.7% OTIF: damage (1.81%) and paperwork (96.9% correct) cost another 4.3 pp. Damage peaks in Energy Distribution Components (2.82%); cross-border paperwork is right 94.8% of the time.

Working Capital Cycle

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025


Site type: All

ABC class: All

Cash-to-Cash Cycle	DSO	DIO (days of inventory)	DPO	Inventory value (period end)	Inventory Turnover
37,9	39,0	50,9	52,0	€10,56M	7,17
● Target 60.0 days · -22.1 days		● Target 45.0 days · +5.9 days			● Target 8.00 · -0.83


DSO, DIO and DPO over time (days)

DSO, DIO and DPO by Month




Turnover by ABC class

Inventory Turnover by ABC class




DSO by customer segment — slowest first

DSO (days) by Segment



DPO by supplier sourcing type

DPO (days) by Sourcing



Key insight: The cash-to-cash cycle is 37.9 days: customers pay in 39.0, stock sits for 50.9 and suppliers are paid after 52.0. Inventory is the biggest lever. Utility customers take 53.9 days to pay; imports are paid after 58.4 days, in line with their spend-weighted 57-day terms.

Root Cause Analysis

Voltrix Electric SE · 2024–2025 · EUR

Period 01.01.2024 – 31.12.2025

Location All


Product family All

Failed Lines	Failure share · Stockout	Failure share · Transport delay	Failure share · Production delay	Failure share · Supplier late	OTIF %
7.568	46,8%	41,9%	7,9%	3,4%	88,7%

● Target 95.0% · -6.3 pp


Failed lines by month and reason

Failed lines by Month and Failure reason




Late suppliers behind failed customer lines (top 8, ties included)

Failed lines and Supplier OTIF % by Supplier



Failed lines by location and reason

Failed lines by Location and Failure reason



Late materials behind failures (top 5)

Material	Sourcing	Failed lines
Cartons EC248	Multi-sourced	73
Terminal Blocks EC233	Multi-sourced	39
Semiconductors PR202	Single-sourced	27
Semiconductors VX210	Single-sourced	24
Aluminium Profile SL214	Multi-sourced	18

Failed product-location pairs (top 5)

Product	Location	Failed lines	OTIF %	Main reason
Miniature Circuit Breakers VX-120	Rhein-Neckar Plant	145	83,2%	Production delay
Room Controllers EC-168	Rhein-Neckar Plant	113	86,3%	Stockout
Plugs & Connectors VX-145	Rhein-Neckar Plant	96	90,0%	Production delay
Dimmers EC-143	Rhein-Neckar Plant	83	90,7%	Stockout
Room Controllers EC-168	Poznan Distribution Center	62	79,5%	Transport delay

Key insight: Stockouts lead: 46.8% of 7,568 failed lines met an empty shelf with no run able to land in time (65.6% of C-class failures). 41.9% lost time in transit (half of Poznan's failures); 7.9% waited on a slipping run, 3.4% on a late supplier, Delvano GmbH first (60).