## Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:47:43 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

# ticket-controller : Ticket Controller

| GET | /api/v1/ticket | get current user ticket |

Response Class (Status 200)
OK

Model | Example Value

```
{}
```

Response Content Type */* ∨

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!   Hide Response

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

```
http://localhost:8081/api/v1/ticket
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "data": [],
  "message": "No ticket found",
  "status": 404
}
```

Response Code

```
404
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:48:54 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

DELETE   /api/v1/ticket/{id}   delete ticket

Response Class (Status 200)
OK

Model | Example Value

```
{}
```

Response Content Type `*/* ▾`

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	1	**id**	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		

[Try it out!]   Hide Response

Curl

```
curl -X DELETE --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ
```

Request URL

```
http://localhost:8081/api/v1/ticket/1
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "timestamp": "2022-07-04T20:49:03.466+00:00",
  "status": 400,
  "error": "Bad Request",
  "trace": "org.springframework.web.server.ResponseStatusException: 400 BAD_REQUEST \"No class com.
  "message": "No class com.yusuf.bus.model.bus.Ticket entity with id 1 exists!",
  "path": "/api/v1/ticket/1"
}
```

Response Code

```
400
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "close",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:49:03 GMT",
  "expires": "0",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
```

```
    "x-xss-protection": "1; mode=block"
  }
```

| PUT | /api/v1/ticket/{id} | update ticket |

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type [*/* ▾]

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	1	**id**	path	long
ticketReq	{ "journeyDat e": "22/07/2022 ", Parameter content type: [application/json ▾]	**ticketReq**	body	Model | Example Value ``` { "journeyDate": "string", "tripScheduleId": 0 } ```

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

[Try it out!] Hide Response

Curl

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'Au
    "journeyDate": "22/07/2022", \
    "tripScheduleId": 1 \
  }' 'http://localhost:8081/api/v1/ticket/1'
```

Request URL

```
http://localhost:8081/api/v1/ticket/1
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "timestamp": "2022-07-04T20:49:29.931+00:00",
  "status": 400,
  "error": "Bad Request",
  "trace": "org.springframework.web.server.ResponseStatusException: 400 BAD_REQUEST \"Ticket not fo
  "message": "Ticket not found",
  "path": "/api/v1/ticket/1"
}
```

Response Code

```
400
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "close",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:49:29 GMT",
  "expires": "0",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

trip-controller : Trip Controller

| GET | /api/v1/trip | get all trip |

Response Class (Status 200)
OK

Model | Example Value

```
{}
```