



Response Content Type */*

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

http://localhost:8081/api/v1/trip

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
    },
    "hibernateLazyInitializer": {}
  },
  "agency": {
    "id": 1,
    "code": "ALS",
    "name": "BUS Sumatera",
    "details": "PT Antar Lintas Sumatera",
    "owner": 1,
    "buses": [
      1,
      4,
      7
    ],
    "hibernateLazyInitializer": {}
  }
},
{
  "id": 2
```

```
    "fare": 15000,  
    "journevTime": 2.
```

Response Code

200

Response Headers

```
{  
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",  
  "connection": "keep-alive",  
  "content-type": "application/json",  
  "date": "Mon, 04 Jul 2022 20:50:39 GMT",  
  "expires": "0",  
  "keep-alive": "timeout=60",  
  "pragma": "no-cache",  
  "transfer-encoding": "chunked",  
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",  
  "x-content-type-options": "nosniff",  
  "x-frame-options": "DENY",  
  "x-xss-protection": "1; mode=block"  
}
```

POST

/api/v1/trip

add trip

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
-----------	-------	-------------	----------------	-----------

Parameter	Value	Description	Parameter Type	Data Type	
tripRequest	<div><div><div>{ "agencyId": 1, "busId": 2. }</div><div></div></div><div>Parameter content type: application/json</div></div>	tripRequest	body	Model	Example Value <div><div>{ "agencyId": 0, "busId": 0, "destStopId": 0, "fare": 0, "journeyTime": 0, "sourceStopId": 0 }</div></div>

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
"agencyId": 1, \
"busId": 2, \
"destStopId": 3, \
"fare": 2, \
"journeyTime": 22/07/2022, \
"sourceStopId": 3 \
}' 'http://localhost:8081/api/v1/trip'
```

Request URL

http://localhost:8081/api/v1/trip

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "timestamp": "2022-07-04T20:51:11.814+00:00",
  "status": 400,
  "error": "Bad Request",
  "trace": "org.springframework.http.converter.HttpMessageNotReadableException: JSON parse error: U
  "message": "JSON parse error: Unexpected character ('/' (code 47)): maybe a (non-standard) commen
```

```
"path": "/api/v1/trip"
}
```

Response Code

400

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "close",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:51:11 GMT",
  "expires": "0",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

PUT

/api/v1/trip

update trip

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	(required)	id	path	long
name	(required)	name	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

POST

/api/v1/trip/agency

get trip by agency

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
name	TANGERANG	name	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
```

Request URL

```
http://localhost:8081/api/v1/trip/agency?name=TANGERANG
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "data": [],
  "message": "No data found",
  "status": 404
}
```

Response Code

404

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:53:56 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

GET /api/v1/trip/bus/{id}

get trip by bus id

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="2"/>	id	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

http://localhost:8081/api/v1/trip/bus/2

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "buses": [
    2
  ],
  "hibernateLazyInitializer": {}
},
"agency": {
  "id": 3,
  "code": "BSD",
  "name": "BUS KOTA DALAM",
  "details": "PT BSD",
  "owner": 3,
  "buses": [
    2
  ],
  "hibernateLazyInitializer": {}
},
{
  "id": 5,
  "fare": 15000.
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:53:33 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

POST

/api/v1/trip/deststop

get trip by destination stop

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
name	tangerang	name	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

Hide Response

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
```


Request URL

```
http://localhost:8081/api/v1/trip/deststop?name=tangerang
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "hibernateLazyInitializer": {},
  "agency": {
    "id": 2,
    "code": "AP",
    "name": "BUS Bandara",
    "details": "PT Angkasa Pura",
    "owner": 3,
    "buses": [],
    "hibernateLazyInitializer": {}
  },
  "message": "success",
  "status": 200
}
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:54:10 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

POST /api/v1/trip/sourcestop

get trip by source stop

Response Class (Status 200)

OK

Model | Example Value

```
{}
```

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
name	medan	name	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out! [Hide Response](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
```

Request URL

```
http://localhost:8081/api/v1/trip/sourcestop?name=medan
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "destStop": {
    "id": 5,
    "code": "1-14",
    "name": "Tangerang",
    "detail": "Tangerang 1-4",
    "hibernateLazyInitializer": {}
  }
}
```

```
f,
"bus": {
  "id": 2,
  "code": "BAN",
  "capacity": 30,
  "make": "30\n",
  "agency": {
    "id": 3,
    "code": "BSD",
    "name": "BUS KOTA DALAM",
    "details": "PT BSD",
    "owner": 3,
    "buses": [
      2
    ]
  }
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:54:20 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

DELETE /api/v1/trip/{id}

delete trip

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="1"/>	id	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		

Try it out!

[Hide Response](#)

Curl

```
curl -X DELETE --header 'Accept: text/plain' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJz
```

Request URL

```
http://localhost:8081/api/v1/trip/1
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
Success Delete Trip with Id: 1
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-length": "30",
  "content-type": "text/plain; charset=UTF-8",
  "date": "Mon, 04 Jul 2022 20:54:29 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

trip-schedule-controller : Trip Schedule Controller

POST

/api/v1/tripschedules

add trip schedule

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
tripScheduleRequest	(required) <div><div>Parameter content type: application/json</div></div>	tripScheduleRequest	body	Model Example Value <div><pre>{ "availableSeats": 0, "tripDate": "string", "tripDetail": 0}</pre></div>

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

DELETE

/api/v1/tripschedules/{id}

delete ticket

Response Class (Status 200)



OK

Model | Example Value