

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

```
http://localhost:8081/api/v1/stop
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "code": "1-4",
  "name": "Palembang 1-4",
  "detail": "Palembang"
},
{
  "id": 4,
  "code": "1-5",
  "name": "Lampung 1-5",
  "detail": "Lampung"
},
{
  "id": 5,
  "code": "1-10",
  "name": "Tangerang 1-10",
  "detail": "Tangerang"
}
],
"message": "success",
"status": 200
}
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:43:46 GMT",
}
```

```
"expires": "0",
"keep-alive": "timeout=60",
"pragma": "no-cache",
"transfer-encoding": "chunked",
"vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
"x-content-type-options": "nosniff",
"x-frame-options": "DENY",
"x-xss-protection": "1; mode=block"
}
```

POST

/api/v1/stop

add stop

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

/

Parameters

Parameter	Value	Description	Parameter Type	Data Type
stopReq	<div><pre>{ "code": "1-18", "name": "Tangerang", }</pre></div> <div>Parameter content type: application/json</div>	stopReq	body	<div><div>Model</div><div>Example Value</div></div> <div><pre>{ "code": "string", "detail": "string", "name": "string" }</pre></div>

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Hide Response

[Try it out!](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
  \
  "code": "1-18", \
  "name": "Tangerang", \
  "detail": "Tangerang 1-4" \
}' 'http://localhost:8081/api/v1/stop'
```

Request URL

http://localhost:8081/api/v1/stop

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "data": {
    "id": 6,
    "code": "1-18",
    "name": "Tangerang",
    "detail": "Tangerang 1-4"
  },
  "message": "success",
  "status": 200
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:46:08 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

GET

[/api/v1/stop/{code}](#)[get stop by code](#)

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
code	1-10	code	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out! [Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

```
http://localhost:8081/api/v1/stop/{code}?code=1-10
```

Request Headers

```
{  "Accept": "*/*"}
```

Response Body

```
{  "data": [    {      "id": 5,
```

```
{
  "code": "1-10",
  "name": "Tangerang 1-10",
  "detail": "Tangerang"
},
{
  "message": "success",
  "status": 200
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:46:27 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

DELETE /api/v1/stop/{id}

delete stop

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="6"/>	id	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		
<div>Try it out!</div>		Hide Response	

Curl

```
curl -X DELETE --header 'Accept: text/plain' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJz
```

Request URL

```
http://localhost:8081/api/v1/stop/6
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
Success Delete Stop with Id: 6
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-length": "30",
  "content-type": "text/plain; charset=UTF-8",
  "date": "Mon, 04 Jul 2022 20:46:38 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

PUT

/api/v1/stop/{id}

update stop

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type */*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	5	id	path	long
stopReq	<div><div><div><div>"code": "1-14", "name": "Tangerang"</div></div></div><div>Parameter content type: application/json</div></div>	stopReq	body	<div>Model<div>Example Value<div><div>{ "code": "string", "detail": "string", "name": "string" }</div></div></div></div>

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'Au
  "code": "1-14", \
  "name": "Tangerang", \
  "detail": "Tangerang 1-4" \
}' 'http://localhost:8081/api/v1/stop/5'
```

Request URL

http://localhost:8081/api/v1/stop/5

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "data": {
    "id": 5,
    "code": "1-14",
    "name": "Tangerang",
    "detail": "Tangerang 1-4"
  },
  "message": "success",
  "status": 200
}
```

Response Code

200

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:47:29 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

GET /api/v1/stop/{name}

get stop by name

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type */* ▼

Parameters

Parameter	Value	Description	Parameter Type	Data Type
name	<input type="text" value="medan"/>	name	query	string

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

```
http://localhost:8081/api/v1/stop/{name}?name=medan
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
{
  "data": [
    {
      "id": 1,
      "code": "1-2",
      "name": "Medan",
      "detail": "Medan"
    },
    {
      "id": 2,
      "code": "1-3",
      "name": "Aceh-Medan",
      "detail": "Aceh"
    }
  ],
  "message": "success",
  "status": 200
}
```

Response Code

```
200
```