

Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type \*/\*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
tripScheduleRequest	<div><pre>{   "availableSeats": 3,   "tripDate": "22/07/2022" }</pre></div> <div>Parameter content type: <span>application/json</span></div>	tripScheduleRequest	body	Model   Example Value <div><pre>{   "availableSeats": 0,   "tripDate": "string",   "tripDetail": 0 }</pre></div>

Response Messages

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

Curl

```
curl -X POST --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'A
  "availableSeats": 3, \
  "tripDate": "22/07/2022", \
  "tripDetail": 2 \
}' 'http://localhost:8081/api/v1/tripschedules'
```

Request URL

http://localhost:8081/api/v1/tripschedules

## Request Headers

```
{
  "Accept": "*/*"
}
```

## Response Body

```
{
  "code": "BAN",
  "capacity": 30,
  "make": "30\n",
  "agency": {
    "id": 3,
    "code": "BSD",
    "name": "BUS KOTA DALAM",
    "details": "PT BSD",
    "owner": 3,
    "buses": [
      2
    ],
    "hibernateLazyInitializer": {}
  },
  "hibernateLazyInitializer": {}
},
{
  "agency": {
    "id": 2,
    "code": "AP",
    "name": "BUS Bandara",
    "details": "PT Angkasa Pura"
```

## Response Code

200

## Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:57:45 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

DELETE /api/v1/tripschedules/{id}

delete ticket

## Response Class (Status 200)

OK

Model Example Value



```
{}
```

Response Content Type \*/\*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	<input type="text" value="1"/>	id	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
204	No Content		
401	Unauthorized		
403	Forbidden		

Try it out!

[Hide Response](#)

Curl

```
curl -X DELETE --header 'Accept: text/plain' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJz
```

Request URL

```
http://localhost:8081/api/v1/tripschedules/1
```

Request Headers

```
{
  "Accept": "*/*"
}
```

Response Body

```
Success Delete TripSchedule with Id: 1
```

Response Code

```
200
```

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",

```

```
"connection": "keep-alive",
"content-length": "38",
"content-type": "text/plain;charset=UTF-8",
"date": "Mon, 04 Jul 2022 20:56:27 GMT",
"expires": "0",
"keep-alive": "timeout=60",
"pragma": "no-cache",
"vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
"x-content-type-options": "nosniff",
"x-frame-options": "DENY",
"x-xss-protection": "1; mode=block"
}
```

GET

/api/v1/tripschedules/{id}

get trip schedule

Response Class (Status 200)

OK

Model

Example Value

```
{}
```

Response Content Type

\*/\*

Parameters

Parameter	Value	Description	Parameter Type	Data Type
id	3	id	path	long

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

Hide Response

Curl

```
curl -X GET --header 'Accept: application/json' --header 'Authorization: Bearer eyJhbGciOiJIUzUxMiJ9.e
```

Request URL

```
http://localhost:8081/api/v1/tripschedules/3
```

Request Headers

```
{
  "Accept": "*/*"
}
```

## Response Body

```
{
  "timestamp": "2022-07-04T20:57:54.632+00:00",
  "status": 404,
  "error": "Not Found",
  "trace": "org.springframework.web.server.ResponseStatusException: 404 NOT_FOUND \"No value present\"",
  "message": "No value present",
  "path": "/api/v1/tripschedules/3"
}
```

## Response Code

404

## Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "keep-alive",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:57:54 GMT",
  "expires": "0",
  "keep-alive": "timeout=60",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

PUT /api/v1/tripschedules/{id}

update trip schedule

## Response Class (Status 200)



OK

Model | Example Value

```
{}
```

Response Content Type \*/\* ▼

Parameter	Value	Description	Parameter Type	Data Type
id	3	id	path	long
tripScheduleRequest	<pre>{   "availableSeats": 24,   "tripDate": "22/07/2022" }</pre> <p>Parameter content type: application/json ▼</p>	tripScheduleRequest	body	<div>Model</div> <div>Example Value</div> <pre>{   "availableSeats": 0,   "tripDate": "string",   "tripDetail": 0 }</pre>

HTTP Status Code	Reason	Response Model	Headers
201	Created		
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!

[Hide Response](#)

```
curl -X PUT --header 'Content-Type: application/json' --header 'Accept: application/json' --header 'Au
  "availableSeats": 24, \
  "tripDate": "22/07/2022", \
  "tripDetail": 3 \
}' 'http://localhost:8081/api/v1/tripschedules/3'
```

```
http://localhost:8081/api/v1/tripschedules/3
```

```
{
  "Accept": "*/*"
}
```

```
{
  "timestamp": "2022-07-04T20:58:04.959+00:00",
  "status": 500,
  "error": "Internal Server Error",
  "trace": "java.util.NoSuchElementException: No value present\r\n\tat java.util.Optional.get(Optional.java:163)\r\n\tat com.miguelcarrascosa.springboot.controllers.HomeController.hello(HomeController.java:10)",
  "message": "No value present",
}
```

```
"path": "/api/v1/tripschedules/3"
}
```

Response Code

500

Response Headers

```
{
  "cache-control": "no-cache, no-store, max-age=0, must-revalidate",
  "connection": "close",
  "content-type": "application/json",
  "date": "Mon, 04 Jul 2022 20:58:04 GMT",
  "expires": "0",
  "pragma": "no-cache",
  "transfer-encoding": "chunked",
  "vary": "Origin, Access-Control-Request-Method, Access-Control-Request-Headers",
  "x-content-type-options": "nosniff",
  "x-frame-options": "DENY",
  "x-xss-protection": "1; mode=block"
}
```

user-controller : User Controller

GET

/api/v1/user

get all user

Response Class (Status 200)

OK

Model

Example Value

{}

Response Content Type

\*/\*

Response Messages

HTTP Status Code	Reason	Response Model	Headers
401	Unauthorized		
403	Forbidden		
404	Not Found		

Try it out!