Execution Environment

Host name 095050 - LAPTOP-BRAVO10.bfi.co.id

Local OS Windows 10 64bit

Katalon version 8.3.5.208

Browser Chrome 103.0.5060.114

Summary

ID Test Suites/TS_01

Description

Total 3

Passed 2 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-07-11 15:25:21 End 2022-07-11 15:25:51

Elapsed 29.159s

#	ID	Description	Status
1	Test Cases/KOTAKOKI_Project/USER ACCOUNT/UA02_Login		PASSED
2	Test Cases/KOTAKOKI_Project/SHOP MENU/SH004_Proccesproduct03		PASSED
3	Test Cases/KOTAKOKI_Project/Checkout/CO01_Page Checkout01		FAILED

UA02_Login

Information

ID Test Cases/KOTAKOKI_Project/USER ACCOUNT/UA02_Login

Description

Tag

Start 2022-07-11 15:25:22 End 2022-07-11 15:25:32

Elapsed 10.544s
Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.800s	PASSED
2	navigateToUrl("https://kotakoki.wijaysali.my.id/") Navigate to 'https://kotakoki.wijaysali.my.id/' successfully	1.364s	PASSED
3	click(findTestObject("Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Kotakoki/Login")) Object: 'Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Kotakoki/Login' is clicked on	1.384s	PASSED
4	setText(findTestObject("Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/Username"), "YusufRaja27") Text 'YusufRaja27' is set on object 'Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/Username'	0.863s	PASSED
5	setEncryptedText(findTestObject("Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/Password"), "MIpFiyjEeVAFBIlfgXFAhA==") Text ****** has been set on object 'Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/Password'	0.505s	PASSED

UA02_Login

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/i"))	0.426s	PASSED
	Object: 'Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/i' is clicked on		
7	click(findTestObject("Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/submit-btn"))	2.777s	PASSED

Object: 'Object Repository/KOTAKOKI_Project/USER ACOUNT/Login Page/Page_Login/submit-btn' is clicked on

SH004_Proccesproduct03

Information

ID Test Cases/KOTAKOKI_Project/SHOP MENU/SH004_Proccesproduct03

Description

Tag

Start 2022-07-11 15:25:32 End 2022-07-11 15:25:49

Elapsed 17.261s Status PASSED

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.291s	PASSED
2	navigateToUrl("https://kotakoki.wijaysali.my.id/") Navigate to 'https://kotakoki.wijaysali.my.id/" successfully	1.332s	PASSED
3	click(findTestObject("KOTAKOKI_Project/SHOP/Shop3/Website/span_Shop")) Object: 'Object Repository/KOTAKOKI_Project/SHOP/Shop3/Website/span_Shop' is clicked on	1.129s	PASSED
4	verifyElementPresent(findTestObject("KOTAKOKI_Project/SHOP/Shop3/Page_Products/ShopFilters"), 5) Object 'Object Repository/KOTAKOKI_Project/SHOP/Shop3/Page_Products/ShopFilters' is present	0.509s	PASSED
5	click(findTestObject("KOTAKOKI_Project/SHOP/Shop3/Page_Products/Filters")) Object: 'Object Repository/KOTAKOKI_Project/SHOP/Shop3/Page_Products/Filters' is clicked on	0.447s	PASSED
6	click(findTestObject("KOTAKOKI_Project/SHOP/Shop3/Page_Products/img_New")) Object: 'Object Repository/KOTAKOKI_Project/SHOP/Shop3/Page_Products/img_New' is clicked on	0.698s	PASSED

SH004_Proccesproduct03

#	Description	Elapsed	Status
7	uji = verifyElementText(findTestObject("KOTAKOKI_Project/SHOP/Shop3/Page/bdi_Rp20.000"), "Rp20.000") Actual text and expected text of test object 'Object	0.504s	PASSED
8	<pre>if (uji == true) Object: 'Object Repository/KOTAKOKI_Project/SHOP/Shop3/Page_Cart/checkout' is clicked on</pre>	8.989s	PASSED
9	closeBrowser() Browser is closed	0.755s	PASSED

CO01_Page Checkout01

Information

ID Test Cases/KOTAKOKI_Project/Checkout/CO01_Page Checkout01

Description

Tag

Start 2022-07-11 15:25:50 End 2022-07-11 15:25:50

Elapsed 0.069s Status FAILED

Details

Description Elapsed Status

CO01_Page Checkout01

Descrip	otion	Elapsed	Statu
		•	- 15111
	t(findTestObject AKOKI_Project/Checkout/checkout01/Page_Checkout/first_name"), "Yusuf ")	0.060s	FAILE
	to set text 'Yusuf' of object 'Object		
	tory/KOTAKOKI_Project/Checkout/checkout01/Page_Checkout/first_name' (Root		
	com.kms.katalon.core.exception.StepFailedException: Unable to set text 'Yusuf' of		
object '			
Reposi	tory/KOTAKOKI_Project/Checkout/checkout01/Page_Checkout/first_name'		
0.87 1.11	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
(WebU	IKeywordMain.groovy:64)		
/\/\ab	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(webu)	IKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SatTa	xtKeyword.groovy:66)		
(Oct 1 c.	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute		
(SetTe	xtKeyword.groovy:37)		
(00110)	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	eKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebU	iBuiltInKeywords.groovy:980)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$2.call		
(Unkno	wn Source)		
	at CO01_Page Checkout01.run(CO01_Page Checkout01:20)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:11			
iovo 44	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:44	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
java. 10	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestC	aseExecutor.java:415)		
(10000	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	aseExecutor.java:407)		
•	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28	4)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:36			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:36			
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:36			
(Comm	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(COITIII)	nonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSi	uiteExecutor.java:144)		
(163131	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	a. ss rostourozzoodioi rostourozzoodioi pava.		
- - /	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
185)			
,	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source			
	at TempTestSuite1657527911128.run(TempTestSuite1657527911128.groovy:36)		
	by: org.openqa.selenium.NoSuchSessionException: Session ID is null. Using		
	iver after calling quit()?		
	fo: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
System	info: host: 'I APTOP-RRAVO10' in: '192 168 0 103' as name: 'Windows 10' as		

System info: host: 'LAPTOP-BRAVO10', ip: '192.168.0.103', os.name: 'Windows 10', os.

arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'

CO01_Page Checkout01

```
Description
                                                                                         Elapsed
                                                                                                           Status
Driver info: driver.version: RemoteWebDriver
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:125)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at\ or g. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1016)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:733)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
find Web Element (Web UIAbstract Keyword. groovy: 26) \\
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:51)
         at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
         at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUlKeywordMain.groovy:20)
         at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:66)
         at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKeyword.groovy:37)
         at\ com.kms. katalon. core. keyword. internal. Keyword Executor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:980)
         at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$setText$2.call
(Unknown Source)
         at Script1657525090714.run(Script1657525090714.groovy:20)
```

... 16 more