

DPLK

Regression Test

CRProject Code

Automation Test Execution Document

Prepared By Automation Team

2023-02-02



COPYRIGHT NOTICE

Copyright © (2020) by BNI-STI

All right reserved. This material is confidential and proprietary to BNI-STI and no part of this material should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the material be disclosed to third parties without the express written authorization of BNI-STI.

Automation Test Execution Document



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

The information in this document has been duly reviewed and agreed by the following representatives of each party, continue to the next step.

Tester/Developer	Test Manager	Testing Group Head
<u>Automation Tester 1</u>	_____	_____
<u>Automation Tester 2</u>		
Development Manager	Requirement Manager/Business Analyst	Project Manager
_____	_____	_____

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

Table of Content

Table of Content	3
1. Short Description	4
2. Business/System Requirements	4
3. System Impacted	4
4. System Changes	4
Document Summary	5
Document Attributes	6
DPLKINV038-001	7
1. Input Data Login	7
2. Login Berhasil	8
3. Pilih Sidebar Setup Pada Investasi	8
4. Pilih Submenu Setup PIC Broker	9
5. Search Data yang Akan Diverifikasi	9
6. Klik Button Checklist	9
7. Berikut Detail Data Sebelum Diverifikasi	10
8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan	10
9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi	11
10. Data Berhasil Diverifikasi	11
11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	12
12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	12
13. Klik Button Logout	13
14. Berhasil Logout	13

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

1. Short Description

2. Business/System Requirements

N/A

3. System Impacted

N/A

4. System Changes

N/A

Project No	Project Code	Tester	Automation Team
Project Type	CR / IR / MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

Document Summary

Total Passed	Total Failed	Total Done	Total
1	0	0	1

TC ID	Scenario Name	Test Case	Procedure/Test Step	Status
DPLKINV0 38-001	Normal - Investasi - General	Verifikasi - Setuju Setup PIC Broker	1. Input Data Login	Done
			2. Login Berhasil	Passed
			3. Pilih Sidebar Setup Pada Investasi	Passed
			4. Pilih Submenu Setup PIC Broker	Passed
			5. Search Data yang Akan Diverifikasi	Done
			6. Klik Button Checklist	Done
			7. Berikut Detail Data Sebelum Diverifikasi	Done
			8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan	Done
			9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi	Done
			10. Data Berhasil Diverifikasi	Passed
			11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	Done
			12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	Done
			13. Klik Button Logout	Done
			14. Berhasil Logout	Passed

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

Document Attributes

Key	Value
UFT Version	15.0.1
Browser	chrome
Browser Version	107.0.5304.107 (Official Build) (64-bit)
Global Library	BNI_GlobalFunction.qfl
Report Library	Run Report BNI.vbs
DPLK Library	DPLKLib_Menu.qfl

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

DPLKINV038-001

Use Case Description

Normal - Investasi - General

Scenario Description

Verifikasi - Setuju Setup PIC Broker

Preparations


01. Username : 32070
02. Password : bni1234
03. Role : 18/19 - Pimpinan Kelompok Investasi/Pengelola Investasi
04. Kode Broker : 492 - AMANTARA
05. Status Verifikasi : 1 : Setuju
06. Keterangan Verifikasi : DATA APPROVAL

Exit Criteria

Verifikasi dapat dilakukan dengan baik

Test Steps

1. Input Data Login



UserID: 32070


Project No
Project Type
Short
Description

Project Code
CR-IR-MR
Automation Test Execution Document


Tester
Start Date
End Date

Automation Team
02 Feb 2023 16:09:26,469
02 Feb 2023 16:11:10,050

2. Login Berhasil




3. Pilih Sidebar Setup Pada Investasi



Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

4. Pilih Submenu Setup PIC Broker




The screenshot shows the 'SETUP PIC BROKER' page in the DPLK Sure application. The left sidebar contains a menu with 'Setup PIC Broker' highlighted. The main area displays a table with 2 entries:

AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AKTIF
<input checked="" type="checkbox"/>	0	TEMPORARY	xxx					Tidak
<input checked="" type="checkbox"/>	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tidak

Showing 1 to 2 of 2 entries

5. Search Data yang Akan Diverifikasi



The screenshot shows the 'SETUP PIC BROKER' page in the DPLK Sure application. The search bar at the top right contains the value '492'. The table below displays 1 entry:

AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AKTIF
<input checked="" type="checkbox"/>	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tidak


Showing 1 to 1 of 1 entries

6. Klik Button Checklist



Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

7. Berikut Detail Data Sebelum Diverifikasi



DPLK Sure | Kamis, 04 Agustus 2022 | 05:19:15

KAMALIA REFRINIDA 32070

Kantor: 010 PALEMBANG
Outlet: -
Role: RL18-Pim Kel Investasi
Level Kap: -

Cari menu...


- Setup Group Emiten
- Setup Emiten
- Setup Sektor
- Setup Subsektor
- Setup Jenis Broker
- Setup Broker
- Setup PIC Broker**
- Setup Tipe Deviden
- Setup Jenis Beban
- Setup Parameter Investasi
- Setup Mapping Jurnal Inv

Pasar Uang
Fixed Income
Reksadana
Investasi Umum

SETUP PIC BROKER - APPROVE

Kode Broker: 492 : AMANTARA SECURITIES
Nama: Cut Nyak Dien
Alamat: -
No. Telepon: -
No. Hp: -
Fax: -
Email: -
Non-Aktif: Tidak
Tanggal Non-Aktif: -
Keterangan: -
No. Urut: 23
Petugas Register: 31246
Tanggal Register: 02/02/2023 15:59:12
Status Register: 1 : Lanjutkan ke Verifikasi
Keterangan Register: DATA UNTUK DIVERIFIKASI

8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan



DPLK Sure | Kamis, 04 Agustus 2022 | 05:19:15

KAMALIA REFRINIDA 32070

Kantor: 010 PALEMBANG
Outlet: -
Role: RL18-Pim Kel Investasi
Level Kap: -

Cari menu...

- Setup Group Emiten
- Setup Emiten
- Setup Sektor
- Setup Subsektor
- Setup Jenis Broker
- Setup Broker
- Setup PIC Broker**
- Setup Tipe Deviden
- Setup Jenis Beban
- Setup Parameter Investasi
- Setup Mapping Jurnal Inv

Pasar Uang
Fixed Income
Reksadana
Investasi Umum

SETUP PIC BROKER - APPROVE


Fax: -
Email: -
Non-Aktif: Tidak
Tanggal Non-Aktif: -
Keterangan: -
No. Urut: 23
Petugas Register: 31246
Tanggal Register: 02/02/2023 15:59:12
Status Register: 1 : Lanjutkan ke Verifikasi
Keterangan Register: DATA UNTUK DIVERIFIKASI
Petugas Verifikasi: -
Tanggal Verifikasi: -
Status Verifikasi: 1 : Setuju
Keterangan Verifikasi: DATA APPROVAL

Simpan **Kembali**

DPLK BNI berizin dan diawasi oleh Otoritas Jasa Keuangan (OJK)
Copyright © 2022 - PT. Bank Negara Indonesia (Persero) Tbk.

Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi



Form Otorisasi

Silahkan masukan password

Id User: 32070


Password: *****

Submit

Simpan Kembali

DPLK Sure dan semua data adalah Data Keuangan (Duk)
Copyright © 2022 - PT. Bank Negara Indonesia (Persero) Tbk.

10. Data Berhasil Diverifikasi



SETUP PIC BROKER

Show 10 rows Copy To Clipboard Export to excel Export to CSV Export to PDF Export All to Excel Search:

AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AKTIF
<input checked="" type="checkbox"/>	0	TEMPORARY	xxx					Tidak
<input checked="" type="checkbox"/>	492	AMANTARA SECURITIES	Cut Nyak Dien					Tidak


Showing 1 to 2 of 2 entries

Previous 1 Next

✓ Data berhasil diupdate

Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi



SETUP PIC BROKER

Search: 492


AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AKTIF
	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tidak

Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi



SETUP PIC BROKER

Search: 492

IO. HP. PIC	EMAIL PIC	NON-AKTIF	KETERANGAN	NO. URUT	STATUS REGISTRASI	STATUS VERIFIKASI
		Tidak	-	23	Lanjutkan ke Verifikasi : DATA UNTUK DIVERIFIKASI	Setuju : DATA APPROVAL


Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	02 Feb 2023 16:09:26,469
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:11:10,050
Description			

13. Klik Button Logout



SETUP PIC BROKER

Show 10 rows Copy To Clipboard Export to excel Export to CSV Export to PDF Export All to Excel


IO, HP, PIC	EMAIL PIC	NON-AKTIF	KETERANGAN	NO. URUT	STATUS REGISTRASI
		Tidak		23	Lanjutkan ke Verifikasi : DATA UNTUK DIVERIFIKASI

Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

14. Berhasil Logout



BNI
Melayani Negeri, Kebanggaan Bangsa

BNI DPLK Sure
Safe, User Friendly, RELiable system

Login

Username

Password

Login