

DPLK

Regression Test

CRProject Code

Automation Test Execution Document

Prepared By Automation Team

2023-03-28



COPYRIGHT NOTICE

Copyright © (2020) by BNI-STI

All right reserved. This material is confidential and proprietary to BNI-STI and no part of this material should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the material be disclosed to third parties without the express written authorization of BNI-STI.

Automation Test Execution Document



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

The information in this document has been duly reviewed and agreed by the following representatives of each party, continue to the next step.

Tester/Developer	Test Manager	Testing Group Head
<u>Automation Tester 1</u>	_____	_____
<u>Automation Tester 2</u>		
Development Manager	Requirement Manager/Business Analyst	Project Manager
_____	_____	_____

Project No	Project Code	Tester	Automation Team
Project Type	CR / IR / MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

Table of Content

Table of Content	3
1. Short Description	4
2. Business/System Requirements	4
3. System Impacted	4
4. System Changes	4
Document Summary	5
Document Attributes	6
DPLKINV038-001	7
1. Input Data Login	7
2. Login Berhasil	8
3. Pilih Sidebar Setup Pada Investasi	8
4. Pilih Submenu Setup PIC Broker	9
5. Search Data yang Akan Diverifikasi	9
6. Klik Button Checklist	9
7. Berikut Detail Data Sebelum Diverifikasi	10
8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan	10
9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi	11
10. Data Berhasil Diverifikasi	11
11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	12
12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	12
13. Klik Button Logout	13
14. Berhasil Logout	13

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

1. Short Description

2. Business/System Requirements

N/A

3. System Impacted

N/A

4. System Changes

N/A

Project No	Project Code	Tester	Automation Team
Project Type	CR / IR / MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

Document Summary

Total Passed	Total Failed	Total Done	Total
1	0	0	1

TC ID	Scenario Name	Test Case	Procedure/Test Step	Status
DPLKINV0 38-001	Normal - Investasi - General	Verifikasi - Setuju Setup PIC Broker	1. Input Data Login	Done
			2. Login Berhasil	Passed
			3. Pilih Sidebar Setup Pada Investasi	Passed
			4. Pilih Submenu Setup PIC Broker	Passed
			5. Search Data yang Akan Diverifikasi	Done
			6. Klik Button Checklist	Done
			7. Berikut Detail Data Sebelum Diverifikasi	Done
			8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan	Done
			9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi	Done
			10. Data Berhasil Diverifikasi	Passed
			11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	Done
			12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi	Done
			13. Klik Button Logout	Done
			14. Berhasil Logout	Passed

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

Document Attributes

Key	Value
UFT Version	15.0.1
Browser	chrome
Browser Version	107.0.5304.107 (Official Build) (64-bit)
Global Library	BNI_GlobalFunction.qfl
Report Library	Run Report BNI.vbs
DPLK Library	DPLKLib_Menu.qfl

Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

DPLKINV038-001

Use Case Description

Normal - Investasi - General

Scenario Description

Verifikasi - Setuju Setup PIC Broker

Preparations


01. Username : 32070
02. Password : bni1234
03. Role : 18/19 - Pimpinan Kelompok Investasi/Pengelola Investasi
04. Kode Broker : 492 - AMANTARA
05. Status Verifikasi : 1 : Setuju
06. Keterangan Verifikasi : DATA APPROVAL

Exit Criteria

Verifikasi dapat dilakukan dengan baik

Test Steps

1. Input Data Login



UserID: 32070


Project No
Project Type
Short
Description

Project Code
CR-IR-MR
Automation Test Execution Document

Tester
Start Date
End Date

Automation Team
28 Mar 2023 11:08:00,083
28 Mar 2023 11:09:38,414

2. Login Berhasil




3. Pilih Sidebar Setup Pada Investasi



Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

4. Pilih Submenu Setup PIC Broker




SETUP PIC BROKER

Showing 1 to 2 of 2 entries

AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AI
<input checked="" type="checkbox"/>	0	TEMPORARY	xxx					Tid
<input checked="" type="checkbox"/>	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tid

5. Search Data yang Akan Diverifikasi



SETUP PIC BROKER

Showing 1 to 1 of 1 entries


AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AI
<input checked="" type="checkbox"/>	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tid

6. Klik Button Checklist



Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

7. Berikut Detail Data Sebelum Diverifikasi



DPLK Sure | Sabtu, 03 September 2022 | 01:23:11

KAMALIA REFRINIDA 32070

Kantor: 010 PALEMBANG
Outlet: -
Role: RL18-Pim Kel Investasi
Level Kap: -

Cari menu...


- Setup Jenis Broker
- Setup Broker
- **Setup PIC Broker**
- Setup Tipe Deviden
- Setup Jenis Beban
- Setup Parameter Investasi
- Setup Mapping Jurnal Inv

Pasar Uang
Fixed Income
Reksadana
Investasi Umum
Kepesertaan
Transaksi

SETUP PIC BROKER - APPROVE

Kode Broker: 492 : AMANTARA SECURITIES
Nama: Cut Nyak Dien
Alamat: -
No. Telepon: -
No. Hp: -
Fax: -
Email: -
Non-Aktif: Tidak
Tanggal Non-Aktif: -
Keterangan: -
No. Urut: 23
Petugas Register: 31246
Tanggal Register: 28/03/2023 11.04.57
Status Register: 1 : Lanjutkan ke Verifikasi
Keterangan Register: DATA UNTUK DIVERIFIKASI

8. Isi Field Status Verifikasi dan Keterangan Verifikasi, Kemudian Klik Button Simpan



DPLK Sure | Sabtu, 03 September 2022 | 01:23:11

KAMALIA REFRINIDA 32070

Kantor: 010 PALEMBANG
Outlet: -
Role: RL18-Pim Kel Investasi
Level Kap: -

Cari menu...

- Setup Jenis Broker
- Setup Broker
- **Setup PIC Broker**
- Setup Tipe Deviden
- Setup Jenis Beban
- Setup Parameter Investasi
- Setup Mapping Jurnal Inv

Pasar Uang
Fixed Income
Reksadana
Investasi Umum
Kepesertaan
Transaksi
Proses
Inquiry
Laporan

SETUP PIC BROKER - APPROVE


Fax: -
Email: -
Non-Aktif: Tidak
Tanggal Non-Aktif: -
Keterangan: -
No. Urut: 23
Petugas Register: 31246
Tanggal Register: 28/03/2023 11.04.57
Status Register: 1 : Lanjutkan ke Verifikasi
Keterangan Register: DATA UNTUK DIVERIFIKASI
Petugas Verifikasi: -
Tanggal Verifikasi: -
Status Verifikasi: 1 : Setuju
Keterangan Verifikasi: DATA APPROVAL

Simpan **Kembali**


DPLK BNI berizin dan diawasi oleh Otoritas Jasa Keuangan (OJK)
Copyright © 2022 - PT. Bank Negara Indonesia (Persero) Tbk.

Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

9. Muncul Form Otorisasi, Isi Password yang Anda Gunakan Saat Login Untuk Konfirmasi




10. Data Berhasil Diverifikasi



Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

11. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi



SETUP PIC BROKER

Search: 492


AKSI	KODE BROKER	NAMA BROKER	NAMA PIC	ALAMAT PIC	NO. TELP. PIC	NO. HP. PIC	EMAIL PIC	NON-AI
	492	AMANTARA SECURITIES	Cut Nyak Dien	-				Tid

Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

12. Berikut Data Dengan Kode Broker : 492 Setelah Diverifikasi



SETUP PIC BROKER

Search: 492

P. PIC	EMAIL PIC	NON-AKTIF	KETERANGAN	NO. URUT	STATUS REGISTRASI	STATUS VERIFIKASI
Tidak			-	23	Lanjutkan ke Verifikasi : DATA UNTUK DIVERIFIKASI	Setuju : DATA APPROVAL


Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

Project No	Project Code	Tester	Automation Team
Project Type	CR-IR-MR	Start Date	28 Mar 2023 11:08:00,083
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:09:38,414
Description			

13. Klik Button Logout




SETUP PIC BROKER

Showing 1 to 1 of 1 entries

Previous 1 Next

✓ Data berhasil diupdate

14. Berhasil Logout



BNI
Melayani Negeri, Kebanggaan Bangsa

Login

Username

Password

Login