

Prepared By Automation Team 2023-02-02



All right reserved. This material is confidential and proprietary to BNI-STI and no part of this material should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the material be disclosed to third parties without the express written authorization of BNI-STI.



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:16:53,945
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:18:34,721
Description			

The information in this document has been duly reviewed and agreed by the following representatives of each party, continue to the next step.

Tester/Developer	Test Manager	Testing Group Head
•		<u> </u>
Automation Tester 1		
Automation rester i		
Automation Tester 2		
ratemation rector E		
Development Manager	Requirement Manager/Business	Project Manager
	Analyst	,



Project No
Project Code
Project Type
Short
Description

Project Code
CR-/IR-/MR
Automation Test Execution Document

Tester Start Date End Date Automation Team 02 Feb 2023 16:16:53,945 02 Feb 2023 16:18:34,721

Table of Content

Table of Content	3
1. Short Description	4
2. Business/System Requirements	4
3. System Impacted	
4. System Changes	4
Document Summary	5
Document Attributes	6
DPLKINV039-001	7
1. Input Data Login	7
2. Login Berhasil	
3. Pilih Sidebar Setup Pada Investasi	
Pilih Submenu Setup PIC Broker	
5. Search Data yang Akan Diupdate	
6. Klik Button Edit	
7. Berikut Detail Data Sebelum Diubah	
Berikut Detail Data Sebelum Diubah	10
9. Ubah Field Sesuai Kebutuhan	
10. Ubah Field Sesuai Kebutuhan, Kemudian Klik Button	
11. Data Berhasil Diupdate	
12. Berikut Data Dengan Kode Broker : 492 Setelah Diup	date12
13. Klik Button Logout	13
14 Berhasil Logout	13



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:16:53,945
Short	Automation Test Execution Document	End Date	02 Feb 2023 16:18:34,721
Description			

1. Short Description

2. Business/System Requirements N/A

3. System Impacted N/A

4. System Changes N/A



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

Document Summary

Total Passed	Total Failed	Total Done	Total
1	0	0	1

TC ID	Scenario Name	Test Case	Procedure/Test Step	Status
DPLKINV0	Normal - Investasi - General	Ubah Setup PIC Broker	1. Input Data Login	Done
39-001			2. Login Berhasil	Passed
			Pilih Sidebar Setup Pada Investasi	Passed
			4. Pilih Submenu Setup PIC Broker	Passed
			5. Search Data yang Akan Diupdate	Done
			6. Klik Button Edit	Done
			7. Berikut Detail Data Sebelum Diubah	Done
			Berikut Detail Data Sebelum Diubah	Done
			9. Ubah Field Sesuai Kebutuhan	Done
			10. Ubah Field Sesuai Kebutuhan,	Done
			Kemudian Klik Button Simpan	
			11. Data Berhasil Diupdate	Passed
			12. Berikut Data Dengan Kode Broker : 492	Done
			Setelah Diupdate	
			13. Klik Button Logout	Done
			14. Berhasil Logout	Passed



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	02 Feb 2023 16:16:53,945
Short Description	Automation Test Execution Document	End Date	02 Feb 2023 16:18:34,721

Document Attributes

Key	Value
UFT Version	15.0.1
Browser	chrome
Browser Version	107.0.5304.107 (Official Build) (64-bit)
Global Library	BNI_GlobalFunction.qfl
Report Library	Run Report BNI.vbs
DPLK Library	DPLKLib_Menu.qfl



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

DPLKINV039-001

Use Case Description

Normal - Investasi - General

Scenario Description

Ubah Setup PIC Broker

Preparations

01. Username : 31246 02. Password : bni1234

03. Role : 20/21 - Analis Investasi/Asisten Investasi 04. Kode Broker : 492 - AMANTARA SECURITIES

05. Nama: Dienty

06. Alamat : Permata Hijau II

07. No. Telepon: -

08. No. Hp: 081932541429

09. Fax:-

10. Email: dien123@gmail.com


11. Non-Aktif : Tidak12. Tanggal Non-Aktif : -13. Keterangan : QAS

Exit Criteria

Edit Dapat dilakukan dengan baik

Test Steps

1. Input Data Login




UserID: 31246




Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

2. Login Berhasil




3. Pilih Sidebar Setup Pada Investasi






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

4. Pilih Submenu Setup PIC Broker



5. Search Data yang Akan Diupdate




6. Klik Button Edit






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

7. Berikut Detail Data Sebelum Diubah




8. Berikut Detail Data Sebelum Diubah






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

9. Ubah Field Sesuai Kebutuhan




10. Ubah Field Sesuai Kebutuhan, Kemudian Klik Button Simpan






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

11. Data Berhasil Diupdate




12. Berikut Data Dengan Kode Broker: 492 Setelah Diupdate





Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 02 Feb 2023 16:16:53,945
Short Automation Test Execution Document Description End Date 02 Feb 2023 16:18:34,721

13. Klik Button Logout



14. Berhasil Logout

