

Prepared By Automation Team 2023-03-28



All right reserved. This material is confidential and proprietary to BNI-STI and no part of this material should be reproduced, published in any form by any means, electronic or mechanical including photocopy or any information storage or retrieval system nor should the material be disclosed to third parties without the express written authorization of BNI-STI.



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:14:30,252
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:16:04,016
Description			

The information in this document has been duly reviewed and agreed by the following representatives of each party, continue to the next step.

to the flext step.		
Tester/Developer	Test Manager	Testing Group Head
Automation Tester 1		
Automation Tester 2		
Development Manager	Requirement Manager/Business	Project Manager
	Analyst	
	_	



Project No Project Code Tester Automation Team
Project Type Short Automation Test Execution Document Description

Project Code Start Date 28 Mar 2023 11:14:30,252 End Date 28 Mar 2023 11:16:04,016

Table of Content

Table of Content	3
1. Short Description	4
2. Business/System Requirements	4
3. System Impacted	
4. System Changes	4
Document Summary	5
Document Attributes	6
DPLKINV039-001	7
1. Input Data Login	7
2. Login Berhasil	
3. Pilih Sidebar Setup Pada Investasi	
Pilih Submenu Setup PIC Broker	
5. Search Data yang Akan Diupdate	
6. Klik Button Edit	
7. Berikut Detail Data Sebelum Diubah	
Berikut Detail Data Sebelum Diubah	10
9. Ubah Field Sesuai Kebutuhan	
10. Ubah Field Sesuai Kebutuhan, Kemudian Klik Button	
11. Data Berhasil Diupdate	
12. Berikut Data Dengan Kode Broker : 492 Setelah Diup	date12
13. Klik Button Logout	13
14 Berhasil Logout	13



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:14:30,252
Short	Automation Test Execution Document	End Date	28 Mar 2023 11:16:04,016
Description			

1. Short Description

2. Business/System Requirements N/A

3. System Impacted N/A

4. System Changes N/A



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

Document Summary

Total Passed	Total Failed	Total Done	Total
1	0	0	1

TC ID	Scenario Name	Test Case	Procedure/Test Step	Status
DPLKINV0	Normal - Investasi - General	Ubah Setup PIC Broker	1. Input Data Login	Done
39-001			2. Login Berhasil	Passed
			Pilih Sidebar Setup Pada Investasi	Passed
			4. Pilih Submenu Setup PIC Broker	Passed
			5. Search Data yang Akan Diupdate	Done
			6. Klik Button Edit	Done
			7. Berikut Detail Data Sebelum Diubah	Done
			Berikut Detail Data Sebelum Diubah	Done
			Ubah Field Sesuai Kebutuhan	Done
			10. Ubah Field Sesuai Kebutuhan,	Done
			Kemudian Klik Button Simpan	
			11. Data Berhasil Diupdate	Passed
			12. Berikut Data Dengan Kode Broker: 492	Done
			Setelah Diupdate	
			13. Klik Button Logout	Done
			14. Berhasil Logout	Passed



Project No	Project Code	Tester	Automation Team
Project Type	CR/IR/MR	Start Date	28 Mar 2023 11:14:30,252
Short Description	Automation Test Execution Document	End Date	28 Mar 2023 11:16:04,016

Document Attributes

Key	Value
UFT Version	15.0.1
Browser	chrome
Browser Version	107.0.5304.107 (Official Build) (64-bit)
Global Library	BNI_GlobalFunction.qfl
Report Library	Run Report BNI.vbs
DPLK Library	DPLKLib_Menu.qfl



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

DPLKINV039-001

Use Case Description

Normal - Investasi - General

Scenario Description

Ubah Setup PIC Broker

Preparations

01. Username : 31246 02. Password : bni1234

03. Role : 20/21 - Analis Investasi/Asisten Investasi 04. Kode Broker : 492 - AMANTARA SECURITIES

05. Nama: Dienty

06. Alamat : Permata Hijau II

07. No. Telepon: -

08. No. Hp: 081932541429

09. Fax:-

10. Email: dien123@gmail.com


11. Non-Aktif: Tidak12. Tanggal Non-Aktif: -13. Keterangan: QAS

Exit Criteria

Edit Dapat dilakukan dengan baik

Test Steps

1. Input Data Login




UserID: 31246



Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

2. Login Berhasil




3. Pilih Sidebar Setup Pada Investasi






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

4. Pilih Submenu Setup PIC Broker



5. Search Data yang Akan Diupdate



6. Klik Button Edit






Project No
Project Code
Project Type
Short
Description

Project Code
CR/IR/MR
Automation Test Execution Document
Description


Tester
Start Date
Start Date
End Date

Automation Team
28 Mar 2023 11:14:30,252
End Date
28 Mar 2023 11:16:04,016

7. Berikut Detail Data Sebelum Diubah



8. Berikut Detail Data Sebelum Diubah






Project No
Project Code
Project Type
Short
Description


Project Code
CR/IR/MR
Automation Test Execution Document
Description

Tester
Start Date
Start Date
End Date
28 Mar 2023 11:16:04,016

9. Ubah Field Sesuai Kebutuhan




10. Ubah Field Sesuai Kebutuhan, Kemudian Klik Button Simpan






Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

11. Data Berhasil Diupdate




12. Berikut Data Dengan Kode Broker: 492 Setelah Diupdate





Project No Project Code Tester Automation Team
Project Type CR/IR/MR Start Date 28 Mar 2023 11:14:30,252
Short Automation Test Execution Document Description End Date 28 Mar 2023 11:16:04,016

13. Klik Button Logout



14. Berhasil Logout

