



# Daemon Dialoguers

Making the logs explain themselves





# Our Main Component



**CONTEXT MODEL**

## Embedding-Based Context

- Find relevant information implicitly on an **ada002** embedded space using cosine similarity search.

## Semantics Based Search

- Finds related tags by grouping them based on **daemon**, **log type** and **uniqueness**, explicitly.



Ada002 Vector store  
with chunk size 300



**General Information**  
50 vectors for Summary &  
Key Points




 **LangChain**  
SummarizeChain



**Anomaly  
Information**  
Warnings + Errors + Outliers  
Based on ranking by TF-IDF  
Matrix

**~500 word summary  
< 60 seconds**



**Editing with**



**GPT - 4**

# Summarization



**chroma**

**SMALL**

Chunks = 300



**chroma**

**LARGE**

Chunks = 1000



Best Matches  
(Cosine)



Memory



GPT - 4

Can you tell me how to solve  
these file errors?



User

#### Answer

The log files indicate a couple of different file errors:

1. Failed to open /etc/resolv.conf: This could be a permissions issue or the file may not exist. Check if the file is present and its permissions are set correctly. If the file is not present, it needs to be created.
2. Failed to open /dev/dri/card0: This error suggests that there may be a problem with the graphics



#### Source and Confidence

```
[
  {
    "Nov 13 12:04:44 CMX58070-101776 rspi4s-daemon[1016]: PIAS: Socket[7]: Error:
    'invalid command 'HEAD''
    Nov 13 12:04:44 CMX58070-101776 rspi4s-daemon[1016]: PIAS: Socket[4]: Data
    channel normally closed (or due to unexpected data)."
```

# Question and Answer



# User Interface



- User-Friendly with functionality to save chats.
- A seamless cross-platform app



# Tech Stack



**Back End**



Dart



Flutter



Streamlit



HEROKU

**Front End**