

Nº 226

LAWS OF LARGE NUMBERS FOR
NON-ADDITIVE PROBABILITIES

James Dow
Sérgio Ribeiro da Costa Werlang

Dezembro de 1993

**Laws of Large Numbers for
Non-additive Probabilities**

by

James DOW*

and

Sérgio Ribeiro da Costa WERLANG**

SUMMARY: We apply the concept of exchangeable random variables to the case of non-additive probability distributions exhibiting uncertainty aversion, and in the class generated by a convex core (convex non-additive probabilities, with a convex core). We are able to prove two versions of the law of large numbers (de Finetti's Theorems). By making use of two definitions of independence we prove two versions of the strong law of large numbers. It turns out that we cannot assure the convergence of the sample averages to a constant. We then model the case there is a "true" probability distribution behind the successive realizations of the uncertain random variable. In this case convergence occurs. This result is important because it renders true the intuition that it is possible "to learn" the "true" additive distribution behind an uncertain event if one repeatedly observes it (a sufficiently large number of times). We also provide a conjecture regarding the "learning" (or updating) process above, and prove a partial result for the case of Dempster-Shafer updating rule and binomial trials.

* London Business School, Sussex Place, Regents Park, London NW1 4SA.

** Graduate School of Economics - Getulio Vargas Foundation (EPGE/FGV). Praia de Botafogo 190/102 andar, Botafogo 22253-900, Rio de Janeiro, RJ, Brasil.

Laws of Large Numbers for Non-additive Probabilities

James Dow*

Sérgio Ribeiro da Costa Werlang**

1. Introduction

In this paper, we explore the applicability of the Law of Large numbers to situations of *ambiguity*, or *Knightian uncertainty* (Knight(1921)). The classic paradigm of this type of uncertainty was presented by Ellsberg(1961): consider an urn containing red and blue balls, and a decision maker who must accept or decline lottery tickets that pay off fixed sums conditional on the ball being of a specified colour. A decision maker may behave differently when he has no information about the relative frequencies of red and blue, compared to a situation where he knows the frequencies to be 50%.

In the Bayes-Savage model, decision-makers are always represented by a utility function and a subjective probability (Savage(1954)). In the model studied in this paper, decision-makers in an ambiguous (Knightian-uncertain) environment, i. e. with little information about the functional form and parameters of the uncertainty they face, behave differently. Their preferences are represented by utility functions and a *non-additive* probability (Schmeidler(1982, 1989)). Intuitively, a non-additive probability is a probability measure where the probability of an event and the probability of its complementary event may sum to less than 1; the deviation from 1 may be thought of as a measure of the amount of uncertainty and induces cautious behaviour by the decision-maker. Thus, a probability zero event (intuitively, an event that almost never happens) need not be an event whose complement is of probability one (an event that will "definitely" not happen).

A closely related model of decision-making under Knightian uncertainty is that of Gilboa and Schmeidler(1989). In this alternative setting, preferences under uncertainty are represented by a set of additive probabilities, called the core, and the expected utility is computed as the minimum value of the expected utility for the additive distributions in the core. In general, when preferences

* London Business School.

** Graduate School of Economics - Getulio Vargas Foundation (EPGE/FGV).

exhibit uncertainty aversion, under mild assumptions a non-additive probability may be represented by a core. For the precise relationship between the approaches, see Gilboa and Schmeidler(1992a, 1992b, 1993).

These models of decision-making under Knightian uncertainty give qualitatively different results from the Bayes-Savage model when we consider situations with a single random variable. For example, in earlier research the present authors showed that Arrow's "local risk neutrality" result no longer holds in the same form (Dow and Werlang(1992)), that purely speculative trade can occur (Dow, Madrigal and Werlang(1989), that asset prices may be indeterminate (Simonsen and Werlang(1991)), and that there may be cooperation in the finitely repeated version of the prisoners' dilemma (Dow and Werlang(1994)).

However, a very interesting class of problems concerns behaviour with many random variables. To be specific, we are interested in the question of whether uncertainty "disappears" when there are a large number of observations. In other words, we investigate the applicability of the Law of Large Numbers to situations of Knightian uncertainty. Two economic applications come immediately to mind.

The first economic application of the Law of Large Numbers is to portfolio diversification. If I hold a large portfolio containing many assets, and my beliefs about the distribution of individual asset returns are uncertain, will diversification cause this uncertainty to disappear?

The second application is to learning. If an agent observes a sequence of random variables, under what conditions will the uncertainty converge to zero over time?

The answer to the question of whether the Law of Large Numbers holds in this setting turns out to depend on the relationship between the uncertainty in the distributions of the random draws. To return to the Ellsberg urn paradigm, one can distinguish two very different situations:

Experiment (1): Balls are drawn (with replacement) from an urn with an uncertain fraction of red and blue balls.

Experiment(2): One ball each is drawn from a sequence of urns. The frequencies of red and blue balls in the urns are uncertain.

Clearly, the second experiment is in some sense more fundamental although the first is also of interest. It turns out that in the case of experiment (1), we can be sure that the agents' subjective beliefs about the frequencies becomes less uncertain over time and indeed eventually converge to a limit (which may be interpreted as the actual frequency in the urn) (Theorems 5 and 6). Thus, in the experiment (1) the Knightian uncertainty does disappear.

In the case of experiment (2), however, only a much weaker statement is possible (Theorems 3 and 4). This is perhaps unsurprising, since, intuitively, in order to have convergence, one should have a "true" underlying probability distribution on the events. However, the fact that we have a different urn in each stage destroys the notion that there is a "true" distribution behind the phenomenon.

Since the model in this paper is purely subjective (being a generalization of the Bayes-Savage model), we start by defining the concept of exchangeability (defined by de Finetti(1937)). Successive draws from an unknown distribution cannot properly be termed "independent" from the viewpoint of a decision-maker, since they all depend on the parameters of the common, unknown distribution. They are, rather, "exchangeable" in the sense that rearranging the observations in a different permutation would lead the decision-maker to make the same inferences. De Finetti's theorems (1937) shows that exchangeability ensures that the probabilities of any sequence of observations is the same as if the observations were generated by repeated independent draws from a given distribution (different from the original one, except in the case there is no correlation to start with). Thus, there is a Law of Large Numbers for exchangeable random variables. We start by exploring the analogue of this result in a Knightian-uncertain environment (Theorems 1 and 2). Then we turn to stronger independence conditions (Theorems 3, 4 5 and 6).

2. Laws of Large Numbers under Knightian Uncertainty

The concept of Knightian uncertainty is modelled here as in Schmeidler (1982, 1989), Gilboa(1987) and Schmeidler and Gilboa(1989, 1992a, 1992b). We are going to consider the case that we have the space of events as an infinite cartesian product of the same space of states of nature and events (Ω, \mathcal{A}) , endowed with the product algebra. We restrict ourselves to non-additive probabilities which are convex (i. e., $P(A \cup B) + P(A \cap B) \geq P(A) + P(B)$ for events A and B) and for which there exists a closed convex set $C(P)$ of additive probabilities, known as the core of P , such that for all $q \in C(P)$, $q(A) \geq P(A)$ for every event A , and such that for all variables X which are bounded and measurable, one has $E_P[X] = \min_{q \in C(P)} E_q[X]$. On some conditions for non-additive probabilities to obey these properties, see Schmeidler and Gilboa(1989, 1992a, 1992b).

Definition If P is a non-additive probability defined in $(\Omega^n, \mathcal{A}^n)$, we say it is *symmetric*, or *exchangeable* if for all permutations π of the set $\{1, \dots, n\}$ one has, for all events K , $P(K) = P(K^\pi)$, where K^π is obtained from K by changing the coordinates according to π :

$K^\pi = \{ (\omega_1, \dots, \omega_n) \in \Omega^n \mid (\omega_1, \dots, \omega_n) \in K \Leftrightarrow (\omega_{\pi^{-1}(1)}, \dots, \omega_{\pi^{-1}(n)}) \in K \}$. On the other hand, if P is a non-additive probability defined in $(\Omega^\infty, \mathcal{A}^\infty)$, we say it is symmetric or exchangeable if the restriction of P to any finite dimensional event subspace is symmetric. In the same way, for P in $(\Omega^n, \mathcal{A}^n)$ we say that random variables (X_1, \dots, X_n) defined in (Ω, \mathcal{A}) are exchangeable, if for all events H (in \mathfrak{F}^n), and for all permutations π of the set $\{1, \dots, n\}$ we have that $P((X_1, \dots, X_n) \in H) = P((X_{\pi(1)}, \dots, X_{\pi(n)}) \in H^\pi)$, where H^π is defined analogously to K^π . Likewise, one defines exchangeability for variables on $(\Omega^\infty, \mathcal{A}^\infty)$. It is easy to see that if (X_1, \dots, X_n) are exchangeable, then except for a set of P -probability zero (to be precise, of marginal over Ω of P) we have, for all i and j : $X_i = X_j$. Thus, when (X_1, \dots, X_n) are exchangeable we can always think of random variables X_i and X_j which are "identical", and an underlying probability distribution on $(\Omega^n, \mathcal{A}^n)$ which is exchangeable. That is what is done from this point on in the text.

Definition We say that a set C of (additive) probabilities defined on (Ω^n, A^n) is *symmetric* if for all $q \in C$, and for all permutations π of the set $\{1, \dots, n\}$ we have that $q^\pi \in C$, where q^π is the probability distribution defined by $q^\pi(K) = q(K^\pi)$. Again, it is possible to extend the definition to a set of probabilities in $(\Omega^\infty, A^\infty)$.

The first auxiliary result shows that the core of an exchangeable non-additive probability P is symmetric.

Lemma 1 If P is an exchangeable non-additive probability P , convex, defined on (Ω^n, A^n) (n possibly infinite), and $C(P)$ is its core, $C(P)$ is symmetric.

Proof. Suppose that there is $q \in C(P)$ and a permutation π of the set $\{1, \dots, n\}$, with $q^\pi \notin C(P)$. This means that there is an event K with $q^\pi(K) < P(K)$. But P is exchangeable, so that $P(K) = P(K^\pi) \leq q(K^\pi)$. But this is a contradiction, since we have $q^\pi(K) = q(K^\pi)$.

QED.

The next auxiliary result is central to the proofs. It is shown that in the core of an exchangeable convex non-additive probability, where the core is convex, we have an exchangeable additive probability.

Lemma 2 Let P be an exchangeable convex non-additive probability defined on (Ω^n, A^n) (n possibly infinite, Ω finite), and $C(P)$ its convex core. Then, there exists an additive probability q^P in $C(P)$ which is exchangeable. Furthermore, it is the average of the extremal points of $C(P)$.

Proof. Take n finite to begin with. Then the set of extremal points of $C(P)$ is finite (because Ω is finite). Also, it is easy to check that if q is in the extremal set, then for any permutation π of the set $\{1, \dots, n\}$ we have that q^π is extremal too. Therefore, if we take the average of the extremal points, call it q^P , it must be the case that $(q^P)^\pi = q^P$, for any permutation, that is, it is exchangeable. To see that the result is valid for n infinite, consider finite dimensional projections of increasing length. It is immediate to check that restrictions of projections to subspaces coincide with the projections on that subspace. Finally, with the weak topology $C(P)$ is compact, and we take limits of the increasing finite dimensional projections.

QED.

We are ready to state and prove the first two results.

Theorem 1 (de Finetti's Weak Law of Large Numbers) Let $\{X_i\}_{i=1, 2, \dots}$ be an infinite sequence of bounded random variables in the space (Ω, A) . Let S_k and S_h be, respectively, the average of k and h of the random variables. Assume that the random variables are exchangeable for P in $(\Omega^\infty, A^\infty)$, and that P is convex, with a closed convex core $(C(P))$, and such that for any bounded random variable Y , $E_P[Y] = \min_{q \in C(P)} E_q[Y]$. Then, given any $\varepsilon > 0$ and $\theta > 0$, there is k_0 such that for all k and h greater than or equal to k_0 :

$$P(|S_k - S_h| > \varepsilon) < \theta.$$

[In other words, if one takes k and h large enough, the probability that the sample averages S_k and S_h are going to differ by more than ε can be made as small as it is wished.]

Proof. For q^P of the lemma above is an additive probability which is exchangeable in de Finetti's sense. But $P(|S_k - S_h| > \varepsilon) \leq q^P(|S_k - S_h| > \varepsilon)$. Hence, it is enough to prove the result for q^P . This is done in de Finetti(1937).

QED.

Theorem 2 (de Finetti's Strong Law of Large Numbers) Let $\{X_i\}_{i=1, 2, \dots}$ be an infinite sequence of bounded random variables in the space (Ω, A) . Let S_k be the average of the k first random variables. Assume that the random variables are exchangeable for P in $(\Omega^\infty, A^\infty)$, and that P is convex, with a closed convex core $(C(P))$, and such that for any bounded random variable Y , $E_P[Y] = \min_{q \in C(P)} E_q[Y]$. Then, given any ε and $\theta > 0$, there is k_0 such that for all k greater than or equal to k_0 :

$$P(\text{there is } \ell \geq 0 \text{ with } |S_k - S_{k+\ell}| > \varepsilon) < \theta.$$

[There is a sharp difference between this law of large numbers and the preceding one. In the first case, it is true that $P(|S_k - S_{k+\ell}| > \varepsilon) < \theta$ for any $\ell \geq 0$. However, the probability that *some* of the successive S_{k+1}, S_{k+2}, \dots differs from S_k more than ε may be very large, while in the second result it is assured that this does not occur. Of course the second result is stronger than the first.]

Proof. Analogous to the proof of the theorem above.

QED.

Recall that these two laws show that there is zero probability of non convergence. With non-additive probabilities this is different from the fact that

there should be convergence with probability 1. It may even be that convergence also occurs with probability zero. Theorem 5 in the text shows that convergence may occur with probability 1, for a particular class of exchangeable random variables.

The two laws of large numbers above assert that the successive averages get closer and closer the longer the sequence of trials. However, it does not say whether the averages themselves approach something. As it turns out, we may use the same arguments of de Finetti(1937) and characterize the distribution $\Phi(\xi) = \lim_{k \rightarrow \infty} q^P(S_k \leq \xi)$ (other versions of the results on exchangeable random variables can be seen in Feller(1966) and Loève(1963)). The point is that there is no meaning in this distribution, since the primitive uncertainty is P . In fact, in general the limit of S_k as k increases may be even a random variable with non-additive distribution. We turn now to add independence in the hope of understanding the process a little more.

There are two competing definitions of independence for convex non-additive probabilities.

Definition (Gilboa and Schmeidler(1989)) Let P_1 and P_2 be two convex non-additive probabilities on (Ω_1, A_1) and (Ω_2, A_2) , respectively (the definition is trivially extended to more than 2). If the cores of P_1 and P_2 are $C(P_1)$ and $C(P_2)$, Schmeidler and Gilboa(1989) define the *product non-additive probability* $P_1 \otimes P_2$ (which corresponds to their definition of the *independent* combination of P_1 and P_2), as the non-additive probability defined on $(\Omega_1 \times \Omega_2, A_1 \otimes A_2)$ whose core is: $C(P_1 \otimes P_2) = \text{co}(\{q_1 \otimes q_2, \text{ where } q_1 \in C(P_1) \text{ and } q_2 \in C(P_2)\})$, being $\text{co}(T)$ the closed convex hull of the set T .

Definition (Hendon, Jacobsen, Sloth and Tranæs(1993)) Let the notation be as above. Hendon, Jacobsen, Sloth and Tranæs(1993) define the *minimal convex product non-additive probability* $P_1 \underline{\otimes} P_2$ (which corresponds to their definition of the *independent* combination of P_1 and P_2), as the non-additive probability whose core is: $C(P_1 \underline{\otimes} P_2) = \{q \text{ additive defined on } (\Omega_1 \times \Omega_2, A_1 \otimes A_2), \text{ such that for all } E_1 \in A_1 \text{ and } E_2 \in A_2, \text{ it follows that } q(E_1 \times E_2) \geq P_1(E_1)P_2(E_2)\}$. Clearly the core of this second definition contains the core of the first, which means that for all $E \in A_1 \otimes A_2$, $P_1 \underline{\otimes} P_2(E) \leq P_1 \otimes P_2(E)$.

Lemma 3 Let P be an exchangeable convex non-additive probability defined on (Ω^n, A^n) (n possibly infinite, Ω finite), and $C(P)$ its convex core. Assume that P is a product non-additive probability, of $P_i, i=1, \dots, n$, according to any of the two definitions above (that is to say, either $P=P_1 \otimes P_2 \otimes \dots \otimes P_n$ or $P=P_1 \underline{\otimes} P_2 \underline{\otimes} \dots \underline{\otimes} P_n$). Then $P_i = P_j$ for all i and j .

Proof. For any $i=1, \dots, n$, and for any event E in the i -th copy of Ω , define the event $E^i = \Omega \times \dots \times \Omega \times E \times \Omega \times \dots \times \Omega$, where the set E is exactly in the i -th position of the n -fold cartesian product. By definition E^i is an element of the product algebra $A \otimes A \otimes \dots \otimes A$ (n times repeated) $= A^n$. Consider first Schmeidler-Gilboa's definition. To start with, take n finite. $P_1 \otimes P_2 \otimes \dots \otimes P_n(E^i) = \min_{q \in C(P_1 \otimes P_2 \otimes \dots \otimes P_n)} q(\Omega \times \dots \times \Omega \times E \times \Omega \times \dots \times \Omega)$. But $C(P_1 \otimes P_2 \otimes \dots \otimes P_n)$ is the closed convex hull of the independent combinations of the elements of the core of each P_i ($C(P_i)$). Thus, $q(\cdot)$ is a linear combination of a finite number of independent additive distributions in (Ω^n, A^n) , being each of the marginals on the i -th copy of Ω an element of $C(P_i)$. This is true because n and Ω are finite. Then the marginal of $q(\cdot)$ on the i -th copy of Ω is a finite linear combination of elements of $C(P_i)$. But since $C(P_i)$ is convex by assumption (all our non-additive probabilities are convex with convex cores), it follows that there is $q_i \in C(P_i)$ such that $q(\Omega \times \dots \times \Omega \times E \times \Omega \times \dots \times \Omega) = q_i(E)$, for all E in A . Conversely, if $q_i \in C(P_i)$ we can obviously define an element in $C(P_1 \otimes P_2 \otimes \dots \otimes P_n)$ with the marginal coinciding with q_i . Hence, $P_1 \otimes P_2 \otimes \dots \otimes P_n(E^i) = \min_{q_i \in C(P_i)} q_i(E) = P_i(E)$. By the definition of exchangeability, $P_1 \otimes P_2 \otimes \dots \otimes P_n(E^i) = P_1 \otimes P_2 \otimes \dots \otimes P_n(E^j)$, for all i and j . Therefore, for all i and j , $P_i(E) = P_j(E)$. If n is infinite, it is enough to consider finite marginals of increasing length of the product non-additive probability, and repeat the argument above. Now, take the definition of Hendon-Jacobsen-Sloth-Tranæs. $P_1 \underline{\otimes} P_2 \underline{\otimes} \dots \underline{\otimes} P_n(E^i) = \min_{q \in C(P_1 \underline{\otimes} P_2 \underline{\otimes} \dots \underline{\otimes} P_n)} q(\Omega \times \dots \times \Omega \times E \times \Omega \times \dots \times \Omega)$. But by the definition of $C(P_1 \underline{\otimes} P_2 \underline{\otimes} \dots \underline{\otimes} P_n)$: $q(\Omega \times \dots \times \Omega \times E \times \Omega \times \dots \times \Omega) \geq P_1(\Omega) \dots P_{i-1}(\Omega) P_i(E) P_{i+1}(\Omega) \dots P_n(\Omega) = P_i(E)$. Thus, the marginal of q on the i -th copy of Ω is an element of $C(P_i)$. Conversely, consider $q_i \in C(P_i)$. As before, it is immediate to define an element of $C(P_1 \underline{\otimes} P_2 \underline{\otimes} \dots \underline{\otimes} P_n)$ with the marginal coinciding with q_i . Hence, the same argument as above holds, and exchangeability assures that the non-additive distributions P_i and P_j are equal for all i and j .

QED.

The lemma above shows that the interpretation of the exchangeability hypothesis in the non-additive case is similar to the additive case. In a certain sense, exchangeability is the generalization of the assumption of iid distributions to allow for correlation. We may now analyse the behaviour of sample averages of $P=Q\otimes Q\otimes\cdots$ ad infinitum (or $P=Q\otimes Q\otimes\cdots$).

Theorem 3 (Strong Law of Large Numbers for Independent and Identically Distributed Random Variables - Independence HJST) Let $\{X_i\}_{i=1, 2, \dots}$ be an infinite sequence of bounded random variables in the space (Ω, A) . Let S_k be the average of the k first random variables. Assume that the random variables are independent (according to the definition of Hendon-Jacobsen-Sloth-Tranæs) and exchangeable for $P=Q\otimes Q\otimes\cdots$ in $(\Omega^\infty, A^\infty)$, and that P is convex, with a closed convex core $(C(P))$, and such that for any bounded random variable Y , $E_P[Y] = \min_{q \in C(P)} E_q[Y]$. Then, the probability P that the limit points of the sequence $\{S_k\}$ are outside the closed interval $[E_Q(X_1), -E_Q(-X_1)]$ is zero.

Proof. It is enough to consider any probability in the core of the form $q = p\otimes p\otimes\cdots$ (p defined on (Ω, A)), and apply the usual strong law of large numbers.

QED.

As it was mentioned before, this result is interesting, but it allows a lot of freedom, because it may be that the P -probability that the accumulation points of the sample means $\{S_k\}$ lie in $[E_Q(X_1), -E_Q(-X_1)]$ is also zero. We are able to prove a stronger result, for the definition of independence of Gilboa-Schmeidler. We do not know whether this stronger theorem is true for the definition of independence of Hendon-Jacobsen-Sloth-Tranæs.

Theorem 4 (Strong Law of Large Numbers for Independent and Identically Distributed Random Variables - Independence GS) Let $\{X_i\}_{i=1, 2, \dots}$ be an infinite sequence of bounded random variables in the space (Ω, A) . Let S_k be the average of the k first random variables. Assume that the random variables are independent (according to the definition of Gilboa-Schmeidler) and exchangeable for $P=Q\otimes Q\otimes\cdots$ in $(\Omega^\infty, A^\infty)$, and that P is convex, with a closed convex core $(C(P))$, and such that for any bounded random variable Y , $E_P[Y] = \min_{q \in C(P)} E_q[Y]$. Then:

- (i) the probability P that the accumulation points of the sequence $\{S_k\}$ are in the closed interval $[E_Q(X_1), -E_Q(-X_1)]$ is one;
- (ii) the probability P that the accumulation points of the sequence $\{S_k\}$ are in any set T strictly contained in $[E_Q(X_1), -E_Q(-X_1)]$ is zero, which means that this closed interval is the smaller set with this property.

Proof. For the definition of independence of Gilboa-Schmeidler, it turns out that it is simpler to prove that a set has P -probability 1. If we can prove that for all elements of the core $C(P)$ which are independent, i. e., are of the form $q_1 \otimes q_2 \otimes \dots$ with $q_i \in C(Q)$, it is true that the probability of the accumulation points lying in the set $[E_Q(X_1), -E_Q(-X_1)]$ is 1, then the probability under any other of the elements of the core is also 1, since they are convex combinations of the independent distributions. Hence, let us restrict attention to proving this property for the independent elements of the core, $q = q_1 \otimes q_2 \otimes \dots$ with $q_i \in C(Q)$ for all i . The random variables $\{X_i\}_{i=1, 2, \dots}$ are fixed, and under q they are independent. Then, $Y_i = X_i - E_{q_i} X_i$ form a sequence of random variables such that $E[Y_k | Y_1, Y_2, \dots, Y_{k-1}] = 0$ under q , for all $k \geq 2$. Define Σ_k to be the sum of the first k random variables Y_i . Then, by Feller(1966, pp. 238, Thm. 2), if it is true that the infinite sum $\sum_{i=1}^{\infty} (1/i^2) \cdot E_{q_i}[Y_i^2]$ is finite, then with q -probability 1: Σ_k/k tends to 0. But the infinite sum of the variances is finite, because the random variables are bounded, and $\sum_{i=1}^{\infty} (1/i^2)$ is finite. Therefore, we have that the set for which Σ_k/k tends to 0 has probability 1 according to q . If we recall the definition of Y_i , $\Sigma_k/k = S_k - (1/k) \cdot \sum_{i=1, \dots, k} E_{q_i}[Y_i]$ it is immediate to check that the set of accumulation points of the sample averages (S_k) is contained in the closed interval $[E_Q(X_1), -E_Q(-X_1)]$, because we have that $E_Q(X_1) = \min_{q \in C(Q)} E_q[X_1]$, and $-E_Q(-X_1) = \max_{q \in C(Q)} E_q[X_1]$. In other words, we proved that the set of states of the world for which the accumulation points of the sequence $\{S_k\}_{k \geq 1}$ are in the closed interval above is 1 for any independent distribution on the core of P . Thus, by the argument at the beginning of the proof we proved (i). To see that (ii) is true also, we have to notice that if there is a set $T \subset [E_Q(X_1), -E_Q(-X_1)]$ which is different from the interval, then there is some $q' \in C(Q)$ with $E_{q'} X_1 \in [E_Q(X_1), -E_Q(-X_1)]$ and $E_{q'} X_1 \notin T$. Thus, by considering the probability $q' = q' \otimes q' \otimes \dots$ and applying the usual strong law of large numbers, T has q' -probability zero, and hence P -probability zero, since $q' \in C(P)$.

QED.

The fact that we cannot prove a stronger result should not come as a surprise, under the weak hypotheses of theorems 3 and 4. Think about the following two experiments. Experiment number 1 is a repeated draw with replacement of a ball from the same urn with unknown number of red and blue balls. Experiment number 2 is a repeated draw of a ball from urns which only have red and blue balls. The difference is that in the second experiment there is a different urn in each stage. If the total number of the balls is the same in all the urns, say 100, and there is no other information available, both experiments could be modelled, in principle, by means of repeated realizations of a random variable (say it is 0 if the ball is red and it is 1 if the ball is red) with a non-additive probability distribution.

Let us try to distinguish them in probability terms. In the first case the urn is fixed, so that one knows that there is a "true" (possibly interpreted by some as "objective") probability distribution behind the event of drawing a ball, although this "true" probability distribution is not known. The second experiment does not have such a probability. We argue that the second experiment is suitably formalized by the independence of the non-additive iid probabilities, as in theorems 3 and 4. However, the way to model independence in order to capture the intuition of the first experiment is through a non-additive probability whose core contains only (additive) iid probabilities, and that is what we do in our last result below. Note that distributions in this category are not independent according to the definitions Gilboa-Schmeidler or Hendon-Jacobsen-Sloth-Tranæs, but are exchangeable.

Theorem 5 (Strong Law of Large Numbers - Core of the Distribution Formed Only by IID Probabilities)

Let $\{X_i\}_{i=1, 2, \dots}$ be an infinite sequence of bounded random variables in the space (Ω, A) . Let S_k be the average of the k first random variables. Assume that the distribution Q in $(\Omega^\infty, A^\infty)$ of the random variables is convex, with a closed convex core $(C(Q))$ consists only of additive probabilities of the form $q = p \otimes p \otimes \dots$ (p defined on (Ω, A) , and $p \in C$ - that is to say that C is the projection of $C(Q)$ in any of the copies of (Ω, A)), and such that for any bounded random variable Y , $E_Q[Y] = \min_{q \in C(Q)} E_q[Y]$. Then:

- (i) the probability Q that the limit points of the sequence $\{S_k\}$ are outside the closed interval $[E_Q(X_1), -E_Q(-X_1)]$ is zero;
- (ii) there is a collection of subsets of Ω^∞ , $\{\Omega_p\}_{p \in C}$ such that:

(iia) $Q(\cup_{p \in C} \Omega_p) = 1$;

(iib) if $\omega \in \Omega_p$, then $\lim_{k \rightarrow \infty} S_k = E_p X_1$ (which implies that the Q -probability of convergence and, furthermore, of convergence to some value in $[E_Q(X_1), -E_Q(-X_1)]$ is one);

(iii) any set strictly contained in the interval $[E_Q(X_1), -E_Q(-X_1)]$ has Q -probability zero of being the set of accumulation points of the sequence $\{S_k\}$.

Proof. By the strong law of large numbers, the set Ω_p for which there is convergence of S_k to $E_p X_1$, when k goes to infinite is of q -probability 1, where $q = p \otimes p \otimes \dots$. That is, $q(\Omega_p) = 1$. But $Q(\cup_{p' \in C} \Omega_{p'}) = \min_{q \in C(Q)} q(\cup_{p' \in C} \Omega_{p'})$, and we have that $q(\cup_{p' \in C} \Omega_{p'}) \geq q(\Omega_p) = 1$ for all q in $C(Q)$. Thus, $Q(\cup_{p' \in C} \Omega_{p'}) = 1$. Hence, (i), (iia) and (iib) are proven. To prove (iii) we have to notice that if there is a set $T \subset [E_Q(X_1), -E_Q(-X_1)]$ which is different from the interval, then there is some $p' \in C$ with $E_{p'} X_1 \in [E_Q(X_1), -E_Q(-X_1)]$ and $E_{p'} X_1 \notin T$. Thus, by considering the probability $q' = p' \otimes p' \otimes \dots$ and applying the usual strong law of large numbers, T has q' -probability zero, and hence Q -probability zero, since $q' \in C(Q)$.

QED.

Here we see that there is room to "learn" what is the "true" distribution. If the "true" distribution is p^* , then the likelihood that the realized averages converge to $E_{p^*} X_1$ is 1 (under p^*), and that is what the data will show the observers.

Consider the case of the first experiment, and interpret the random variable X_i as 1 if a red ball is drawn in the i -th draw, and zero if the ball is blue. Notice that, for all i , we have that the expected value of X_i is given by $E_Q[X_i] = E_Q[X_1] = \min_{p \in C} E_p[X_1]$, so that when there is a draw from the urn we would evaluate the likelihood of a red ball occurring according to the non-additive probability on (Ω, A) whose core is C . As soon as we have a history of draws, we are able to compute S_k for $k \geq 1$ and we may use this knowledge to update our expectation. For the updating rule of Dempster-Shafer (see Gilboa and Schmeidler(1993) for axiomatizations of updating rules, and Gilboa and Schmeidler(1992a, 1992b) for more discussion about them), we are able to prove the following theorem. Recall that $E_{Q'}(X_i) = Q'(X_i=1)$ for any possible i and Q' non-additive, due to the definition of the Choquet integration, and the fact that X_i can only attain values 0 and 1. Also, if Q' is a generic non-additive probability

and B a set such that $Q'(B^c) < 1$, then the Dempster-Shafer updating rule is given by: $Q'(A|B) = (Q'(A \cup B^c) - Q'(B^c)) / (1 - Q'(B^c))$.

Theorem 6 (Updating with Dempster-Shafer in the Case of Binomial Trials, under the Hypotheses of Theorem 5) Consider the case that we have the observation of an event with two outcomes. Take the variable X_i as 1 if one of the outcomes occurred, and 0 otherwise. [Think of the event of drawing repeatedly the ball from the urn with fixed, but unknown probability distribution - experiment number 1.] Let $\{X_i\}_{i=1, 2, \dots}$ be the infinite sequence of trials (X_i means trial in stage i) in the case above, i. e. Ω with two outcomes, $A = \wp(\Omega)$ (that is, the power set of Ω). Let S_k be the average of the first k trials. Assume that the distribution Q in $(\Omega^\infty, A^\infty)$ of the trials is convex, with a closed convex core $(C(Q))$ consists only of additive probabilities of the form $q = p \otimes p \otimes \dots$ with p defined on (Ω, A) as the distribution which gives probability p to $X_i = 1$ and $1-p$ to $X_i = 0$, $p \in [p_-, p^+]$ - that is to say that the interval $[p_-, p^+]$ is the projection of $C(Q)$ in any of the copies of (Ω, A) . Then, if $\lim_{k \rightarrow \infty} S_k = p^*$:

- (i) $p^* \in]p_-, p^+[\Rightarrow \lim_{k \rightarrow \infty} E_Q[X_{k+1}|S_k] = p^*$;
- (ii) $p^* \in [0, p_-] \Rightarrow \lim_{k \rightarrow \infty} E_Q[X_{k+1}|S_k] = p_-$;
- (iii) $p^* \in [p^+, 1] \Rightarrow \lim_{k \rightarrow \infty} E_Q[X_{k+1}|S_k] = p^+$.

Moreover, by combining this result with theorem 5, we see that:

$\lim_{k \rightarrow \infty} E[X_{k+1}|S_k] = \lim_{k \rightarrow \infty} S_k$ in a set of Q -probability 1.

[This theorem is exactly about "learning" the "true" distribution with the successive observation of the trials.]

Proof. The conditional expected value above is taken with respect to the Dempster-Shafer updated probability. This means that $E_Q[X_{k+1}|S_k] = Q[X_{k+1}=1|S_k]$. Thus, we compute in general $Q[X_{k+1}=1|S_k=r/k]$, and take the limit as k goes to infinity and r/k to p^* . Making the calculations, we have:

$$Q[X_{k+1}=1|S_k=r/k] = 1 - \left[\left(\max_{p \in [p_-, p^+]} p^r (1-p)^{k-r+1} \right) / \left(\max_{p \in [p_-, p^+]} p^r (1-p)^{k-r} \right) \right] \quad (*).$$

The behaviour of the function $f(p) = p^r (1-p)^s$ is the following: at 0 and 1 it attains its minimum, which is 0. There is only one maximum, attained at $p=r/(r+s)$, with value $f(r/(r+s)) = [r/(r+s)]^r [s/(r+s)]^s$. For values of p less than this number, it is strictly increasing, and for larger values, strictly decreasing. Thus, in case (i) $\lim r/k = p^* \in]p_-, p^+[$, which means that for large enough k we have that both

maxima in expression (*) above are attained in the corresponding value of $r/(r+s)$. This gives us:

$$Q[X_{k+1}=1|S_k=r/k] = 1 - \left(k/(k+1)\right)^k \cdot \left((k-r+1)/(k-r)\right)^{k-r} \cdot \left((k-r+1)/(k+1)\right) \quad (**).$$

Taking the limit when k goes to infinity and $k-r$ also so that r/k tends to p^* , the right hand side of (**) tend to:

$$\lim_{k \rightarrow \infty, r/k \rightarrow p^*} Q[X_{k+1}=1|S_k=r/k] = 1 - (1/e) \cdot e \cdot (1-p^*) = p^*.$$

This shows (i). The other two cases are similar, but easier. The final remark on the statement of the theorem is immediate, given Theorem 5.

QED.

In fact, we conjecture that the following result is true: for any sequence of random variables $\{X_i\}_{i=1, 2, \dots}$ in the hypotheses of Theorem 5 it must be the case that $\lim_{k \rightarrow \infty} E_Q[X_{k+1}|S_k] = \lim_{k \rightarrow \infty} S_k$ in a set of Q -probability 1. On the other hand, Theorem 6 above is not true if one replaces Dempster-Shafer rule by the analogue of Bayes rule, i. e. by the updating rule defined by $Q'(A|B) = Q'(A \cap B)/Q'(B)$. An interesting problem is to find the set of (fixed) updating rules (see Gilboa and Schmeidler(1993) for a detailed description of the set of updating rules) for which Theorem 6 would hold.

References

Dempster, Arthur (1967), "Upper and Lower Probabilities Induced by a Multivalued Map", *Annals of Mathematical Statistics* 38: 325-339.

Dow, James, Vicente Madrigal and Sérgio R. C. Werlang (1989), "Preferences, Common Knowledge and Speculative Trade", *Ensaaios Econômicos da EPGE* nº 149 (Graduate School of Economics, Getulio Vargas Foundation).

Dow, James and Sérgio R. C. Werlang (1992), "Uncertainty Aversion, Risk Aversion and the Optimal Choice of Portfolio", *Econometrica* 60: 197-204.

Dow, James and Sérgio R. C. Werlang (1994), "Nash Equilibrium under Knightian Uncertainty: Breaking Down Backward Induction", *Journal of Economic Theory* forthcoming.

Ellsberg, D. (1961), "Risk, Ambiguity and the Savage Axioms", *Quarterly Journal of Economics* 75: 643-669.

Feller, William (1966), *An Introduction to Probability Theory and Its Applications* - vol. 2. John Wiley and Sons: New York.

de Finetti, Bruno (1937), "Foresight: Its Logical Laws, Its Subjective Sources", *Annales de l'Institut Henry Poincaré*, vol. 7. Translated by Henry Kyburg Jr., in Kyburg, Henry and Howard Smokler eds., *Studies in Subjective Probability*, second edition, 1980. Robert E. Krieger Publishing Company: Huntington, New York.

Gilboa, Itzhak (1987), "Expected Utility with Purely Subjective Non-Additive Priors", *Journal of Mathematical Economics* 16: 279 - 304.

Gilboa, Itzhak and David Schmeidler (1989), "Maxmin Expected Utility with a Non-Unique Prior", *Journal of Mathematical Economics* 18: 141- 153.

Gilboa, Itzhak and David Schmeidler (1992a), "Additive Representations of Non-additive Measures and the Choquet Integral", Northwestern University working paper.

Gilboa, Itzhak and David Schmeidler (1992b), "Canonical Representations of Set Functions", Northwestern University, The Center for Mathematical Studies in Economics and Management Science, Discussion Paper No. 986, April.

Gilboa, Itzhak and David Schmeidler (1993), "Updating Ambiguous Beliefs", *Journal of Economic Theory* 59: 33-49.

Hendon, Ebbe, Hans Jørgen Jacobsen, Birgitte Sloth and Torben Tranæs (1993), "The Product of Capacities and Belief Functions", Institute of Economics, University of Copenhagen, Discussion Paper 93-04.

Knight, Frank (1921), *Risk, Uncertainty and Profit*. Boston: Houghton.

Loève, Michel (1963), *Probability Theory - 3rd. edition*. Van Nostrand Reinhold Company: New York.

Savage, Leonard J. (1954), *The Foundations of Statistics*. New York: John Wiley. (Second edition 1972, New York: Dover.)

Schmeidler, David (1982), "Subjective Probability Without Additivity" (Temporary Title), Working Paper, The Foerder Institute for Economic Research, Tel Aviv University.

Schmeidler, David (1989), "Subjective Probability and Expected Utility Without Additivity", *Econometrica* 57: 571 - 587.

Simonsen, Mario H. and Sérgio R. C. Werlang (1991), "Subadditive Probabilities and Portfolio Inertia", *Revista de Econometria* 11: 1-20.

Shafer, Glen (1976), *A Mathematical Theory of Evidence*. Princeton University Press: Princeton.

ENSAIOS ECONÔMICOS DA EPGE

100. JUROS, PREÇOS E DÍVIDA PÚBLICA - VOL. I: ASPECTOS TEÓRICOS - Marco Antonio C. Martins e Clovis de Faro - 1987 (esgotado)
101. JUROS, PREÇOS E DÍVIDA PÚBLICA - VOL. II: A ECONOMIA BRASILEIRA - 1971/85 - Antonio Salazar P. Brandão, Marco Antonio C. Martins e Clovis de Faro - 1987 (esgotado)
102. MACROECONOMIA KALECKIANA - Rubens Penha Cysne - 1987 (esgotado)
103. O PREÇO DO DÓLAR NO MERCADO PARALELO, O SUBFATURAMENTO DE EXPORTAÇÕES E O SUBFATURAMENTO DE IMPORTAÇÕES - Fernando de Holanda Barbosa, Rubens Penha Cysne e Marcos Costa Holanda - 1987 (esgotado)
104. BRASILIAN EXPERIENCE WITH EXTERNAL DEBT AND PROSPECTS FOR GROWTH - Fernando de Holanda Barbosa and Manuel Sanches de La Cal - 1987 (esgotado)
105. KEYNES NA SEDIÇÃO DA ESCOLHA PÚBLICA - Antonio Maria da Silveira - 1987 (esgotado)
106. O TEOREMA DE FROBENIUS-PERRON - Carlos Ivan Simonsen Leal - 1987 (esgotado)
107. POPULAÇÃO BRASILEIRA - Jessé Montelo - 1987 (esgotado)
108. MACROECONOMIA - CAPÍTULO VI: "DEMANDA POR MOEDA E A CURVA LM" - Mario Henrique Simonsen e Rubens Penha Cysne - 1987 (esgotado)
109. MACROECONOMIA - CAPÍTULO VII: "DEMANDA AGREGADA E A CURVA IS" - Mario Henrique Simonsen e Rubens Penha Cysne - 1987 (esgotado)
110. MACROECONOMIA - MODELOS DE EQUILÍBRIO AGREGATIVO A CURTO PRAZO - Mario Henrique Simonsen e Rubens Penha Cysne - 1987 (esgotado)
111. THE BAYESIAN FOUNDATIONS OF SOLUTIONS CONCEPTS OF GAMES - Sérgio Ribeiro da Costa Werlang e Tommy Chin-Chiu Tan - 1987 (esgotado)
112. PREÇOS LÍQUIDOS (PREÇOS DE VALOR ADICIONADO) E SEUS DETERMINANTES; DE PRODUTOS SELECIONADOS, NO PERÍODO 1980/1º SEMESTRE/1986 - Raul Ekerman - 1987 (esgotado)
113. EMPRÉSTIMOS BANCÁRIOS E SALDO-MÉDIO: O CASO DE PRESTAÇÕES - Clovis de Faro - 1988 (esgotado)
114. A DINÂMICA DA INFLAÇÃO - Mario Henrique Simonsen - 1988 (esgotado)
115. UNCERTAINTY AVERSIONS AND THE OPTIMAL CHOICE OF PORTFOLIO - James Dow e Sérgio Ribeiro da Costa Werlang - 1998 (esgotado)
116. O CICLO ECONÔMICO - Mario Henrique Simonsen - 1988 (esgotado)

117. FOREIGN CAPITAL AND ECONOMIC GROWTH - THE BRASILIAN CASE STUDY - Mario Henrique Simonsen - 1988 (esgotado)
118. COMMON KNOWLEDGE - Sérgio Ribeiro da Costa Werlang - 1988 (esgotado)
119. OS FUNDAMENTOS DA ANÁLISE MACROECONÔMICA - Mario Henrique Simonsen e Rubens Penha Cysne - 1988 (esgotado)
120. CAPÍTULO XII - EXPECTATIVAS RACIONAIS - Mario Henrique Simonsen - 1988 (esgotado)
121. A OFERTA AGREGADA E O MERCADO DE TRABALHO - Mario Henrique Simonsen e Rubens Penha Cysne - 1988 (esgotado)
122. INÉRCIA INFLACIONÁRIA E INFLAÇÃO INERCIAL - Mario Henrique Simonsen - 1988 (esgotado)
123. MODELOS DO HOMEM: ECONOMIA E ADMINISTRAÇÃO - Antonio Maria da Silveira - 1988 (esgotado)
124. UNDERINVOICING OF EXPORTS, OVERINVOICING OF IMPORTS, AND THE DOLLAR PREMIUN ON THE BLACK MARKET - Fernando de Holanda Barbosa, Rubens Penha Cysne e Marcos Costa Holanda - 1988 (esgotado)
125. O REINO MÁGICO DO CHOQUE HETERODOXO - Fernando de Holanda Barbosa, Antonio Salazar Pessoa Brandão e Clovis de Faro - 1988 (esgotado)
126. PLANO CRUZADO: CONCEPÇÃO E O ERRO DE POLÍTICA FISCAL - Rubens Penha Cysne - 1988 (esgotado)
127. TAXA DE JUROS FLUTUANTE VERSUS CORREÇÃO MONETÁRIA DAS PRESTAÇÕES: UMA COMPARAÇÃO NO CASO DO SAC E INFLAÇÃO CONSTANTE - Clovis de Faro - 1988 (esgotado)
128. CAPÍTULO II - MONETARY CORRECTION AND REAL INTEREST ACCOUNTING - Rubens Penha Cysne - 1988 (esgotado)
129. CAPÍTULO III - INCOME AND DEMAND POLICIES IN BRAZIL - Rubens Penha Cysne - 1988 (esgotado)
130. CAPÍTULO IV - BRAZILIAN ECONOMY IN THE EIGHTIES AND THE DEBT CRISIS - Rubens Penha Cysne - 1988 (esgotado)
131. THE BRAZILIAN AGRICULTURAL POLICY EXPERIENCE: RATIONALE AND FUTURE DIRECTIONS - Antonio Salazar Pessoa Brandão - 1988 (esgotado)
132. MORATÓRIA INTERNA, DÍVIDA PÚBLICA E JUROS REAIS - Maria Silvia Bastos Marques e Sérgio Ribeiro da Costa Werlang - 1988 (esgotado)
133. CAPÍTULO IX - TEORIA DO CRESCIMENTO ECONÔMICO - Mario Henrique Simonsen - 1988 (esgotado)

134. CONGELAMENTO COM ABONO SALARIAL GERANDO EXCESSO DE DEMANDA - Joaquim Vieira Ferreira Levy e Sérgio Ribeiro da Costa Werlang - 1988 (esgotado)
135. AS ORIGENS E CONSEQUÊNCIAS DA INFLAÇÃO NA AMÉRICA LATINA - Fernando de Holanda Barbosa - 1988 (esgotado)
136. A CONTA-CORRENTE DO GOVERNO - 1970/1988 - Mario Henrique Simonsen - 1989 (esgotado)
137. A REVIEW ON THE THEORY OF COMMON KNOWLEDGE - Sérgio Ribeiro da Costa Werlang - 1989 (esgotado)
138. MACROECONOMIA - Fernando de Holanda Barbosa - 1989 (esgotado)
139. TEORIA DO BALANÇO DE PAGAMENTOS: UMA ABORDAGEM SIMPLIFICADA - João Luiz Tenreiro Barroso - 1989 (esgotado)
140. CONTABILIDADE COM JUROS REAIS - Rubens Penha Cysne - 1989 (esgotado)
141. CREDIT RATIONING AND THE PERMANENT INCOME HYPOTHESIS - Vicente Madrigal, Tommy Tan, Daniel Vicent, Sérgio Ribeiro da Costa Werlang - 1989 (esgotado)
142. A AMAZÔNIA BRASILEIRA - Ney Coe de Oliveira - 1989 (esgotado)
143. DESÁGIO DAS LFTs E A PROBABILIDADE IMPLÍCITA DE MORATÓRIA - Maria Silvia Bastos Marques e Sérgio Ribeiro da Costa Werlang - 1989 (esgotado)
144. THE LDC DEBT PROBLEM: A GAME-THEORETICAL ANALYSIS - Mario Henrique Simonsen e Sérgio Ribeiro da Costa Werlang - 1989 (esgotado)
145. ANÁLISE CONVEXA NO R_n - Mario Henrique Simonsen - 1989 (esgotado)
146. A CONTROVÉRSIA MONETARISTA NO HEMISFÉRIO NORTE - Fernando de Holanda Barbosa - 1989 (esgotado)
147. FISCAL REFORM AND STABILIZATION: THE BRAZILIAN EXPERIENCE - Fernando de Holanda Barbosa, Antonio Salazar Pessoa Brandão e Clovis de Faro - 1989 (esgotado)
148. RETORNOS EM EDUCAÇÃO NO BRASIL: 1976/1986 - Carlos Ivan Simonsen Leal e Sérgio Ribeiro da Costa Werlang - 1989 (esgotado)
149. PREFERENCES, COMMON KNOWLEDGE AND SPECULATIVE TRADE - James Dow, Vicente Madrigal e Sérgio Ribeiro da Costa Werlang - 1990 (esgotado)
150. EDUCAÇÃO E DISTRIBUIÇÃO DE RENDA - Carlos Ivan Simonsen Leal e Sérgio Ribeiro da Costa Werlang - 1990 (esgotado)
151. OBSERVAÇÕES A MARGEM DO TRABALHO "A AMAZÔNIA BRASILEIRA" - Ney Coe de Oliveira - 1990 (esgotado)
152. PLANO COLLOR: UM GOLPE DE MESTRE CONTRA A INFLAÇÃO? - Fernando de Holanda Barbosa - 1990 (esgotado)

153. O EFEITO DA TAXA DE JUROS E DA INCERTEZA SOBRE A CURVA DE PHILLIPS DA ECONOMIA BRASILEIRA - Ricardo de Oliveira Cavalcanti - 1990 (esgotado)
154. PLANO COLLOR: CONTRA A FACTUALIDADE E SUGESTÕES SOBRE A CONDUÇÃO DA POLÍTICA MONETÁRIA-FISCAL - Rubens Penha Cyane - 1990 (esgotado)
155. DEPÓSITOS DO TESOIRO: NO BANCO CENTRAL OU NOS BANCOS COMERCIAIS? - Rubens Penha Cyane - 1990 (esgotado)
156. SISTEMA FINANCEIRO DE HABITAÇÃO: A QUESTÃO DO DESEQUILÍBRIO DO FCVS - Clovis de Faro - 1990 (esgotado)
157. COMPLEMENTO DO FASCÍCULO Nº 151 DOS "ENSAIOS ECONÔMICOS" (A AMAZÔNIA BRASILEIRA) - Ney Coe de Oliveira - 1990 (esgotado)
158. POLÍTICA MONETÁRIA ÓTIMA NO COMBATE A INFLAÇÃO - Fernando de Holanda Barbosa - 1990 (esgotado)
159. TEORIA DOS JOGOS - CONCEITOS BÁSICOS - Mario Henrique Simonsen - 1990 (esgotado)
160. O MERCADO ABERTO BRASILEIRO: ANÁLISE DOS PROCEDIMENTOS OPERACIONAIS - Fernando de Holanda Barbosa - 1990 (esgotado)
161. A RELAÇÃO ARBITRAGEM ENTRE A ORTN CAMBIAL E A ORTN MONETÁRIA - Luiz Guilherme Schymura de Oliveira - 1990 (esgotado)
162. SUBADDITIVE PROBABILITIES AND PORTFOLIO INERTIA - Mario Henrique Simonsen e Sérgio Ribeiro da Costa Werlang - 1990 (esgotado)
163. MACROECONOMIA COM M4 - Carlos Ivan Simonsen Leal e Sérgio Ribeiro da Costa Werlang - 1990 (esgotado)
164. A RE-EXAMINATION OF SOLOW'S GROWTH MODEL WITH APPLICATIONS TO CAPITAL MOVEMENTS - Nensiro Saavedra Rivano - 1990 (esgotado)
165. THE PUBLIC CHOICE SEDITION: VARIATIONS ON THE THEME OF SCIENTIFIC WARFARE - Antonio Maria da Silveira - 1990 (esgotado)
166. THE PUBLIC CHOICE PERSPECTIVE AND KNIGHT'S INSTITUTIONALIST BENT - Antonio Maria da Silveira - 1990 (esgotado)
167. THE INDETERMINATION OF SENIOR - Antonio Maria da Silveira - 1990 (esgotado)
168. JAPANESE DIRECT INVESTMENT IN BRAZIL - Nensiro Saavedra Rivano - 1990 (esgotado)
169. A CARTEIRA DE AÇÕES DA CORRETORA: UMA ANÁLISE ECONÔMICA - Luiz Guilherme Schymura de Oliveira - 1991 (esgotado)
170. PLANO COLLOR: OS PRIMEIROS NOVE MESES - Clovis de Faro - 1991 (esgotado)
171. PERCALÇOS DA INDEXAÇÃO EX-ANTE - Clovis de Faro - 1991 (esgotado)
172. NOVE PONTOS SOBRE O PLANO COLLOR II - Rubens Penha Cyane - 1991 (esgotado)

173. A DINÂMICA DA HIPERINFLAÇÃO - Fernando de Holanda Barbosa, Waldyr Muniz Oliva e Elvia Mureb Sallum - 1991 (esgotado)
174. LOCAL CONCAVIFIABILITY OF PREFERENCES AND DETERMINACY OF EQUILIBRIUM - Mario Rui Páscoa e Sérgio Ribeiro da Costa Werlang - maio de 1991 (esgotado)
175. A CONTABILIDADE DOS AGREGADOS MONETÁRIOS NO BRASIL - Carlos Ivan Simonsen Leal e Sérgio Ribeiro da Costa Werlang - maio de 1991 (esgotado)
176. HOMOETHETIC PREFERENCES - James Dow e Sérgio Ribeiro da Costa Werlang - 1991 (esgotado)
177. BARREIRAS A ENTRADA NAS INDÚSTRIAS: O PAPEL DA FIRMA PIONEIRA - Luiz Guilherme Schymura de Oliveira - 1991 (esgotado)
178. POUPANÇA E CRESCIMENTO ECONÔMICO - CASO BRASILEIRO - Mario Henrique Simonsen - agosto 1991 (esgotado)
179. EXCESS VOLATILITY OF STOCK PRICES AND KNIGHTIAN UNCERTAINTY - James Dow e Sérgio Ribeiro da Costa Werlang - 1991 (esgotado)
180. BRAZIL - CONDITIONS FOR RECOVERY - Mario Henrique Simonsen - 1991 (esgotado)
181. THE BRAZILIAN EXPERIENCE WITH ECONOMY POLICY REFORMS AND PROSPECTS FOR THE FUTURE - Fernando de Holanda Barbosa - Dezembro de 1991 (esgotado)
182. MACRODINÂMICA: OS SISTEMAS DINÂMICOS NA MACROECONOMIA - Fernando de Holanda Barbosa - Dezembro de 1991 (esgotado)
183. A EFICIÊNCIA DA INTERVENÇÃO DO ESTADO NA ECONOMIA - Fernando de Holanda Barbosa - Dezembro de 1991 (esgotado)
184. ASPECTOS ECONÔMICOS DAS EMPRESAS ESTATAIS NO BRASIL: TELECOMUNICAÇÕES, ELETRICIDADE - Fernando de Holanda Barbosa, Manuel Jeremias Leite Caldas, Mario Jorge Pina e Hélio Lechuga Arteiro - Dezembro de 1991 (esgotado)
185. THE EX-ANTE NON-OPTIMALITY OF THE DEMPSTER-SCHAFER UPDATING RULE FOR AMBIGUOUS BELIEFS - Sérgio Ribeiro da Costa Werlang e James Dow - Fevereiro de 1992 (esgotado)
186. NASH EQUILIBRIUM UNDER KNIGHTIAN UNCERTAINTY: BREAKING DOWN BACKWARD INDUCTION - James Dow e Sérgio Ribeiro da Costa Werlang - Fevereiro de 1992 (esgotado)
187. REFORMA DO SISTEMA FINANCEIRO NO BRASIL E "CENTRAL BANKING" NA ALEMANHA E NA ÁUSTRIA - Rubens Penha Cysne - Fevereiro de 1992 (esgotado)
188. A INDETERMINAÇÃO DE SENIOR: ENSAIOS NORMATIVOS - Antonio Maria da Silveira - Março de 1992 (esgotado)
189. REFORMA TRIBUTÁRIA - Mario Henrique Simonsen - Março de 1992 (esgotado)

190. HIPERINFLAÇÃO E O REGIMÊ DAS POLÍTICAS MONETÁRIA-FISCAL - Fernando de Holanda Barbosa e Elvia Mureb Sallum - Março de 1992 (esgotado)
191. A CONSTITUIÇÃO, OS JUROS E A ECONOMIA - Clovis de Faro - Abril de 1992 (esgotado)
192. APLICABILIDADE DE TEORIAS: MICROECONOMIA E ESTRATÉGIA EMPRESARIAL - Antonio Maria da Silveira - Maio de 1992 (esgotado)
193. INFLAÇÃO E CIDADANIA - Fernando de Holanda Barbosa - Julho de 1992
194. A INDEXAÇÃO DOS ATIVOS FINANCEIROS: A EXPERIÊNCIA BRASILEIRA - Fernando de Holanda Barbosa - Agosto de 1992
195. A INFLAÇÃO E CREDIBILIDADE - Sérgio Ribeiro da Costa Werlang - Agosto de 1992
196. A RESPOSTA JAPONESA AOS CHOQUES DE OFERTA. 1973/1981 - Fernando Antonio Hadba - Agosto de 1992
197. UM MODELO GERAL DE NEGOCIAÇÃO EM UM MERCADO DE CAPITAIS EM QUE NÃO EXISTEM INVESTIDORES IRRACIONAIS - Luiz Guilherme Schymura de Oliveira - Setembro de 1992
198. SISTEMA FINANCEIRO DE HABITAÇÃO: A NECESSIDADE DE REFORMA - Clovis de Faro - Setembro de 1992 .
199. BRASIL: BASES PARA A RETOMADA DE DESENVOLVIMENTO - Rubens Penha Cysne - Outubro de 1992
200. A VISÃO TEÓRICA SOBRE MODELOS PREVIDENCIÁRIOS: O CASO BRASILEIRO - Luiz Guilherme Schymura de Oliveira - Outubro de 1992
201. HIPERINFLAÇÃO: CÂMBIO, MOEDA E ÂNCORAS NOMINAIS - Fernando de Holanda Barbosa - Novembro de 1992 - (esgotado)
202. PREVIDÊNCIA SOCIAL: CIDADANIA E PROVISÃO - Clovis de Faro - Novembro de 1992
203. OS BANCOS ESTADUAIS E O DESCONTROLE FISCAL: ALGUNS ASPECTOS - Sérgio Ribeiro da Costa Werlang e Arminio Fraga Neto - Novembro de 1992 - (esgotado)
204. TEORIAS ECONÔMICAS: A MEIA-VERDADE TEMPORÁRIA - Antonio Maria da Silveira - Dezembro de 1992
205. THE RICARDIAN VICE AND THE INDETERMINATION OF SENIOR - Antonio Maria da Silveira - Dezembro de 1992
206. HIPERINFLAÇÃO E A FORMA FUNCIONAL DA EQUAÇÃO DE DEMANDA DE MOEDA - Fernando de Holanda Barbosa - Janeiro de 1993
207. REFORMA FINANCEIRA - ASPECTOS GERAIS E ANÁLISE DO PROJETO DA LEI COMPLEMENTAR - Rubens Penha Cysne - fevereiro de 1993.
208. ABUSO ECONÔMICO E O CASO DA LEI 8.002 - Luiz Guilherme Schymura de Oliveira e Sérgio Ribeiro da Costa Werlang - fevereiro de 1993.

209. **ELEMENTOS DE UMA ESTRATÉGIA PARA O DESENVOLVIMENTO DA AGRICULTURA BRASILEIRA** - Antonio Salazar Pessoa Brandão e Eliseu Alves - Fevereiro de 1993
210. **PREVIDÊNCIA SOCIAL PÚBLICA: A EXPERIÊNCIA BRASILEIRA** - Hélio Portocarrero de Castro, Luiz Guilherme Schynura de Oliveira, Renato Fragelli Cardoso e Uriel de Magalhães - Março de 1993.
211. **OS SISTEMAS PREVIDENCIÁRIOS E UMA PROPOSTA PARA A REFORMULAÇÃO DO MODELO BRASILEIRO** - Helio Portocarrero de Castro, Luiz Guilherme Schynura de Oliveira, Renato Fragelli Cardoso e Uriel de Magalhães - Março de 1993.
212. **THE INDETERMINATION OF SENIOR (OR THE INDETERMINATION OF WAGNER) AND SCHMOLLER AS A SOCIAL ECONOMIST** - Antonio Maria da Silveira - Março de 1993.
213. **NASH EQUILIBRIUM UNDER KNIGHTIAN UNCERTAINTY: BREAKING DOWN BACKWARD INDUCTION (Extensively Revised Version)** - James Dow e Sérgio Ribeiro da Costa Werlang - Abril de 1993.
214. **ON THE DIFFERENTIABILITY OF THE CONSUMER DEMAND FUNCTION** - Paulo Klinger Monteiro, Mário Rui Páscoa e Sérgio Ribeiro da Costa Werlang - Maio de 1993.
215. **DETERMINAÇÃO DE PREÇOS DE ATIVOS, ARBITRAGEM, MERCADO A TERMO E MERCADO FUTURO** - Sérgio Ribeiro da Costa Werlang e Flávio Auler - Agosto de 1993.
216. **SISTEMA MONETÁRIO VERSÃO REVISADA** - Mario Henrique Simonsen e Rubens Penha Cyne - Agosto de 1993.
217. **CAIXAS DE CONVERSÃO** - Fernando Antônio Hadba - Agosto de 1993.
218. **A ECONOMIA BRASILEIRA NO PERÍODO MILITAR** - Rubens Penha Cyne - Agosto de 1993
219. **IMPÔSTO INFLACIONÁRIO E TRANSFERÊNCIAS INFLACIONÁRIAS** - Rubens Penha Cyne - Agosto de 1993.
220. **PREVISÕES DE M1 COM DADOS MENSAIS** - Rubens Penha Cyne e João Victor Issler - Setembro de 1993.
221. **TOPOLOGIA E CÁLCULO NO R_n** - Rubens Penha Cyne e Humberto Moreira - Setembro de 1993.
222. **EMPRÉSTIMOS DE MÉDIO E LONGO PRAZOS E INFLAÇÃO: A QUESTÃO DA INDEXAÇÃO** - Clovis de Faro - Outubro de 1993.
223. **ESTUDOS SOBRE A INDETERMINAÇÃO DE SENIOR, vol. 1** - Nelson H. Barbosa, Fábio N.P. Freitas, Carlos F.L.R. Lopes, Marcos B. Monteiro, Antonio Maria da Silveira(Coordenador) e Matias Vernengo - Outubro de 1993.
224. **A SUBSTITUIÇÃO DE MOEDA NO BRASIL: A MOEDA INDEXADA** - Fernando de Holanda Barbosa e Pedro Luiz Valls Pereira - Novembro de 1993.

225. FINANCIAL INTEGRATION AND PUBLIC FINANCIAL INSTITUTIONS - Walter Novaes e Sérgio Ribeiro da Costa Werlang - Novembro de 1993.
226. LAWS OF LARGE NUMBERS FOR NON-ADDITIVE PROBABILITIES - James Dow e Sérgio Ribeiro da Costa Werlang - Dezembro de 1993.

000312488

