

For a quick cheatsheet, check out <https://simplemde.com/markdown-guide>.

Headings

The following HTML `<h1>` – `<h6>` elements represent six levels of section headings. `<h1>` is the highest section level while `<h6>` is the lowest.

This is a H1

This is a H2

This is a H3

This is a H4

This is a H5

THIS IS A H6

Paragraph

Xerum, quo qui aut unt expliquam qui dolut labo. Aque venitatiusda cum, voluptionse latur sitiae dolessi aut parist aut dollo enim qui voluptate ma dolestendit peritin re plis aut quas inctum laceat est volestemque commosa as cus endigna tectur, offic to cor sequas etum rerum idem sintibus eiur?

Quianimin porecus evelectur, cum que nis nust voloribus ratem aut omnimi, sitatur?

Quiatem. Nam, omnis sum am facea corem aliqu molestrunt et eos evelece arcillit ut aut eos eos nus, sin conecerem erum fuga. Ri oditatquam, ad quibus unda veliamenimin cusam et facea ipsamus es exerum sitate dolores editium rerore eost, temped molorro ratiae volorro te reribus dolorer sperchicium faceata tiustia prat.

Itatur? Quiatae cullecum rem ent aut odis in re eossequodi nonsequ idebis ne sapicia is sinveli squiatum, core et que aut hariosam ex eat.

Blockquotes

The blockquote element represents content that is quoted from another source, optionally with a citation which must be within a `footer` or `cite` element, and optionally with in-line changes such as annotations and abbreviations.

BLOCKQUOTE WITHOUT ATTRIBUTION

Tiam, ad mint andaepu dandae nostion secatur sequo quae.
***Note** that you can use Markdown syntax within a blockquote.*

BLOCKQUOTE WITH ATTRIBUTION

Don't communicate by sharing memory, share memory by communicating.

— Rob Pike¹

Tables

Tables aren't part of the core Markdown spec, but Hugo supports supports them out-of-the-box.

NAME	AGE
Bob	27
Alice	23

Inline Markdown within tables

ITALICS	BOLD	CODE
<i>italics</i>	bold	<code>code</code>

Code Blocks

Code block with backticks

```
1 <!doctype html>
2 <html lang="en">
3   <head>
4     <meta charset="utf-8" />
5     <title>Example HTML5 Document</title>
6   </head>
7   <body>
8     <p>Test</p>
9   </body>
10 </html>
```

Code block indented with four spaces

```
1 <!doctype html>
2 <html lang="en">
3 <head>
4   <meta charset="utf-8">
5   <title>Example HTML5 Document</title>
6 </head>
7 <body>
8   <p>Test</p>
9 </body>
10 </html>
```

List Types

Ordered List

1. First item
2. Second item
3. Third item


Unordered List

- List item
- Another item
- And another item

Nested list

- Fruit
 - Apple
 - Orange
 - Banana
- Dairy
 - Milk
 - Cheese

Other Elements — abbr, sub, sup, kbd, mark

 is a bitmap image format.

H₂O

$X^n + Y^n = Z^n$

Press CTRL + ALT + Delete to end the session.

Most **salamanders** are nocturnal, and hunt for insects, worms, and other small creatures.

1. The above quote is excerpted from Rob Pike's [talk](#) during Gopherfest, November 18, 2015. [↩](#)