

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Registration Form</title>
<style>
  body {
    font-family: Arial;
    background: #f2f2f2;
  }
  .container {
    width: 350px;
    margin: 50px auto;
    background: white;
    padding: 20px;
    border-radius: 8px;
  }
  h2 {
    text-align: center;
  }
  label {
    display: block;
    margin-top: 10px;
  }
  .required {
    color: red;
  }
  input, select {
    width: 100%;
    padding: 8px;
    margin-top: 5px;
  }
```

```
button {
    width: 10p
    padding: 10px;
    margin-top: 15px;
    background: #4CAF50;
    color: white;
    border: none;
    cursor: pointer;
}

#error {
    color: red;
    text-align: center;
    font-weight: bold;
}

#success {
    color: green;
    text-align: center;
    font-weight: bold;
}

</style>
</head>
<body>
<div class="container">
    <h2>Registration Form</h2>
    <form onsubmit="return validateForm()">
        <label>Full Name <span class="required">*</span></label>
        <input type="text" id="name">
        <label>Email <span class="required">*</span></label>
        <input type="email" id="email">
        <label>Password <span class="required">*</span></label>
        <input type="password" id="password">
        <label>Confirm Password <span class="required">*</span></label>
```

```

        <input type="password" id="confirmPassword">
</div>
<label>Gender</label>
    <select id="gender">
        <option value="">Select</option>
        <option>Male</option>
        <option>Female</option>
        <option>Other</option>
    </select>
<label>Phone Number <span class="required">*</span></label>
    <input type="text" id="phone">
<button type="submit">Register</button>
    <p id="error"></p>
    <p id="success"></p>
</form>
</div>
<script>
function validateForm() {
    let name = document.getElementById("name").value;
    let email = document.getElementById("email").value;
    let password = document.getElementById("password").value;
    let confirmPassword = document.getElementById("confirmPassword").value;
    let phone = document.getElementById("phone").value;
    let error = document.getElementById("error");
    let success = document.getElementById("success");
    error.innerHTML = "";
    success.innerHTML = "";
    if (name == "" || email == "" || password == "" || confirmPassword == "" || phone == "")
    {
        error.innerHTML = "Registration Invalid: All * fields are mandatory";
        return false;
    }
}

```

```
if (password.length < 6) {  
    error.innerHTML = "Registration Invalid: Password must be at least 6 characters";  
    return false;  
}  
if (password !== confirmPassword) {  
    error.innerHTML = "Registration Invalid: Passwords do not match";  
    return false  
}  
if (phone.length !== 10 || isNaN(phone)) {  
    error.innerHTML = "Registration Invalid: Enter valid 10-digit phone number";  
    return false;  
}  
success.innerHTML = "Registration Successful!";  
return false; // kept false so page doesn't refresh  
}  
</script>  
</body>  
</html>
```

## Description of Tags

<html>

Root element of the webpage. All content is placed inside it.

<head>

Contains page information such as title and CSS styles.

<title>

Sets the title shown in the browser tab.

<style>

Used to write CSS inside the HTML file.

<body>

Holds all visible content of the webpage.

<div>

Used as a container to group form elements together.

<h2>

Displays the heading "Registration Form".

`<form>`

Creates the registration form and handles submission.

`<label>`

Displays names of input fields.

`<span>`

Used to display the red \* symbol for required fields.

`<input>`

Used to enter user data (name, email, password, phone).

`<select>`

Creates a dropdown list (Gender).

`<option>`

Provides choices inside the dropdown.

`<button>`

Creates the Register button.

`<p>`

Displays error and success messages.

`<script>`

Used to write JavaScript code.

## JavaScript Functions

`validateForm()`

Validates form data when Register is clicked.

`document.getElementById()`

Fetches values from input fields.

`if`

Checks validation conditions.

`return false`

Stops form submission when errors occur.

`innerHTML`

Displays messages inside the webpage.

## CSS Properties

- `background` – sets background color
- `padding` – space inside elements
- `margin` – space outside elements
- `border-radius` – rounds corners

- color – text color
- width – element width
- font-family – font style

## Registration Form

Full Name \*

Email \*

Password \*

Confirm Password \*

Gender

Select

▼

Phone Number \*

Register

## This page says

Registration Successful!

OK

Full Name

Ashna Sherin P

Email \*

ashnakk2005@gmail.com

Password \*

\*\*\*\*\*

Confirm Password \*

\*\*\*\*\*

Gender

Female



Phone Number \*

7043287978

Register

## Registration Form

Full Name \*

ashna

Email \*

ashnakk2005@gmail.com

Password \*

.....

Confirm Password \*

.....

Gender

Female



Phone Number \*

77889

Register

**Registration Invalid: Enter valid 10-digit  
phone number**