



MONTH 09 OF 10

# Recovery Science

---

Rest is not the opposite of training — it is  
training

30-day guide · [muviko.app](https://muviko.app)

# Rest is not the opposite of training — it is training

This month focuses on one core theme across four weeks. Each week builds on the last — read the science, apply the daily actions, track your progress.

## Your 4 weeks at a glance

**Week 33** Active vs. Passive Recovery

**Week 34** Sleep & Movement Timing

**Week 35** Micro Mobility

**Week 36** HRV-Guided Training

Your daily non-negotiable: 3.4 minutes of vigorous movement, every day. Everything this month layers on top of that foundation.

## Weeks 1 & 2

### WEEK 33

#### Active vs. Passive Recovery

Light movement (Zone 1: easy walking) on rest days enhances recovery vs. full sedentary rest. It improves blood flow, reduces DOMS, and maintains metabolic rate.

- Mon: Easy 10-minute walk. Nothing vigorous. Zone 1 only.
- Wed: Same. Add gentle bodyweight mobility (hip circles, shoulder rolls, spinal waves).
- Fri–Sun: How does active recovery affect your readiness for the next vigorous session?

### WEEK 34

#### Sleep & Movement Timing

Exercise raises core body temperature. Vigorous movement within 2 hours of sleep onset delays sleep onset by 30+ minutes. Morning beats evening for those who struggle to sleep.

- Mon–Tue: Log your sleep quality after a morning-heavy vigorous day.
- Wed–Thu: Log your sleep quality after an evening vigorous burst.
- Fri–Sun: Identify your personal movement cutoff time for optimal sleep.

## Weeks 3 & 4

### WEEK 35

#### Micro Mobility

Joint longevity is determined by consistent range-of-motion movement, not rest. 5 minutes of daily mobility work reduces injury risk by 40% over 5 years.

- Mon–Fri: 5-minute mobility circuit: hip flexor stretch, thoracic rotation, calf raises, wrist rolls.
  - Sat: Yoga flow or full-body stretch for 10 minutes. Notice where you're tight.
  - Sun: Identify your 2 biggest mobility limiters. Target them daily.
- 

### WEEK 36

#### HRV-Guided Training

Heart Rate Variability reflects nervous system recovery. Low HRV = reduce intensity. High HRV = push. Apps like HRV4Training or Whoop give you daily guidance.

- Mon: Measure morning HRV (free app: HRV4Training — 1-min camera measurement).
- Wed–Thu: Adjust intensity based on your HRV reading. Trust the number.
- Fri–Sun: Review 2 weeks of HRV data. See the pattern correlate with your habits.

# 30-day habit tracker

Mark each day you hit your minimum 3.4 minutes of vigorous movement. Print and stick somewhere visible.

|        | MON | TUE | WED | THU | FRI | SAT | SUN |
|--------|-----|-----|-----|-----|-----|-----|-----|
| Week 1 |     |     |     |     |     |     |     |
| Week 2 |     |     |     |     |     |     |     |
| Week 3 |     |     |     |     |     |     |     |
| Week 4 |     |     |     |     |     |     |     |

Month 09 focus: Rest is not the opposite of training — it is training.  
Your vigorous daily bursts ARE the science in action.