














Actions ~



# Run 🖸

```
create table iesCollege(
    studNo number(5) primary key,
    studName varchar2(20),
    rollNo varchar2(20),
    clgName varchar2(20)
   );
```

Table created.

```
insert into iesCollege values (1, 'Yuvan', '0177CS191185', 'ICOT');
insert into iesCollege values (2, 'Rohit', '0177CS191146', 'ICOT');
insert into iesCollege values (3, 'Ravi', '0177CS191134', 'ICOT');
insert into iesCollege values (4, 'Sonu', '0177CS191168', 'ICOT');
```

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

1 row(s) inserted.

STUDNO	STUDNAME	ROLLNO	CLGNAME
1	Yuvan	0177CS191185	ICOT
2	Rohit	0177CS191146	ICOT
3	Ravi	0177CS191134	ICOT
4	Sonu	0177CS191168	ICOT

#### Download CSV



```
1 select * from iesCollege;
```

STUDNO	STUDNAME	ROLLNO	CLGNAME	STUDADDRESS
1	Yuvan	0177CS191185	ICOT	he.
2	Rohit	0177CS191146	ICOT	67
3	Ravi	0177CS191134	ICOT	14
4	Sonu	0177CS191168	ICOT	100

#### Download CSV

```
1  UPDATE iesCollege SET studAddress = 'Balaghat' where studName = 'Yuvan';
2  UPDATE iesCollege SET studAddress = 'Balaghat' where studName = 'Rohit';
3  UPDATE iesCollege SET studAddress = 'Bihar' where studName = 'Ravi';
4  UPDATE iesCollege SET studAddress = 'Bihar' where studName = 'Sonu';
4  Trow(s) updated.
```

1 row(s) updated.

1 row(s) updated.

1 row(s) updated.

2

STUDNO	STUDNAME	ROLLNO	CLGNAME	STUDADDRESS
1	Yuvan	0177CS191185	ICOT	Balaghat
2	Rohit	0177CS191146	ICOT	Balaghat
3	Ravi	0177CS191134	ICOT	Bihar
4	Sonu	0177CS191168	ICOT	Bihar

#### Download CSV

















Actions >





- -- RENAME THE COLUMN NAME studName to sName . 1
- ALTER TABLE iesCollege RENAME COLUMN studName to sName;

STUDNO	SNAME	ROLLNO	CLGNAME	STUDADDRESS
1	Yuvan	0177CS191185	ICOT	Balaghat
2	Rohit	0177CS191146	ICOT	Balaghat
3	Ravi	0177CS191134	ICOT	Bihar
4	Sonu	0177CS191168	ICOT	Bihar

#### Download CSV













Actions >





- 1 -- CHANGE THE SIZE OF sName varchar(20) to varchar(25).
- ALTER TABLE iesCollege MODIFY sName varchar(25);















Actions ~





- 1 -- REMOVE/ DROP THE PRIMARY KEY
- ALTER TABLE iesCollege DROP PRIMARY KEY;























- 1 -- ADD THE CONTRAINT PRIMARY KEY IN sName
- 2 ALTER TABLE iesCollege ADD PRIMARY KEY (sName);
















Actions ~






- RENAME THE TABLE NAME iesCollege to iesStudent.
- ALTER TABLE iesCollege RENAME TO iesStudent;

ORA-00942: table or view does not exist

1 select \* from iesStudent;

STUDNO	SNAME	ROLLNO	CLGNAME	STUDADDRESS
1	Yuvan	0177CS191185	ICOT	Balaghat
2	Rohit	0177CS191146	ICOT	Balaghat
3	Ravi	0177CS191134	ICOT	Bihar
4	Sonu	0177CS191168	ICOT	Bihar

### Download CSV




# 1 desc iesStudDummy;

### TABLE IESSTUDDUMMY

Column	Null?	Type
STUDNO	22	NUMBER(5,0)
SNAME	14	VARCHAR2(30)
ROLLNO	12	VARCHAR2(20)
CLGNAME	-	VARCHAR2(20)
STUDADDRESS	· ·	VARCHAR2(50)

### Download CSV



1 desc iesStudDummy;

#### TABLE IESSTUDDUMMY

Column	Null?	Туре
STUDNO		NUMBER(5,0)
ROLLNO	. <del></del>	VARCHAR2(20)
CLGNAME	. <del></del>	VARCHAR2(20)
STUDADDRESS	15	VARCHAR2(50)

#### Download CSV



