Describe:

A compiled language is a language in which code is converted into binary instructions.

An example of a compiled language is C++.

The definition of an interpreted language is a programming language that, when it runs, executes the code at runtime rather than being compiled


An example of an interpreted language is JavaScript

Compare and Contrast:


A compiled language is similar to an interpreted language because they both run code

A difference between a compiled language and an interpreted language is that, when compiling, a new file is usually created, which you then have to run manually. You cannot run the program by typing one command. Compiled programs are usually much quicker.


8/11/26 classwork:




8/13/26 Warmup



8/13/26 Classwork 1:



8/13/26 Classwork 2:


HelloWorld.java
Interview.java
Bunny.java
Labels.java
Labels.java > Labels > main(String[])
}
Run | Debug
public static void main(String[] args) {
System.out.println(x: "Jack Smith\t\t\tJack Smith");
System.out.println(x: "7 Fortham Drive\t\t\t7 Fortham Drive");
System.out.println(x: "Mountain View, CA 94040\t\tMountain View, CA 94040");
}
}
PROBLEMS
OUTPUT
TERMINAL
PORTS
QUERY RESULTS
yuvan@Yuvans-MacBook-Air week1 % java Labels.java
Mountain View, CA 94040 Mountain View, CA 94040
yuvan@Yuvans-MacBook-Air week1 % java Labels.java
Jack Smith Jack Smith
7 Fortham Drive 7 Fortham Drive
Mountain View, CA 94040 Mountain View, CA 94040
yuvan@Yuvans-MacBook-Air week1 % java Labels.java
Jack Smith Jack Smith
7 Fortham Drive 7 Fortham Drive
Mountain View, CA 94040 Mountain View, CA 94040
yuvan@Yuvans-MacBook-Air week1 % javac Labels.java
yuvan@Yuvans-MacBook-Air week1 % java Labels.java
Jack Smith Jack Smith
7 Fortham Drive 7 Fortham Drive
Mountain View, CA 94040 Mountain View, CA 94040
yuvan@Yuvans-MacBook-Air week1 %