6) AIM:

Create a filter to display only SMCP packets & inspect the packets

PROCEDURE:

* Select LAN connection in wireshark
* Go to capture → optim
* Select the stop capture automatically
* Save the packets.

RESULT:

Thus, network packets were successfully captured and analysed using Wiresharck with different protocol filters.

PROCEDURE :

* Go to capture → option
* Select stop capture automatically after 100 packets
* Then click start capture.
* Search DNS packets
* Save the packets

4) AIM :

Create a filter to display only HTTP packet & repeat the packets.

PROCEDURE :

* Select LAN connection in Wireshark.
* Go to capture → option
* Then click start capture
* Select HTTP packets in search
* Save the packets

5) AIM :

To create a filter to display only IP/ICHP packet and inspect the packet.

PROCEDURE :

* select a LAN connection in Wireshark.
* Go to capture → options
* Click Start capture
* search for ICMP/IP packets.
* Save the packets.

EXP-NO: 5
DATE: 20/8/26

EXPERIMENT ON PACKET CAPTURE TOOL - WIRESHARK

AIM:

Capturing an analysis packets using Wireshark tool.

1) AIM:

Create a filter to display only TCP/UDP packets, inspects the packets and provide the flow graph

PROCEDURE:

* Select LAN connection in wireshark
* Go to Capture → Option
* Select Stop capture automatically after 100 packets.
* Save the packets.

2) AIM:

Create a filter to display only ARP packets and inspect the packets.

PROCEDURE:

* Go to capture.
* Set Stop capture automatically after 100 packets.
* Then click start capture.
* Save the packets.

3) AIM:

Create a filter to display only DNS packets & provide the flow graph.