Status	Finished
Started	Tuesday, 27 October 2026, 11:17 PM
Completed	Tuesday, 27 October 2026, 11:20 PM
Duration	2 mins 34 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. writelist(list)
b. None of the mentioned
c. writelines(list) ✓
d. write(list)

The correct answer is: writelines(list)

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. close() ✓
b. end()
c. finish()
d. terminate()

The correct answer is: close()

Question **3**

Correct

Mark 1.00 out of 1.00

Which of the following methods is used to read a single line from a file?

a. read()
b. readline() ✓
c. readlines()
d. readline(size)

The correct answer is: readline()

Question **4**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)
b. infile = open(file, “a.txt”, “r”)
c. infile = open(“a.txt”, “r”) ✓
d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **5**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It appends data to the file
b. It raises an error
c. It clears the old data and starts fresh ✓
d. It does nothing

The correct answer is: It clears the old data and starts fresh

Question **6**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

a. read(1)
b. readlines(1)
c. line()
d. readline() ✓

The correct answer is: readline()

Question **7**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Appends "Adding new data" to the end of the file ✓
b. Overwrites the file with "Adding new data"
c. Raises an error because the file is opened in append mode
d. Opens the file in read mode

The correct answer is: Appends "Adding new data" to the end of the file

Question **8**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. read()
b. readline()
c. readlines() ✓
d. readlist()

The correct answer is: readlines()

Question **9**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open("c:\scores.txt", "w")

b. outfile = open(file = "c:\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "w") ✓

d. outfile = open(file = "c:\\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "w")

Question **10**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Moves the file cursor to the specified position ✓

b. Deletes the file

c. Reads the file line by line

d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **11**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

a. file.closed()

b. file.is_closed()

c. file.isclosed()

d. file.closed ✓

The correct answer is: file.closed

Question **12**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

a. ,

b. space

c. \t

d. \n ✓

The correct answer is:
\n

Question **13**

Correct

Mark 1.00 out of 1.00

What is the use of tell() method in python?

a. tells you the file is opened or not

b. tells you the current position within the file ✓

c. none of the mentioned

d. tells you the end position within the file

The correct answer is:
tells you the current position within the file

Question **14**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for appending data, we use _____

a. outfile = open("c:\\scores.txt", "a") ✓

b. outfile = open(file = "c:\\scores.txt", "w")

c. outfile = open("c:\\scores.txt", "rw")

d. outfile = open(file = "c:\scores.txt", "w")

The correct answer is:
outfile = open("c:\\scores.txt", "a")

Question **15**

Correct

Mark 1.00 out of 1.00

f.seek(5,1) means

a. moves the file pointer to the end of a file

b. move the file pointer to beginning of the file

c. move the file pointer five characters behind from the current position

d. move the file pointer five characters ahead from the current position ✓

The correct answer is:
move the file pointer five characters ahead from the current position