Status	Finished
Started	Tuesday, 20 October 2026, 8:39 AM
Completed	Tuesday, 20 October 2026, 8:42 AM
Duration	3 mins 25 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

- a. Linear search ✓
- b. Jump search
- c. Hashing
- d. Binary search

Question **2**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

- a. The higher middle element is chosen as the middle element
- b. The search stops
- c. The middle element is chosen randomly
- d. The lower middle element is chosen as the middle element ✗

Question **3**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

- a. The list is sorted
- b. The search stops
- c. The search continues in the left or right sublist ✓
- d. The search continues from the beginning

Question **4**

Correct

Mark 1.00 out of 1.00

In _____ checks the elements of a list, one at a time, without skipping any element.

a. Binary search

b. Linear search ✓

c. Hash search

d. Both (1) & (3)

Question **5**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Discovering

b. Searching ✓

c. Finding

d. Mining

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following scenarios is best suited for applying binary search?

a. When the list is unsorted

b. When the list is sorted ✓

c. When the list is very small

d. When the list contains duplicate elements

Question **7**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 90 and 99 ✓
- b. 90 and 100
- c. 89 and 94
- d. 94 and 99

Question **8**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

- a. Linear
- b. Both (1) & (3)
- c. Hash
- d. Binary ✓

Question **9**

Correct

Mark 1.00 out of 1.00

What happens when the element is found in linear search?

- a. The search stops immediately ✓
- b. The search backtracks to find duplicate elements
- c. The search starts over from the beginning
- d. The search continues until the end of the list

Question **10**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

a. O👎

b. O(1) ✓

c. O(n log n)

d. O(log n)

Question **11**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

a. By comparing each element sequentially

b. By dividing the list length by two ✓

c. By using a hash function

d. By starting from the first element

Question **12**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list

b. In the right sublist ✓

c. In the left sublist

d. At the beginning of the list

Question **13**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Bubble ✓

b. Complexity

c. Selection

d. Insertion

Question **14**

Correct

Mark 1.00 out of 1.00

In linear search, if the target element is not found in the list, what is the result?

a. The search is considered unsuccessful ✓

b. The first element is returned

c. An error is raised

d. The last element is returned

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is not the required condition for a binary search algorithm?

a. The list must be sorted

b. Number values should only be present

Number values should only be present

c. There must be a mechanism to delete and/or insert elements in the list ✓

d. There should be direct access to the middle element in any sublist