

# Cucumber Report

07-Apr-2025, 9:09:07 am

Start : Apr 07, 9:08:02.549 am

End : Apr 07, 9:09:06.262 am

Duration : 1 m 3.713 s

Features


Scenarios

Steps

PASSED - 1  
FAILED - 2  
SKIPPED - 0

PASSED - 2  
FAILED - 3  
SKIPPED - 0


PASSED - 15  
FAILED - 3  
SKIPPED - 12




| Feature                      |          | Scenario |   |   |   | Step |   |   |   |
|------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                         | Duration | T        | P | F | S | T    | P | F | S |
| <u>AddAddress</u>            | 21.844 s | 1        | 0 | 1 | 0 | 8    | 3 | 1 | 4 |
| <u>DemoWebShop</u>           | 9.630 s  | 2        | 2 | 0 | 0 | 6    | 6 | 0 | 0 |
| <u>Title of your feature</u> | 32.209 s | 2        | 0 | 2 | 0 | 16   | 6 | 2 | 8 |

| # | Feature Name                 | Scenario Name             |
|---|------------------------------|---------------------------|
| 1 | <u>AddAddress</u>            | <u>DemoShopAddAddress</u> |
| 2 | <u>Title of your feature</u> | <u>ChangePassword</u>     |
| 3 |                              | <u>ChangePassword</u>     |

| <b>TAG</b>             | <b>Scenario</b> |          |          |          | <b>Feature</b> |          |          |          |
|------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| <b>Name</b>            | <b>T</b>        | <b>P</b> | <b>F</b> | <b>S</b> | <b>T</b>       | <b>P</b> | <b>F</b> | <b>S</b> |
| @tag                   | 5               | 2        | 3        | 0        | 3              | 1        | 2        | 0        |
| @tag1                  | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @ValidCredentials      | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @InvalidCredentials    | 1               | 1        | 0        | 0        | 1              | 1        | 0        | 0        |
| @ValidChangePassword   | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |
| @InvalidChangePassword | 1               | 0        | 1        | 0        | 1              | 0        | 1        | 0        |





| # | Feature Name                 | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|----------|
| 1 | <u>AddAddress</u>            | 1 | 0 | 1 | 0 | 21.844 s |
| 2 | <u>DemoWebShop</u>           | 2 | 2 | 0 | 0 | 9.630 s  |
| 3 | <u>Title of your feature</u> | 2 | 0 | 2 | 0 | 32.209 s |





| # | Feature Name                 | Scenario Name             | T | P | F | S | Duration |
|---|------------------------------|---------------------------|---|---|---|---|----------|
| 1 | <u>AddAddress</u>            | <u>DemoShopAddAddress</u> | 8 | 3 | 1 | 4 | 21.841 s |
| 2 | <u>DemoWebShop</u>           | <u>LoginPageValid</u>     | 3 | 3 | 0 | 0 | 5.073 s  |
| 3 |                              | <u>LoginPageInvalid</u>   | 3 | 3 | 0 | 0 | 4.550 s  |
| 4 | <u>Title of your feature</u> | <u>ChangePassword</u>     | 8 | 3 | 1 | 4 | 14.821 s |
| 5 |                              | <u>ChangePassword</u>     | 8 | 3 | 1 | 4 | 17.379 s |

## AddAddress

|                                      |                     |  |   |  |   |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED                               | DURATION - 21.844 s | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 8<br>Pass - 3<br>Fail - 1<br>Skip - 4 |  |
| / 9:08:02.549 am // 9:08:24.393 am / |                     |  |   |  |   |
|                                      |                     |  |   |  |   |



## DemoShopAddAddress

|                                      |  |                     |  |  |  |   |
|--------------------------------------|--|---------------------|--|--|--|---|
| FAILED                               |  | DURATION - 21.841 s |  |  | Steps<br>Total - 8<br>Pass - 3<br>Fail - 1<br>Skip - 4 |  |
| / 9:08:02.552 am // 9:08:24.393 am / |  |                     |  |  |  |   |
| AddAddress                           |  |                     |  |  |  |   |
| @tag @tag1                           |  |                     |  |  |  |   |

| #               | Step / Hook Details  | Status | Duration |       |
|-----------------|--|--------|----------|-------|
| 1               | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"  | PASSED | 3.684 s  |       |
| 2               | When I provide email and password  | PASSED | 0.141 s  |       |
|                 | <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>  |        |          | email |
| email           | password   |        |          |       |
| abccy@gmail.com | 123456   |        |          |       |
| 3               | And click log in   | PASSED | 0.525 s  |       |
| 4               | When I click my email  | FAILED | 10.031 s |       |
|                 | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:<br>{\"method\":\"xpath\",\"selector\":\"//a[text()='abccy@gmail.com']\"} (Session info: chrome=135.0.7049.42) For documentation on this error, please<br>visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0',<br>revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.<br>selenium.chrome.ChromeDriver Command: [34c5e87ab5256eaab720c206e57706a6, findElement {using=xpath,<br>value=//a[text()='abccy@gmail.com']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42,<br>chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\\Users\\yuvar\\AppData\\Loca...}, fedcm:accounts: true,<br>goog:chromeOptions: {debuggerAddress: localhost:54028}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName:<br>windows, proxy: Proxy(), se:cdp: ws://localhost:54028/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability:<br>false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob:<br>true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, |        |          |       |



| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre>webauthn:virtualAuthenticators: true} Session ID: 34c5e87ab5256eaab720c206e57706a6 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_click_my_email(StepDefinition.java:82) at ?.I click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/AddAddress.feature:12) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 5 | And click Addressess and add new  | SKIPPED | 0.000 s  |
| 6 | Then I want to add new address  | SKIPPED | 0.000 s  |
| 7 | And select country and state  | SKIPPED | 0.001 s  |
| 8 | Then i click save   | SKIPPED | 0.000 s  |

## DemoWebShop

|                                      |                           |           |   |           |   |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| <b>PASSED</b>                        | <b>DURATION - 9.630 s</b> | Scenarios |  | Steps     |  |
| / 9:08:24.411 am // 9:08:34.041 am / |                           | Total - 2 |   | Total - 6 |   |
|                                      |                           | Pass - 2  | 2   | Pass - 6  | 6   |
|                                      |                           | Fail - 0  |   | Fail - 0  |   |
|                                      |                           | Skip - 0  |   | Skip - 0  |   |



## LoginPageValid



|                                      |                    |  |   |   |
|--------------------------------------|--------------------|--|---|---|
| <b>PASSED</b>                        | DURATION - 5.073 s |  | <b>Steps</b><br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 9:08:24.411 am // 9:08:29.484 am / |                    |  |   |   |
| DemoWebShop                          |                    |  |   |   |
| @ValidCredentials @tag               |                    |  |   |   |



| #               | Step / Hook Details   | Status | Duration |       |          |
|-----------------|---|--------|----------|-------|----------|
| 1               | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"                         | PASSED | 3.153 s  |       |          |
| 2               | When I provide email and password   | PASSED | 0.172 s  |       |          |
|                 | <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table> |        |          | email | password |
| email           | password  |        |          |       |          |
| abccy@gmail.com | 123456  |        |          |       |          |
| 3               | And click log in  | PASSED | 0.505 s  |       |          |

### LoginPageInvalid



|                                      |                    |   |   |  |
|--------------------------------------|--------------------|---|---|--|
| <b>PASSED</b>                        | DURATION - 4.550 s |  | <b>Steps</b><br>Total - 3<br>Pass - 3<br>Fail - 0<br>Skip - 0 |  |
| / 9:08:29.491 am // 9:08:34.041 am / |                    |   |   |  |
| DemoWebShop                          |                    |   |   |  |
| @InvalidCredentials @tag             |                    |   |   |  |

| #             | Step / Hook Details  | Status | Duration |       |          |
|---------------|--|--------|----------|-------|----------|
| 1             | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"                    | PASSED | 3.180 s  |       |          |
| 2             | When I provide invalid email and invalid password  | PASSED | 0.135 s  |       |          |
|               | <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gil.com</td><td>123</td></tr></table> |        |          | email | password |
| email         | password   |        |          |       |          |
| abccy@gil.com | 123  |        |          |       |          |
| 3             | And click log in   | PASSED | 0.065 s  |       |          |

Title of your feature

|                                      |                            |  |   |   |   |
|--------------------------------------|----------------------------|--|---|---|---|
| <b>FAILED</b>                        | <b>DURATION - 32.209 s</b> | Scenarios<br>Total - 2<br>Pass - 0<br>Fail - 2<br>Skip - 0 |  | Steps<br>Total - 16<br>Pass - 6<br>Fail - 2<br>Skip - 8 |  |
| / 9:08:34.053 am // 9:09:06.262 am / |                            |  |   |   |   |



## ChangePassword

|                                      |                            |  |  |   |
|--------------------------------------|----------------------------|--|--|---|
| <b>FAILED</b>                        | <b>DURATION - 14.821 s</b> |  | Steps<br>Total - 8<br>Pass - 3<br>Fail - 1<br>Skip - 4 |  |
| / 9:08:34.053 am // 9:08:48.874 am / |                            |  |  |   |
| Title of your feature                |                            |  |  |   |
| @ValidChangePassword @tag            |                            |  |  |   |

| #               | Step / Hook Details   | Status | Duration |       |          |
|-----------------|---|--------|----------|-------|----------|
| 1               | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"   | PASSED | 3.171 s  |       |          |
| 2               | When I provide email and password   | PASSED | 0.138 s  |       |          |
|                 | <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>   |        |          | email | password |
| email           | password  |        |          |       |          |
| abccy@gmail.com | 123456  |        |          |       |          |
| 3               | And click log in  | PASSED | 0.367 s  |       |          |
| 4               | Given I want to click my email  | FAILED | 10.014 s |       |          |
|                 | <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='abccy@gmail.com']"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1fb7c3a94646c5d2d098d5165412ba0f, findElement {using=xpath, value=//a[text()='abccy@gmail.com']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60183}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60183/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1fb7c3a94646c5d2d098d5165412ba0f</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> |        |          |       |          |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword. feature:30) * Not displayable characters are replaced by '?'. </pre> |         |          |
| 5 | Then I want to click change Password  | SKIPPED | 0.000 s  |
| 6 | When i provide oldPassword as "123456"  | SKIPPED | 0.000 s  |
| 7 | And i provide newPassword as "789456" and confirmPassword as "789456"   | SKIPPED | 0.000 s  |
| 8 | Then i click change Password  | SKIPPED | 0.000 s  |

## ChangePassword

| <div>FAILED</div> <div>DURATION - 17.379 s</div> |  <table><caption>Step Counts</caption><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>5</td></tr><tr><td>2</td><td>1</td></tr><tr><td>3</td><td>1</td></tr><tr><td>4</td><td>10</td></tr><tr><td>5</td><td>0</td></tr><tr><td>6</td><td>0</td></tr><tr><td>7</td><td>0</td></tr><tr><td>8</td><td>0</td></tr></tbody></table> | Step  | Count | 1 | 5 | 2 | 1 | 3 | 1 | 4 | 10 | 5 | 0 | 6 | 0 | 7 | 0 | 8 | 0 | <div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
|--|---|-------|-------|---|---|---|---|---|---|---|----|---|---|---|---|---|---|---|---|---|---|
| Step   |   | Count |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 1  |   | 5     |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 2  |   | 1     |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 3  | 1   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 4  | 10  |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 5  | 0   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 6  | 0   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 7  | 0   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| 8  | 0   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| <div>/ 9:08:48.883 am // 9:09:06.262 am /</div>  |   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| <div>Title of your feature</div>                 |   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |
| <div>@InvalidChangePassword @tag</div>           |   |       |       |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 5.617 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 2 | When I provide email and password <div> <div>email</div> <div>password</div> <div>abccy@gmail.com</div> <div>123456</div> </div>  | PASSED  | 0.120 s  |
| 3 | And click log in  | PASSED  | 0.440 s  |
| 4 | Given I want to click my email <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='abccy@gmail.com']"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1dc8e56f1e5b45355a3b6a4eb713ca4e, findElement {using=xpath, value="//a[text()='abccy@gmail.com']"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60744}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60744/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1dc8e56f1e5b45355a3b6a4eb713ca4e</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:47) </pre> <p>* Not displayable characters are replaced by '?'. </p> | FAILED  | 10.024 s |
| 5 | Then I want to click change Password  | SKIPPED | 0.001 s  |

| # | Step / Hook Details   | Status  | Duration |
|---|---|---------|----------|
| 6 | When i provide invalid oldPassword as "123478"                        | SKIPPED | 0.000 s  |
| 7 | And i provide newPassword as "789456" and confirmPassword as "789456" | SKIPPED | 0.000 s  |
| 8 | Then i click change Password  | SKIPPED | 0.000 s  |