

# Cucumber Report

04-Apr-2025, 3:42:11 pm

Start : Apr 04, 3:41:31.028 pm

End : Apr 04, 3:42:10.421 pm

Duration : 39.393 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 3  
SKIPPED - 0

PASSED - 0  
FAILED - 5  
SKIPPED - 0


PASSED - 3  
FAILED - 5  
SKIPPED - 16




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>AddAddress</u>	20.083 s	1	0	1	0	8	1	1	6
<u>DemoWebShop</u>	15.807 s	2	0	2	0	6	2	2	2
<u>Title of your feature</u>	3.439 s	2	0	2	0	10	0	2	8

#	Feature Name	Scenario Name
1	<u>AddAddress</u>	<u>DemoShopAddAddress</u>
2	<u>DemoWebShop</u>	<u>LoginPageValid</u>
3		<u>LoginPageInvalid</u>
4	<u>Title of your feature</u>	<u>ChangePassword</u>
5		<u>ChangePassword</u>

<b>TAG</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@tag	5	0	5	0	3	0	3	0
@tag1	1	0	1	0	1	0	1	0
@ValidCredentials	1	0	1	0	1	0	1	0
@InvalidCredentials	1	0	1	0	1	0	1	0
@ValidChangePassword	1	0	1	0	1	0	1	0
@InValidChangePassword	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	AddAddress	1	0	1	0	20.083 s
2	DemoWebShop	2	0	2	0	15.807 s
3	Title of your feature	2	0	2	0	3.439 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AddAddress</u>	<u>DemoShopAddAddress</u>	8	1	1	6	20.077 s
2	<u>DemoWebShop</u>	<u>LoginPageValid</u>	3	1	1	1	8.207 s
3		<u>LoginPageInvalid</u>	3	1	1	1	7.592 s
4	<u>Title of your feature</u>	<u>ChangePassword</u>	5	0	1	4	1.569 s
5		<u>ChangePassword</u>	5	0	1	4	1.861 s

## AddAddress

<b>FAILED</b>	DURATION - 20.083 s	Scenarios		Steps	
/ 3:41:31.028 pm // 3:41:51.111 pm /		Total - 1		Total - 8	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	



## DemoShopAddAddress

<div>FAILED</div> <div>DURATION - 20.077 s</div>		<div></div>	Steps	<div></div>
<div>/ 3:41:31.034 pm // 3:41:51.111 pm /</div>			Total - 8	
<div>AddAddress</div>			Pass - 1	
<div>@tag @tag1</div>			Fail - 1	
			Skip - 6	

#	Step / Hook Details	Status	Duration				
1	Given I want to be in the demowebshop	PASSED	6.652 s				
2	When I provide email and password	FAILED	0.059 s				
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>			email	password	abccy@gmail.com	123456
email	password						
abccy@gmail.com	123456						
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [582e683c844a39b1ecc469c8f699b23e, findElement {using=id, value=Email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51890}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:51890/devtoo..., se.cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 582e683c844a39b1ecc469c8f699b23e</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)</p>						



#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.LoginPageAction.provideEmailAndPassword(LoginPageAction.java:23) at com.definitions.StepDefinition.i_provide_email_and_password(StepDefinition.java:35) at ?.I provide email and password(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/AddAddress. feature:8) * Not displayable characters are replaced by '?'. </pre>		
3	And click log in	SKIPPED	0.000 s
4	When I click my email	SKIPPED	0.000 s
5	And click Addressess and add new	SKIPPED	0.003 s
6	Then I want to add new address	SKIPPED	0.000 s
7	And select country and state	SKIPPED	0.000 s
8	Then i click save	SKIPPED	0.002 s

## DemoWebShop

<b>FAILED</b>	<b>DURATION - 15.807 s</b>	Scenarios		Steps	
/ 3:41:51.153 pm // 3:42:06.960 pm /		Total - 2		Total - 6	
		Pass - 0		Pass - 2	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 2	

## LoginPageValid





<div>FAILED</div> <div>DURATION - 8.207 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:41:51.153 pm // 3:41:59.360 pm /				
DemoWebShop				
@ValidCredentials @tag				

#	Step / Hook Details	Status	Duration				
1	Given I want to be in the demowebshop	PASSED	6.465 s				
2	<div>When I provide email and password</div> <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table> <div>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6404b527045fe1709d444ef75486ce38, findElement {using=id, value=Email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Local\Temp\scoped_dir1012_1111111111}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:53593}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:53593/devtools, se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6404b527045fe1709d444ef75486ce38 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</div>	email	password	abccy@gmail.com	123456	FAILED	0.023 s
email	password						
abccy@gmail.com	123456						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.LoginPageAction.provideEmailAndPassword(LoginPageAction.java:23) at com.definitions.StepDefinition.i_provide_email_and_password(StepDefinition.java:35) at ?.I provide email and password(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/WebShop.feature:26) * Not displayable characters are replaced by '?'. </pre>		
3	And click log in	SKIPPED	0.001 s



## LoginPageInvalid

<b>FAILED</b> DURATION - 7.592 s / 3:41:59.368 pm // 3:42:06.960 pm / DemoWebShop @InvalidCredentials @tag		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
--	--	--	---



#	Step / Hook Details	Status	Duration				
1	Given I want to be in the demowebshop	PASSED	5.875 s				
2	When I provide invalid email and invalid password	FAILED	0.029 s				
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gil.com</td><td>123</td></tr></table>			email	password	abccy@gil.com	123
email	password						
abccy@gil.com	123						
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#Email"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os. arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f1d76afa3af4af1bce03583498c6ff01, findElement {using=id, value=Email}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca ..}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57393}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57393/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f1d76afa3af4af1bce03583498c6ff01     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486)     at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</pre>						

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.LoginPageAction.provideEmailAndPassword(LoginPageAction.java:23) at com.definitions.StepDefinition.i_provide_invalid_email_and_invalid_password(StepDefinition.java:74) at ?.I provide invalid email and invalid password(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/WebShop.feature:34) * Not displayable characters are replaced by '?'. </pre>		
3	And click log in	SKIPPED	0.000 s

## Title of your feature



FAILED	DURATION - 3.439 s	Scenarios		Steps	
/ 3:42:06.982 pm // 3:42:10.421 pm /		Total - 2		Total - 10	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 8	

## ChangePassword

<div>FAILED</div> <div>DURATION - 1.569 s</div>		<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
/ 3:42:06.982 pm // 3:42:08.551 pm /				
Title of your feature				
@ValidChangePassword @tag				

#	Step / Hook Details	Status	Duration
1	Given I want to click my email  java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:19) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:46) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:25) * Not displayable characters are replaced by '?'. 	FAILED	0.016 s
2	Then I want to click change Password	SKIPPED	0.000 s
3	When i provide oldPassword as "123456"	SKIPPED	0.000 s
4	And i provide newPassword as "789456" and confirmPassword as "789456"	SKIPPED	0.000 s
5	Then i click change Password	SKIPPED	0.002 s

## ChangePassword

<div>FAILED</div> <div>DURATION - 1.861 s</div>			<div>Steps</div> <div>Total - 5</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 3:42:08.560 pm // 3:42:10.421 pm /				
Title of your feature				
@InvalidChangePassword @tag				

#	Step / Hook Details	Status	Duration
1	Given I want to click my email java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.SearchContext.findElement(org.openqa.selenium.By)" because "this.searchContext" is null at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:19) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:46) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:37) * Not displayable characters are replaced by '?'.	FAILED	0.019 s
2	Then I want to click change Password	SKIPPED	0.002 s
3	When i provide invalid oldPassword as "123478"	SKIPPED	0.000 s
4	And i provide newPassword as "789456" and confirmPassword as "789456"	SKIPPED	0.000 s
5	Then i click change Password	SKIPPED	0.000 s