

Cucumber Report

05-Apr-2025, 3:32:25 pm

Start : Apr 05, 3:31:25.920 pm

End : Apr 05, 3:32:24.352 pm

Duration : 58.432 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 3
FAILED - 2
SKIPPED - 0


PASSED - 23
FAILED - 2
SKIPPED - 5




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>AddAddress</u>	18.242 s	1	0	1	0	8	4	1	3
<u>DemoWebShop</u>	11.070 s	2	2	0	0	6	6	0	0
<u>Title of your feature</u>	29.070 s	2	1	1	0	16	13	1	2

#	Feature Name	Scenario Name
1	<u>AddAddress</u>	<u>DemoShopAddAddress</u>
2	<u>Title of your feature</u>	<u>ChangePassword</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@tag	5	3	2	0	3	1	2	0
@tag1	1	0	1	0	1	0	1	0
@ValidCredentials	1	1	0	0	1	1	0	0
@InvalidCredentials	1	1	0	0	1	1	0	0
@ValidChangePassword	1	0	1	0	1	0	1	0
@InvalidChangePassword	1	1	0	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>AddAddress</u>	1	0	1	0	18.242 s
2	<u>DemoWebShop</u>	2	2	0	0	11.070 s
3	<u>Title of your feature</u>	2	1	1	0	29.070 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AddAddress</u>	<u>DemoShopAddAddress</u>	8	4	1	3	18.239 s
2	<u>DemoWebShop</u>	<u>LoginPageValid</u>	3	3	0	0	6.706 s
3		<u>LoginPageInvalid</u>	3	3	0	0	4.355 s
4	<u>Title of your feature</u>	<u>ChangePassword</u>	8	5	1	2	17.401 s
5		<u>ChangePassword</u>	8	8	0	0	11.655 s

AddAddress

FAILED	DURATION - 18.242 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 4 Fail - 1 Skip - 3	
/ 3:31:25.920 pm // 3:31:44.162 pm /					



DemoShopAddAddress

<div>FAILED</div> <div>DURATION - 18.239 s</div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 3</div>	
/ 3:31:25.923 pm // 3:31:44.162 pm /				
AddAddress				
@tag @tag1				



#	Step / Hook Details	Status	Duration		
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	3.201 s		
2	When I provide email and password	PASSED	0.172 s		
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>			email	password
email	password				
abccy@gmail.com	123456				
3	And click log in	PASSED	2.062 s		
4	When I click my email	PASSED	0.719 s		
5	And click Addressess and add new	FAILED	10.194 s		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@class='button-1 add-address-button']"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5ee30203933a3f6e41f620e789c46a34, findElement {using=xpath, value=//input[@class='button-1 add-address-button']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62015}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62015/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,				

#	Step / Hook Details	Status	Duration
	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5ee30203933a3f6e41f620e789c46a34 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.AddAddressPageActions.clickAddressesAndAddNew(AddAddressPageActions.java:69) at com.definitions.StepDefinition.click_addressess_and_add_new(StepDefinition.java:89) at ?.click Addressess and add new(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/AddAddress.feature:13) * Not displayable characters are replaced by '?'.		
6	Then I want to add new address	SKIPPED	0.000 s
7	And select country and state	SKIPPED	0.000 s
8	Then i click save	SKIPPED	0.000 s

DemoWebShop



PASSED	DURATION - 11.070 s	Scenarios		Steps	
/ 3:31:44.193 pm // 3:31:55.263 pm /		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

LoginPageValid

PASSED	DURATION - 6.706 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:31:44.193 pm // 3:31:50.899 pm /				
DemoWebShop				
@ValidCredentials @tag				



#	Step / Hook Details	Status	Duration		
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	2.841 s		
2	When I provide email and password	PASSED	0.240 s		
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>			email	password
email	password				
abccy@gmail.com	123456				
3	And click log in	PASSED	2.330 s		

LoginPageInvalid



PASSED	DURATION - 4.355 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 3:31:50.908 pm // 3:31:55.263 pm /				
DemoWebShop				
@InvalidCredentials @tag				

#	Step / Hook Details	Status	Duration		
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	2.976 s		
2	When I provide invalid email and invalid password	PASSED	0.127 s		
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gil.com</td><td>123</td></tr></table>			email	password
email	password				
abccy@gil.com	123				
3	And click log in	PASSED	0.061 s		

Title of your feature

FAILED	DURATION - 29.070 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 16 Pass - 13 Fail - 1 Skip - 2	
/ 3:31:55.282 pm // 3:32:24.352 pm /					



ChangePassword

<div><div>FAILED</div><div>DURATION - 17.401 s</div></div>			<div>Steps</div> <div>Total - 8</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 3:31:55.283 pm // 3:32:12.684 pm /				
Title of your feature				
@ValidChangePassword @tag				

#	Step / Hook Details	Status	Duration		
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"	PASSED	2.755 s		
2	When I provide email and password	PASSED	0.145 s		
	<table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table>			email	password
email	password				
abccy@gmail.com	123456				
3	And click log in	PASSED	1.898 s		
4	Given I want to click my email	PASSED	1.141 s		
5	Then I want to click change Password	PASSED	0.094 s		
6	When i provide oldPassword as "123456"	FAILED	10.056 s		
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#OldPassword"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cf0ab3163f9e2662e9fc0cf97ee5b68f, findElement {using=id, value=OldPassword}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:62969/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:				

#	Step / Hook Details	Status	Duration
	<pre> true} Session ID: cf0ab3163f9e2662e9fc0cf97ee5b68f at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.ChangePasswordPageAction.provideOldPassword(ChangePasswordPageAction.java:26) at com.definitions.StepDefinition.i_provide_old_password_as(StepDefinition.java:54) at ?.i provide oldPassword as "123456"(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:32) * Not displayable characters are replaced by '?'. </pre>		
7	And i provide newPassword as "789456" and confirmPassword as "789456"	SKIPPED	0.000 s
8	Then i click change Password	SKIPPED	0.000 s

ChangePassword

<div><div>PASSED</div><div>DURATION - 11.655 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 8</div><div>Pass - 8</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
/ 3:32:12.697 pm // 3:32:24.352 pm /				
Title of your feature				
@InvalidChangePassword @tag				

#	Step / Hook Details		Status	Duration
1	Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login"		PASSED	2.837 s
2	When I provide email and password		PASSED	0.144 s
	email	password		
	abccy@gmail.com	123456		
3	And click log in		PASSED	2.017 s
4	Given I want to click my email		PASSED	0.712 s
5	Then I want to click change Password		PASSED	0.089 s
6	When i provide invalid oldPassword as "123478"		PASSED	3.813 s
7	And i provide newPassword as "789456" and confirmPassword as "789456"		PASSED	0.183 s
8	Then i click change Password		PASSED	0.516 s