

Cucumber Report

05-Apr-2025, 3:38:31 pm

Start : Apr 05, 3:37:33.541 pm

End : Apr 05, 3:38:30.519 pm

Duration : 56.978 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 3
SKIPPED - 0


PASSED - 15
FAILED - 3
SKIPPED - 12




| Feature | | Scenario | | | | Step | | | |
|------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>AddAddress</u> | 16.647 s | 1 | 0 | 1 | 0 | 8 | 3 | 1 | 4 |
| <u>DemoWebShop</u> | 9.953 s | 2 | 2 | 0 | 0 | 6 | 6 | 0 | 0 |
| <u>Title of your feature</u> | 30.334 s | 2 | 0 | 2 | 0 | 16 | 6 | 2 | 8 |

| # | Feature Name | Scenario Name |
|---|------------------------------|---------------------------|
| 1 | <u>AddAddress</u> | <u>DemoShopAddAddress</u> |
| 2 | <u>Title of your feature</u> | <u>ChangePassword</u> |
| 3 | | <u>ChangePassword</u> |

| TAG | Scenario | | | | Feature | | | |
|------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @tag | 5 | 2 | 3 | 0 | 3 | 1 | 2 | 0 |
| @tag1 | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @ValidCredentials | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @InvalidCredentials | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @ValidChangePassword | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @InvalidChangePassword | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|----------|
| 1 | <u>AddAddress</u> | 1 | 0 | 1 | 0 | 16.647 s |
| 2 | <u>DemoWebShop</u> | 2 | 2 | 0 | 0 | 9.953 s |
| 3 | <u>Title of your feature</u> | 2 | 0 | 2 | 0 | 30.334 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|---------------------------|---|---|---|---|----------|
| 1 | <u>AddAddress</u> | <u>DemoShopAddAddress</u> | 8 | 3 | 1 | 4 | 16.644 s |
| 2 | <u>DemoWebShop</u> | <u>LoginPageValid</u> | 3 | 3 | 0 | 0 | 4.936 s |
| 3 | | <u>LoginPageInvalid</u> | 3 | 3 | 0 | 0 | 5.015 s |
| 4 | <u>Title of your feature</u> | <u>ChangePassword</u> | 8 | 3 | 1 | 4 | 15.202 s |
| 5 | | <u>ChangePassword</u> | 8 | 3 | 1 | 4 | 15.122 s |

AddAddress

| | | | | | |
|--------------------------------------|---------------------|--|---|--|---|
| FAILED | DURATION - 16.647 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 8 Pass - 3 Fail - 1 Skip - 4 |  |
| / 3:37:33.541 pm // 3:37:50.188 pm / | | | | | |
| | | | | | |



DemoShopAddAddress

| | | | | |
|--|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 16.644 s</div> | |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
| / 3:37:33.544 pm // 3:37:50.188 pm / | | | | |
| AddAddress | | | | |
| @tag @tag1 | | | | |



| # | Step / Hook Details | Status | Duration | |
|---|---|--------|----------|----------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 3.796 s | |
| 2 | When I provide email and password | PASSED | 0.232 s | |
| | email | | | password |
| | abccy@gmail.com | | | 123456 |
| 3 | And click log in | PASSED | 0.112 s | |
| 4 | When I click my email | FAILED | 10.619 s | |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//a[text()='abccy@gmail.com']\"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [20b6abceba485cb8426cb5ed77a1335b, findElement {using=xpath, value=//a[text()='abccy@gmail.com']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\\Users\\yuvar\\AppData\\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:63424}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:63424/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre>webauthn:virtualAuthenticators: true} Session ID: 20b6abceba485cb8426cb5ed77a1335b at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy2.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_click_my_email(StepDefinition.java:82) at ?.I click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/AddAddress.feature:12) * Not displayable characters are replaced by '?'. </pre> | | |
| 5 | And click Addressess and add new | SKIPPED | 0.000 s |
| 6 | Then I want to add new address | SKIPPED | 0.000 s |
| 7 | And select country and state | SKIPPED | 0.000 s |
| 8 | Then i click save | SKIPPED | 0.000 s |

DemoWebShop



| | | | | | |
|--------------------------------------|---------------------------|-----------|---|-----------|---|
| PASSED | DURATION - 9.953 s | Scenarios |  | Steps |  |
| / 3:37:50.213 pm // 3:38:00.166 pm / | | Total - 2 | | Total - 6 | |
| | | Pass - 2 | | Pass - 6 | |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

LoginPageValid

| | | | |
|---|--|---|---|
| <div>PASSED</div> <div>DURATION - 4.936 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 3:37:50.213 pm // 3:37:55.149 pm /</div> | | | |
| <div>DemoWebShop</div> | | | |
| <div>@ValidCredentials @tag</div> | | | |



| # | Step / Hook Details | Status | Duration | |
|---|---|--------|----------|----------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 2.977 s | |
| 2 | When I provide email and password | PASSED | 0.156 s | |
| | email | | | password |
| | abccy@gmail.com | | | 123456 |
| 3 | And click log in | PASSED | 0.459 s | |

LoginPageInvalid



| | | | |
|---|---|---|--|
| <div>PASSED</div> <div>DURATION - 5.015 s</div> |  | <div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div> |  |
| <div>/ 3:37:55.151 pm // 3:38:00.166 pm /</div> | | | |
| <div>DemoWebShop</div> | | | |
| <div>@InvalidCredentials @tag</div> | | | |

| # | Step / Hook Details | Status | Duration | | |
|---------------|--|--------|----------|-------|----------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 3.023 s | | |
| 2 | When I provide invalid email and invalid password | PASSED | 0.158 s | | |
| | <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gil.com</td><td>123</td></tr></table> | | | email | password |
| email | password | | | | |
| abccy@gil.com | 123 | | | | |
| 3 | And click log in | PASSED | 0.460 s | | |

Title of your feature

| | | | | | |
|--------------------------------------|----------------------------|--|---|---|---|
| FAILED | DURATION - 30.334 s | Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0 |  | Steps Total - 16 Pass - 6 Fail - 2 Skip - 8 |  |
| / 3:38:00.185 pm // 3:38:30.519 pm / | | | | | |
| | | | | | |

ChangePassword

| | | | | |
|--|--|--|---|---|
| <div><div>FAILED</div><div>DURATION - 15.202 s</div></div> | |  | <div>Steps</div> <div>Total - 8</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 4</div> |  |
| / 3:38:00.187 pm // 3:38:15.389 pm / | | | | |
| Title of your feature | | | | |
| @ValidChangePassword @tag | | | | |

| # | Step / Hook Details | Status | Duration | | | | |
|-----------------|---|--------|----------|-----------------|--------|--------|---------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 3.014 s | | | | |
| 2 | When I provide email and password <table><tr><td>email</td><td>password</td></tr><tr><td>abccy@gmail.com</td><td>123456</td></tr></table> | email | password | abccy@gmail.com | 123456 | PASSED | 0.143 s |
| email | password | | | | | | |
| abccy@gmail.com | 123456 | | | | | | |
| 3 | And click log in | | | | | | |
| 4 | Given I want to click my email org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"//a[text()='abccy@gmail.com']\"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [7ddd0b5d743286ba04564c737314fa48, findElement {using=xpath, value="//a[text()='abccy@gmail.com']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\\Users\\yuvar\\AppData\\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52374}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:52374/devtoo..., se.cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 7ddd0b5d743286ba04564c737314fa48 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) | FAILED | 10.001 s | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword. feature:30) * Not displayable characters are replaced by '?'. </pre> | | |
| 5 | Then I want to click change Password | SKIPPED | 0.016 s |
| 6 | When i provide oldPassword as "123456" | SKIPPED | 0.000 s |
| 7 | And i provide newPassword as "789456" and confirmPassword as "789456" | SKIPPED | 0.000 s |
| 8 | Then i click change Password | SKIPPED | 0.000 s |

ChangePassword

| | | | |
|---|--|--|--|
| FAILED DURATION - 15.122 s / 3:38:15.397 pm // 3:38:30.519 pm / Title of your feature @InvalidChangePassword @tag | | Steps Total - 8 Pass - 3 Fail - 1 Skip - 4 | |
|---|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I want to be in the demowebshop "https://demowebshop.tricentis.com/login" | PASSED | 3.117 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 2 | When I provide email and password <div> <div>email</div> <div>password</div> <div>abccy@gmail.com</div> <div>123456</div> </div> | PASSED | 0.125 s |
| 3 | And click log in | PASSED | 0.601 s |
| 4 | Given I want to click my email <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='abccy@gmail.com']"} (Session info: chrome=135.0.7049.42) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bb607b8262af01e16407af0a70d2449c, findElement {using=xpath, value=//a[text()='abccy@gmail.com']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 135.0.7049.42, chrome: {chromedriverVersion: 135.0.7049.42 (0f351bbd2617..., userDataDir: C:\Users\yuvar\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64579}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64579/devtoo..., se:cdpVersion: 135.0.7049.42, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bb607b8262af01e16407af0a70d2449c</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at com.actions.ChangePasswordPageAction.clickMyEmail(ChangePasswordPageAction.java:18) at com.definitions.StepDefinition.i_want_to_click_my_email(StepDefinition.java:44) at ?.I want to click my email(file:///C:/Users/yuvar/selenium/CucumberDemoWebShop/src/test/resources/features/changePassword.feature:47) </pre> <p>* Not displayable characters are replaced by '?'. </p> | FAILED | 10.024 s |
| 5 | Then I want to click change Password | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 6 | When i provide invalid oldPassword as "123478" | SKIPPED | 0.000 s |
| 7 | And i provide newPassword as "789456" and confirmPassword as "789456" | SKIPPED | 0.000 s |
| 8 | Then i click change Password | SKIPPED | 0.000 s |